

ISSUE DATE: 08/10/94 - 06:39

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
AUGUST 11, 1994
223-224

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 15h 37m 58s

1200 RTLT=15h 38m 10s

0000 RTLT=15h 38m 22s

VOYAGER 1

S/C 31 STATUS

FDSL : 11AF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT:-1.909 sec
SCAN PLAT POSITION:
AZ = 179.995 deg
EL = 116.007 deg
ROLLREF = RIGIL
KENTAURUS

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31 -- 12 [D] -- | 0835 2345 |----- 12 [D] -----

0935 |----- 42 [D] -----| 1340
1405 |----- 61 [D] -----| 2300

HPTXR

DSN COVERAGE

32 --- | 0740 15 [D] 0355 |----- 15 [D] -----

0750 |----- 45 [D] -----| 1515
1455 |----- 43 [o] -----| 1855

HPTXR

RTLT : 11h 51m 54s

1200 RTLT=11h 52m 2s

0000 RTLT=11h 52m 12s

VOYAGER 2

S/C 32 STATUS

▼ 1620 DUMMY

FDSL : 11AF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT:3:43.933 min
SCAN PLAT POSITION:
AZ = 211.708 deg
EL = 11.728 deg
ROLLREF = VEGA

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A
600 (36)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/10/94 - 06:39

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
AUGUST 12, 1994
224-225

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 15h 38m 22s

1200 RTLT=15h 38m 34s

0000 RTLT=15h 38m 46s

VOYAGER 1

U/L 0100 | - | - - - - - TLC (SHORT-FORM) - - - - -

FDSL : 11AF

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 | 12 [D] - | 0830 | 2320 | - - - - - 12 - - - - -

0935 | - - - - - 42 [D] - - - - - | 1335

1400 | - - - - -

61 [D] - - - - - | 2335

HPTXR

DSN COVERAGE

32 | - - | 0735 15 [D] | 0355 | - - - - - 15 [D] - - - - -

0750 | - - - - - 45 [D] - - - - - | 1515

HPTXR

1455 | - - - - - 43 [o] - - - - - | 1850

RTLT : 11h 52m 12s

1200 RTLT=11h 52m 20s

0000 RTLT=11h 52m 28s

VOYAGER 2

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A

600 (36)

VOYAGER COVERAGE

| - - - - - VGR - - - - - |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/10/94 - 06:39

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
AUGUST 13, 1994
225-226

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 15h 38m 46s

1200 RTLT=15h 38m 58s

0000 RTLT=15h 39m 8s

VOYAGER 1

----- TLC (SHORT-FORM) ----- + D/L - | 1807

FDSL : 11AF

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 --- 12 --- | 0830
0930 |----- 42 [D] ----- | 1330
2220 |----- 12 [D] -----

HPTXR

1355 |----- 61 [D] ----- | 2055

DSN COVERAGE

32 --- | 0730 15 [D] ----- 0320 |----- 15 [D] -----

HPTXR

1200 RTLT=11h 52m 38s

0000 RTLT=11h 52m 46s

RTLT : 11h 52m 28s

VOYAGER 2

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A

600 (36)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/10/94 - 06:39

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
AUGUST 14, 1994
226-227

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 15h 39m 8s

1200 RTLT=15h 39m 20s

0000 RTLT=15h 39m 32s

VOYAGER 1

FDSL : 11AF

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 12 [D] - | 0825

2145- 0620 |-----

12 [D] -----|

1350 |----- 61 [D] -----| 2145

42 [D] 0605 |-----

DSN COVERAGE
HPTXR

32 - | 0725 15 [D]

0315 |----- 15 [D] -----

|----- 45 [D] -----| 0740 - 1840

HPTXR

RTLT : 11h 52m 46s

1200 RTLT=11h 52m 56s

0000 RTLT=11h 53m 4s

VOYAGER 2

↓ 1601 SLEW->JUPITER

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A

600 (36)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/10/94 - 06:39

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
AUGUST 15, 1994
227-228

MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 15h 39m 32s

1200 RTLT=15h 39m 44s

0000 RTLT=15h 39m 56s

VOYAGER 1

↓ 1550 SLEW->HELIO-1

SLEW->HELIO-2 0350 ↓

FDSL : 11AF

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31

2120 |-----12 [D]-----

--- 42 [D] ---|0915

1350 |----- 61 [D] -----|1920

DSN COVERAGE
HPTXR

32

---|0725 15 [D]

1050 |----- 45 [D] -----|1510

1455 |----- 43 [o] -----|1835

0315 |----- 15 [D] -----

HPTXR

RTLT : 11h 53m 4s

1200 RTLT=11h 53m 14s

0000 RTLT=11h 53m 22s

VOYAGER 2

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A
600 (36)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/10/94 - 06:39

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
AUGUST 16, 1994
228-229

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 15h 39m 56s

VOYAGER 1

FDSL : 11AF

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

0919 ↓ 0918 PLS MOD OFF
0920 PWS/RH
0922 PLS MOD ON

TAPPOS 0537 || 0539

↓ 1551 SLEW->HELIO-3

0009 |----- DTR MAINT -----| 0533
0111 | PLSCAL -| 0254
0111 |--- MAGCAL ---| 0414
0111 |--- PESCAL ---| 0431
SLEW->HELIO-4 0351 ↓

0919
GS-4B 0920

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

CR-5T

160(32)

31

12 [D] | 0815

2115 |----- 63 [D] -----| 0020

0000 |----- 12 [D] -----|

1345 |----- 61 [D] -----| 2130

DSN COVERAGE

HPTXR

32

| 0720 15 [D]

0315 |----- 15 [D] -----|

1030 |----- 45 [D] -----| 1455

1440 |----- 43 [o] -----| 1835

HPTXR

1200 RTLT=11h 53m 32s

0000 RTLT=11h 53m 42s

RTLT : 11h 53m 22s

VOYAGER 2

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

0853 || 0854 PWS/RH

0853
GS-4B 0854

FDS MODE
XB DATA RATE (MI)

UV-5A

600 (36)

UV-5A

600(36)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

[1] S/C 32=GS-4B @ 0853 XB=2.8K(41) NOT RECOVERABLE
[2] S/C 31=GS-4B @ 0919 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/10/94 - 06:39

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
AUGUST 17, 1994
229-230

SFOS/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 15h 40m 20s

1200 RTLT=15h 40m 32s

0000 RTLT=15h 40m 44s

VOYAGER 1

↓ 1551 SLEW->HELIO-5

FDSL : 11AF

SLEW->HELIO-6 0351 ↓

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 12 [D] | 0810 2110 - 0620 | 12 [D] |
0755 |----- 42 [D] -----| 1315

DSN COVERAGE
HPTXR

32 | 0715 15 [D] 1030 |----- 45 [D] -----| 1435 0310 |----- 15 [D] -----|
1415 |----- 43 [o] -----| 1830

HPTXR

RTLT : 11h 53m 42s

1200 RTLT=11h 53m 50s

0000 RTLT=11h 54m 0s

VOYAGER 2

↓ 1202 SLEW->KAPPA VEL

FDSL : 11AF

▼ 1610 DUMMY

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A
600(36)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/10/94 - 06:39

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
AUGUST 18, 1994
230-231

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 15h 40m 44s

1200 RTLT=15h 40m 56s

0000 RTLT=15h 41m 6s

VOYAGER 1

↓ 1551 SLEW->HELIO-7

SLEW->HELIO-8 0351 ↓

FDSL : 11AF

▼ 1700 DUMMY

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31

0800 |----- 42 [D] -----| 1135

0225 |----- 12 [D] -----|

HPTXR

1345 |----- 61 -----| 2115

DSN COVERAGE

32

| 0710 15 [D]

0305 |----- 15 [D] -----|

HPTXR

1030 |----- 45 [D] -----| 1435

1415 |----- 43 [O] -----| 1825

RTLT : 11h 54m 0s

1200 RTLT=11h 54m 10s

0000 RTLT=11h 54m 18s

VOYAGER 2

↓ 1802 SLEW->BD+28-4211

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A
600(36)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/10/94 - 06:39

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
AUGUST 19, 1994
231-232

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 15h 41m 6s

1200 RTLT=15h 41m 18s

0000 RTLT=15h 41m 30s

VOYAGER 1

↓ 1551 SLEW->HELIO-9

SLEW->HELIO-10 0351 ↓

FDSL : 11AF

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 12 [D] | 0805 2105 |-----| 12 [D] |-----| 0350

0800 |-----| 42 [D] |-----| 1155

1345 |-----| 61 [D] |-----| 1735

DSN COVERAGE

HPTXR

32 0705 15 [D] 1030 |-----| 45 [D] |-----| 1445 0300 |-----| 15 [D] |-----|

1430 |-----| 43 [o] |-----| 1820

HPTXR

RTLT : 11h 54m 18s

1200 RTLT=11h 54m 28s

0000 RTLT=11h 54m 38s

VOYAGER 2

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A

600(36)

VOYAGER COVERAGE

|-----| VGR |-----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/10/94 - 06:39

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
AUGUST 20, 1994
232-233

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 15h 41m 30s

1200 RTLT=15h 41m 42s

0000 RTLT=15h 41m 54s

VOYAGER 1

↓ 1551 SLEW->HELIO-11

FDSL : 11AF

U/L 0000 | - | - - - - - TLC (SHORT-FORM) - - - - -

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 42 [D] ----- | 0715 - 1305

1430 | - - - - - 61 [D] - - - - - | 1740

2105 | - - - - - 12 - - - - - | 0110

DSN COVERAGE
HPTXR

32

0705 15 [D]

0255 - 0700 | - - - - - 15 [D] - - - - -

1025 | - - - - - 45 [D] - - - - - | 1500

1445 | - - - - - 43 [o] - - - - - | 1815

HPTXR

RTLT : 11h 54m 38s

1200 RTLT=11h 54m 48s

0000 RTLT=11h 54m 56s

VOYAGER 2

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A

600(36)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/10/94 - 06:39

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
AUGUST 21, 1994
233-234

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 15h 41m 54s

1200 RTLT=15h 42m 6s

0000 RTLT=15h 42m 18s

VOYAGER 1

↓ 0852 SLEW->MIDWAY

FDSL : 11AF

----- TLC (SHORT-FORM) ----- † D/L -| 1710

SLEW->HELIO-13 0352 ↓

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

↓ 1052 SLEW-> HELIO-12

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1330 |----- 61 [D] -----| 1915

2100 - 0650 |----- 12 [D] -----|

DSN COVERAGE
HPTXR

32

0700 15 [D]

1025 |----- 45 [D] -----| 1625

0255 - 0655 |----- 15 [D] -----|

HPTXR

RTLT : 11h 54m 56s

1200 RTLT=11h 55m 6s

0000 RTLT=11h 55m 16s

VOYAGER 2

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A

600(36)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/10/94 - 06:39

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
AUGUST 22, 1994
234-235

MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 15h 42m 18s

1200 RTLTL=15h 42m 30s

0000 RTLTL=15h 42m 42s

VOYAGER 1

↓ 1552 SLEW->HELIO-14

SLEW->HELIO-15 0352 ↓

FDSL : 11AF

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1320 |----- 61 [D] -----

1925

2055 - 0650 |----- 12 [D] -----

DSN COVERAGE
HPTXR

32

1025 |----- 45 [D] ----- | 1420

1405 |----- 43 [o] ----- | 1810

0250 - 0650 |----- 15 [D] -----

HPTXR

RTLTL : 11h 55m 16s

1200 RTLTL=11h 55m 26s

0000 RTLTL=11h 55m 36s

VOYAGER 2

↓ 1502 SLEW->BAKGND

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A

600(36)

VOYAGER COVERAGE

|----- VGR -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/10/94 - 06:39

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
AUGUST 23, 1994
235-236

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 15h 42m 42s
VOYAGER 1
FDSL : 11AF
CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLTL=15h 42m 54s
0000 RTLTL=15h 43m 6s

↓ 0855 PLS MOD OFF
0857 | 0858 PWS/RH
↓ 0859 PLS MOD ON

↓ 1552 SLEW->HELIO-16
SLEW->HELIO-17 0352 ↓

FDS MODE	CR-5T	CR-5T
XB DATA RATE (MI)	160(32)	160(32)

0857
GS-4B

0858

31
DSN COVERAGE HPTXR
32
HPTXR

1315 |----- 61 [D] -----| 1900
2045 |---- 63 [D] ----| 2355

0950 |----- 45 [D] -----| 1450
1435 |-- 43 [o] ---| 1645

0245- 0645 |----- 15 [D] -----|

RTLTL : 11h 55m 36s
VOYAGER 2
FDSL : 11AF
CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLTL=11h 55m 46s
0000 RTLTL=11h 55m 56s

0830 | 0831 PWS/RH
0944 | PLSCAL -| 1126
0944 |---- MAGCAL ----| 1246
0944 |---- PESCAL ----| 1304

FDS MODE	UV-5A	UV-5A	CR-5T	UV-5A
XB DATA RATE (MI)	600(36)	600(36)	160(32)	600(36)

0830 GS-4B 0831 0937 1305

VOYAGER COVERAGE |----- VGR -----|

NOTES
[1] S/C 32=GS-4B @ 0830 XB=2.8K(41) NOT RECOVERABLE
[2] S/C 31=GS-4B @ 0857 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/10/94 - 06:39

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
AUGUST 24, 1994
236-237

SFOS/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 15h 43m 6s

1200 RTLT=15h 43m 18s

0000 RTLT=15h 43m 30s

VOYAGER 1

↓ 1552 SLEW->HELIO-18

FDSL : 11AF

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 --- | 0745 12 [D] |-----| 42 [D] |-----| 0745 - 1250 |-----| 2100 |-----| 12 [D] |-----| 0310

|-----| 1400 |-----| 61 [D] |-----| 1900

DSN COVERAGE
HPTXR

32 0925 |-----| 45 [D] |-----| 1420 |-----| 1405 |-----| 43 [o] |-----| 1800

0240 - 0645 |-----| 15 [D] |-----|

HPTXR

RTLT : 11h 55m 56s

1200 RTLT=11h 56m 6s

0000 RTLT=11h 56m 16s

VOYAGER 2

▼ 1510 DUMMY

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A

600(36)

VOYAGER COVERAGE

|-----| VGR |-----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/10/94 - 06:39

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
AUGUST 25, 1994
237-238

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 15h 43m 30s

1200 RTLT=15h 43m 42s

0000 RTLT=15h 43m 54s

VOYAGER 1

▼ 1700 DUMMY

FDSL : 11AF

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1310

61

2345

2345 - 0700

12 [D]

DSN COVERAGE
HPTXR

32

0925

1420

1405

43 [D]

1755

HPTXR

RTLT : 11h 56m 16s

1200 RTLT=11h 56m 26s

0000 RTLT=11h 56m 36s

VOYAGER 2

↓ 1003 SLEW->ALPHA ERI

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A

600(36)

VOYAGER COVERAGE

VGR

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/10/94 - 06:39

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
AUGUST 26, 1994
238-239

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 15h 43m 54s

1200 RTLT=15h 44m 6s

0000 RTLT=15h 44m 18s

U/L 2330 | - | - - - - - TLC (SHORT-FORM) - - - - -

VOYAGER 1

FDSL : 11AF

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 0820 | - - - - - 42 [D] - - - - - | 1240 2040 | - - - - - 12 - - - - - | 0455

0700 12 [D]

1345 | - - - - - 61 [D] - - - - - | 2055

DSN COVERAGE HPTXR

32

0950 | - - - - - 45 [D] - - - - - | 1420

1405 | - - - - - 43 [o] - - - - - | 1755

0235 - 0635 | - - - - - 15 [D] - - - - - |

HPTXR

RTLT : 11h 56m 36s

1200 RTLT=11h 56m 46s

0000 RTLT=11h 56m 56s

VOYAGER 2

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A

600(36)

VOYAGER COVERAGE

| - - - - - VGR - - - - - |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/10/94 - 06:39

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
AUGUST 27, 1994
239-240

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 15h 44m 18s

1200 RTLT=15h 44m 30s

0000 RTLT=15h 44m 42s

VOYAGER 1

-----TLC (SHORT-FORM) -----+ D/L -| 1642

FDSL : 11AF

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

-----42 [D] -----| 0715 - 1130

1305 |-----61 [D] -----| 1745

2035 |-----12 [D] -----| 0545

HPTXR

DSN COVERAGE

32

0935 |-----45 [D] -----| 1420

1405 |-----43 [o] -----| 1750

0230 - 0630 |-----15 [D] -----|

HPTXR

RTLT : 11h 56m 56s

1200 RTLT=11h 57m 8s

0000 RTLT=11h 57m 18s

VOYAGER 2

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A

600(36)

VOYAGER COVERAGE

-----ON CALL -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/10/94 - 06:39

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
AUGUST 28, 1994
240-241

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 15h 44m 42s

1200 RTLT=15h 44m 54s

0000 RTLT=15h 45m 6s

VOYAGER 1

FDSL : 11AF

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 |----- 42 [D] -----| 0715 - 1235 |----- 2030 - 0700 -----| 12 [D] |-----

1255 |----- 61 [D] -----| 1815

DSN COVERAGE
HPTXR

32 |----- 1020 |----- 45 [D] -----| 1745 |----- 0220 - 0625 |----- 15 [D] -----|

HPTXR

RTLT : 11h 57m 18s

1200 RTLT=11h 57m 28s

0000 RTLT=11h 57m 38s

VOYAGER 2

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A

600(36)

VOYAGER COVERAGE

|----- ON CALL -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7