

ISSUE DATE: 10/07/94 - 02:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
OCTOBER 6, 1994
279-280

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 15h 59m 44s

1200 RTLT=15h 59m 56s

0000 RTLT=16h 0m 6s

VOYAGER 1

S/C 31 STATUS

FDSL : 11AF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -2.518 sec
SCAN PLAT POSITION:
AZ = 319.959 deg
EL = 117.035 deg
ROLLREF = RIGIL
KENTAURUS

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31

1345 |----- 61 [D] -----| 2105
2150 |----- 12 [D] -----| 0255

DSN COVERAGE
HPTXR

32

----- 42 [D] -----| 1200
1145 |----- 43 [o] -----| 1510
2345 |----- 15 [D] -----| 0255

HPTXR

RTLT : 12h 12m 20s

1200 RTLT=12h 12m 32s

0000 RTLT=12h 12m 44s

VOYAGER 2

S/C 32 STATUS

FDSL : 11AF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: 3:37.289 min
SCAN PLAT POSITION:
AZ = 160.065 deg
EL = 64.987 deg
ROLLREF = VEGA

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 10/07/94 - 02:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
OCTOBER 7, 1994
280-281

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 0m 6s

1200 RTLT=16h 0m 16s

0000 RTLT=16h 0m 28s

VOYAGER 1

FDSL : 11AF

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

1020

2100

61 [D]

2045

12 [D]

0445

DSN COVERAGE
HPTXR

32

42 [D]

1200

0350

42 [D]

1145

43 [o]

1505

2345

15 [D]

0345

HPTXR

RTLT : 12h 12m 44s

1200 RTLT=12h 12m 56s

0000 RTLT=12h 13m 8s

VOYAGER 2

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

VGR

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 10/07/94 - 02:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
OCTOBER 8, 1994
281-282

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 0m 28s

1200 RTLT=16h 0m 38s

0000 RTLT=16h 0m 48s

VOYAGER 1

U/L 1100 | - | - - - - - TLC (SHORT-FORM) - - - - - | D/L - | 0429

FDSL : 11AF

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

1015 | - - - - - 61 - - - - - | 2010

2000 | - - - - - 12 [D] - - - - - | 0445

HPTXR

DSN COVERAGE

32

42 [D] - - - - - | 1145

0350 | - - - - - DELETED - - - - -

1130 | - - - - - 43 [o] - - - - - | 1505

2340 | - - - - - 15 [D] - - - - - | 0345

HPTXR

RTLT : 12h 13m 8s

1200 RTLT=12h 13m 20s

0000 RTLT=12h 13m 32s

VOYAGER 2

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

- - - - - ON CALL - - - - -

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 10/07/94 - 02:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
OCTOBER 9, 1994
282-283

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 0m 48s

1200 RTLT=16h 0m 58s

0000 RTLT=16h 1m 8s

VOYAGER 1

FDSL : 11AF

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

1015 |-----61 [D]-----

1840

1820 |-----12 [D]-----| 0440

DSN COVERAGE
HPTXR

32

DELETED |-----| 1440

1130 |-----43 [o]-----| 1500

2335 |-----15 [D]-----| 0340

HPTXR

RTLT : 12h 13m 32s

1200 RTLT=12h 13m 46s

0000 RTLT=12h 13m 58s

VOYAGER 2

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 10/07/94 - 02:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
OCTOBER 10, 1994
283-284

MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 1m 8s

1200 RTLTL=16h 1m 20s

0000 RTLTL=16h 1m 30s

VOYAGER 1

FDSL : 11AF

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

1010 |----- 65 [D] -----| 2050

0035 |----- 12 [D] -----| 0435

DSN COVERAGE
HPTXR

32

1100 |----- 43 [O] -----| 1455

2330 |----- 15 [D] -----| 0335

HPTXR

RTLTL : 12h 13m 58s

1200 RTLTL=12h 14m 10s

0000 RTLTL=12h 14m 22s

VOYAGER 2

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 10/07/94 - 02:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
OCTOBER 11, 1994
284-285

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 1m 30s

1200 RTLTL=16h 1m 40s

0000 RTLTL=16h 1m 50s

VOYAGER 1

FDSL : 11AF

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

2210 | PLSCAL -| 2353
2210 | --- MAGCAL ---| 0113
2210 | --- PESCAL ---| 0130
▼ 2314 EL-40 0243 | 0244 PWS/RH
▼ 2328 CCSL A020
▼ 0000 CCSCAL
▼ 0014 CR-5T
▼ 0030 DUMMY

0243
GS-4B 0244

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

CR-5T

160(32)

31

1330 |----- 65 [D] -----| 2045

2020 |--- 15 [D] ---| 2255

2240 |----- 12 -----| 0430

DSN COVERAGE
HPTXR

32

1100 |----- 43 [o] -----| 1450

2340 |----- 15 [D] -----| 0330

HPTXR

RTLTL : 12h 14m 22s

1200 RTLTL=12h 14m 34s

0000 RTLTL=12h 14m 46s

VOYAGER 2

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

0216 | 0217 PWS/RH

0216
GS-4B 0217

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

- [1] S/C 32=GS-4B @ 0216 XB=2.8K(41) NOT RECOVERABLE
- [2] S/C 31=GS-4B @ 0243 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 10/07/94 - 02:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
OCTOBER 12, 1994
285-286

SFOS/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 1m 50s

1200 RTLT=16h 2m 0s

0000 RTLT=16h 2m 10s

VOYAGER 1

FDSL : 11AF

1547 || 1551 CCS CHKSUM *

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

* 1517 * 1617

FDS MODE
XB DATA RATE (MI)

CR-5T

EL-40

CR-5T

160(32)

40(30)

160(32)

31

1000

2040

2345 |----- 14 [D] -----| 0430

DSN COVERAGE
HPTXR

32

1100 |----- 42 [o] -----| 1410

2325 |----- 15 [D] -----| 0330

HPTXR

RTLT : 12h 14m 46s

1200 RTLT=12h 14m 58s

0000 RTLT=12h 15m 10s

VOYAGER 2

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 10/07/94 - 02:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
OCTOBER 13, 1994
286-287

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 2m 10s

1200 RTLT=16h 2m 20s

0000 RTLT=16h 2m 30s

VOYAGER 1

FDSL : 11AF

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31

0955 |----- 65 [D] -----| 1400

1730 |----- 15 [D] -----| 2235

0215 |--- 12 [D] ---| 0425

DSN COVERAGE
HPTXR

32

1100 |----- 43 [o] -----| 1445

2320 |----- 15 [D] -----| 0325

HPTXR

RTLT : 12h 15m 10s

1200 RTLT=12h 15m 22s

0000 RTLT=12h 15m 34s

VOYAGER 2

▼ 1400 DUMMY

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 10/07/94 - 02:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
OCTOBER 14, 1994
287-288

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 2m 30s

1200 RTLT=16h 2m 40s

0000 RTLT=16h 2m 50s

VOYAGER 1

U/L 0100 | - | - - - - - TLC (SHORT-FORM) - - - - -

FDSL : 11AF

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1645 | - - - - - 65 [D] - - - - - | 2030

0020 | - - - - - 12 - - - - - | 0420

DSN COVERAGE
HPTXR

32

1100 | - - - - - 43 [o] - - - - - | 1440

2315 | - - - - - 15 [D] - - - - - | 0320

HPTXR

RTLT : 12h 15m 34s

1200 RTLT=12h 15m 46s

0000 RTLT=12h 15m 58s

VOYAGER 2

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

| - - - - - VGR - - - - - |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 10/07/94 - 02:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
OCTOBER 15, 1994
288-289

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 2m 50s

1200 RTLT=16h 3m 0s

0000 RTLT=16h 3m 10s

VOYAGER 1 ----- TLC (SHORT-FORM) -----+ D/L -| 1831

FDSL : 11AF

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE CR-5T
XB DATA RATE (MI) 160(32)

31 0950 |----- 61 [D] -----| 2030
2030 |----- 12 [D] -----| 0415

DSN COVERAGE HPTXR

32 |----- 42 [D] -----| 0730- 1130
1110 |----- 43 [o] -----| 1435
2315 |----- 15 [D] -----| 0315

HPTXR

1200 RTLT=12h 16m 12s

0000 RTLT=12h 16m 24s

RTLT : 12h 15m 58s

VOYAGER 2

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE CR-5T
XB DATA RATE (MI) 160(32)

VOYAGER COVERAGE ----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 10/07/94 - 02:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
OCTOBER 16, 1994
289-290

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 3m 10s

1200 RTLT=16h 3m 20s

0000 RTLT=16h 3m 30s

VOYAGER 1

FDSL : 11AF

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

0945 |-----| 61 [D] |-----| 2025
2030 | - 12 [D] - | 2210

HPTXR

DSN COVERAGE

32

|-----| 42 [D] |-----| 0715- 1115
1100 |-----| 43 [o] |-----| 1435
2310 |-----| 12 [o] |-----| 0315

HPTXR

RTLT : 12h 16m 24s

1200 RTLT=12h 16m 36s

0000 RTLT=12h 16m 48s

VOYAGER 2

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 10/07/94 - 02:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
OCTOBER 17, 1994
290-291

MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 3m 30s

1200 RTLTL=16h 3m 40s

0000 RTLTL=16h 3m 50s

VOYAGER 1

FDSL : 11AF

↓ 1711 BEGIN SEQUENCE A020

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

0945

61 [D]

2020

2100

12 [D]

0410

DSN COVERAGE
HPTXR

32

1035

42 [o]

1405

2305

15 [D]

0310

HPTXR

RTLTL : 12h 16m 48s

1200 RTLTL=12h 17m 0s

0000 RTLTL=12h 17m 12s

VOYAGER 2

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE


VGR

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 10/07/94 - 02:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0



ISSUE DATE: 10/07/94 - 02:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
OCTOBER 19, 1994
292-293

SFOS/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 4m 10s

1200 RTLT=16h 4m 18s

0000 RTLT=16h 4m 28s

VOYAGER 1

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

0935 |----- 61 [D] -----| 2015

2150 |----- 12 [D] -----| 0400

DSN COVERAGE
HPTXR

32

----- 42 [D] -----| 1115

1100 |----- 43 [o] -----| 1420

2255 |----- 15 [D] -----| 0300

HPTXR

RTLT : 12h 17m 36s

1200 RTLT=12h 17m 48s

0000 RTLT=12h 18m 0s

VOYAGER 2

▼ 1320 DUMMY

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 10/07/94 - 02:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
OCTOBER 20, 1994
293-294

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 4m 28s

1200 RTLT=16h 4m 38s

0000 RTLT=16h 4m 48s

VOYAGER 1

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31

0930 |----- 61 [D] -----| 2010

1955 |----- 12 [D] -----| 0355

DSN COVERAGE
HPTXR

32

|----- 42 -----| 0715 - 1400

2255 |----- 15 [D] -----| 0255

42 [D] 0645 |

HPTXR

RTLT : 12h 18m 0s

1200 RTLT=12h 18m 12s

0000 RTLT=12h 18m 24s

VOYAGER 2

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1050 |----- U/L -----|----- AGC/CMD -----|----- D/L -----| 0218

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

2303

0243

EL-40
40(32)

CR-5T
160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 10/07/94 - 02:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
OCTOBER 21, 1994
294-295

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 4m 48s

1200 RTLT=16h 4m 56s

0000 RTLT=16h 5m 6s

VOYAGER 1

U/L 0140 | - | - - - - TLC (SHORT-FORM) - - - -

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1215 | - - - - - 63 [D] - - - - - | 1615

1555 | - - - - - 61 [D] - - - - - | 2005

2215 | - - - - - 12 - - - - - | 0355

DSN COVERAGE
HPTXR

32

42 [D] - - - - - | 1100

42 [D] 0640 | -

1045 | - - - - - 43 [o] - - - - - | 1415

2250 | - - - - - 15 [D] - - - - - | 0255

HPTXR

RTLT : 12h 18m 24s

1200 RTLT=12h 18m 36s

0000 RTLT=12h 18m 48s

VOYAGER 2

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

| - - - - - VGR - - - - - |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 10/07/94 - 02:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
OCTOBER 22, 1994
295-296

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 5m 6s

1200 RTLT=16h 5m 16s

0000 RTLT=16h 5m 24s

VOYAGER 1

----- TLC (SHORT-FORM) ----- | D/L -| 1913

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

0925 |-----

61 [D] |-----

2000

2030 |-----

12 [D] |-----

0350

DSN COVERAGE
HPTXR

32

42 [D] |-----

1140

1125 |-----

43 [o] |-----

1410

42 [D] 0640 |-----

HPTXR

2245 |-----

15 [D] |-----

0250

RTLT : 12h 18m 48s

1200 RTLT=12h 19m 0s

0000 RTLT=12h 19m 12s

VOYAGER 2

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 10/07/94 - 02:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
OCTOBER 23, 1994
296-297

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 5m 24s

1200 RTLT=16h 5m 34s

0000 RTLT=16h 5m 42s

VOYAGER 1

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

0920

61 [D]

2000

1945

12 [D]

0345

DSN COVERAGE
HPTXR

32

42 [D]

1340

42 [D]

0615

HPTXR

RTLT : 12h 19m 12s

1200 RTLT=12h 19m 24s

0000 RTLT=12h 19m 36s

VOYAGER 2

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7