

ISSUE DATE: 01/19/95 - 08:03

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
JANUARY 19, 1995
019-020

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 17m 50s

1200 RTLTL=16h 17m 48s

0000 RTLTL=16h 17m 48s

VOYAGER 1

S/C 31 STATUS

▼ 1650 DUMMY

FDSL : 11AF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -3.586 sec
SCAN PLAT POSITION:
AZ = 61.078 deg
EL = 119.780 deg
ROLLREF = RIGIL
KENTAURUS

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31

1140 |----- 12 -----| 2145

0620 |-- 65 [D] --|

0335 |----- 63 [D] -----| 0635

DSN COVERAGE
HPTXR

32

---| 0855 43 [o]

1705 |----- 15 [D] -----| 2150

0625 |-- 43 [D] --|

0345 |--- DELETED ---| 0640

HPTXR

RTLTL : 12h 42m 00s

1200 RTLTL=12h 42m 02s

0000 RTLTL=12h 42m 04s

VOYAGER 2

S/C 32 STATUS

↓ 1725 CCS MEMUPD & WPMCHG

FDSL : 11AF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: 3:24.586 min
SCAN PLAT POSITION:
AZ = 229.983 deg
EL = 116.019 deg
ROLLREF = VEGA

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

*
1826
EL-40
*
1855

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

CR-5T
160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

[1] S/C 32 = EL-40 XB = 40(30) @ 1826

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/19/95 - 08:03

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
JANUARY 20, 1995
020-021

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 17m 48s

1200 RTLTL=16h 17m 48s

0000 RTLTL=16h 17m 48s

VOYAGER 1

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 ----- 65 [D] ----- | 1415 0300 |----- 65 [D] -----

1400 |----- 12 [D] ----- | 1945

DSN COVERAGE HPTXR

32 --| 0825 43 [D] 0620 |-- 43 [D] --

1045 |--- 61 [D] ---| 1325 1700 |----- 15 [D] -----| 2105
2050 |----- 42 [D] -----| 0415

HPTXR

RTLTL : 12h 42m 04s

1200 RTLTL=12h 42m 06s

0000 RTLTL=12h 42m 08s

VOYAGER 2

↓ 0025 SLEW->HELIO-1

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/19/95 - 08:03

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
JANUARY 21, 1995
021-022

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 17m 48s

1200 RTLT=16h 17m 46s

0000 RTLT=16h 17m 46s

VOYAGER 1

U/L 1605 | - | ----- TLC (SHORT-FORM) -----

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 |-----| 0850 65 [D]

1135 |-----|

12 |-----|

2140 |-----|

0405 |-----| 61 [D] |-----|

DSN COVERAGE
HPTXR

32 |-----| 0820 43 [D]

0935 |-----| 65 [D] |-----|

1325 |-----|

1655 |-----| 15 [D] |-----|

2145 |-----| 2145

42 [D] |-----|

0615 |-----| 43 [D] |-----|

0630 |-----|

HPTXR

RTLT : 12h 42m 08s

1200 RTLT=12h 42m 10s

0000 RTLT=12h 42m 12s

VOYAGER 2

↓ 1225 SLEW->HELIO-2

↓ 0025 SLEW->HELIO-3

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/19/95 - 08:03

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
JANUARY 22, 1995
022-023

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 17m 46s

1200 RTLT=16h 17m 44s

0000 RTLT=16h 17m 44s

VOYAGER 1

---| TLC (SHORT-FORM)
| D/L -| 0951

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

---| 61 [D] ---| 1030
1130 |-----| 12 [D] -----| 2135
0255 |-----| 65 [D] -----|

HPTXR

DSN COVERAGE

32

| 0815 43 [o]
0930 |-----| 65 [D] -----| 1325
1655 |-----| 15 [D] -----| 2140
0515 - 0750 |-----| 42 [D] -----|

HPTXR

RTLT : 12h 42m 12s

1200 RTLT=12h 42m 14s

0000 RTLT=12h 42m 14s

VOYAGER 2

↓ 1225 SLEW->HELIO-4

↓ 0025 SLEW->HELIO-5

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

-----| ON CALL -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/19/95 - 08:03

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
JANUARY 23, 1995
023-024

MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 17m 44s

1200 RTLT=16h 17m 44s

0000 RTLT=16h 17m 42s

VOYAGER 1

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 ---| 0840 65 [D] |-----| 1025 |-----| 15 [D] |-----| 1945 |-----| 0320 |-----| 65 [D] |-----|

DSN COVERAGE
HPTXR

32 1840 - 0745 |-----| 42 [D] |-----|

HPTXR

0925 |-----| 65 [D] |-----| 1320

RTLT : 12h 42m 14s

1200 RTLT=12h 42m 16s

0000 RTLT=12h 42m 18s

VOYAGER 2

↓ 1225 SLEW->HELIO-6

↓ 0025 SLEW->HELIO-7

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|-----| VGR |-----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/19/95 - 08:03

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
JANUARY 24, 1995
024-025

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 17m 42s

1200 RTLTL=16h 17m 42s

0000 RTLTL=16h 17m 40s

VOYAGER 1

2051 | 2052 PWS/RH

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

2051
GS-4B 2052

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

CR-5T
160(32)

31

0835 65 [D]

1025

15 [D]

2145

0315

63 [D]

DSN COVERAGE
HPTXR

32

1835

42 [D]

0415

0920

65 [D]

1315

0605 - 0800

43 [o]

HPTXR

RTLTL : 12h 42m 18s

1200 RTLTL=12h 42m 20s

0000 RTLTL=12h 42m 20s

VOYAGER 2

↓ 1225 SLEW->HELIO-8

2029 | 2030 PWS/RH

↓ 0025 SLEW->HELIO-9

DUMMY 0645 ▼

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

2029
GS-4B 2030

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

CR-5T
160(32)

VOYAGER COVERAGE

VGR

VGR

NOTES

[1] S/C 32=GS-4B @ 2029 XB=2.8K(41) NOT RECOVERABLE
[2] S/C 31=GS-4B @ 2051 XB=2.8K(41) NOT RECOVERABLE

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/19/95 - 08:03

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
JANUARY 25, 1995
025-026

SFOS/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 17m 40s

1200 RTLT=16h 17m 40s

0000 RTLT=16h 17m 38s

VOYAGER 1

▼ 1650 DUMMY

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 63 [D] ----- | 1130 0345 |----- 61 [D] -----

1115 |----- 65 [D] ----- | 1355

1340 |----- 12 ----- | 2115

HPTXR

DSN COVERAGE

32

0800 43 [o]

1645 |----- 15 [D] ----- | 2045

2030 - 0735 |----- 42 [D] ----- |

HPTXR

RTLT : 12h 42m 20s

1200 RTLT=12h 42m 22s

0000 RTLT=12h 42m 24s

VOYAGER 2

↓ 1225 SLEW->HELIO-10

↓ 1825 SLEW->MIDWAY

↓ 0025 SLEW->HELIO-11

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/19/95 - 08:03

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
JANUARY 26, 1995
026-027

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 17m 38s

1200 RTLT=16h 17m 38s

0000 RTLT=16h 17m 36s

VOYAGER 1

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 -----61 [D] ----- | 1050 0555 |--- 65 [D] --- |

1110 |----- 12 [D] ----- | 1545

0310 |----- 63 [D] ----- | 0610

DSN COVERAGE
HPTXR

32

1640 |----- 15 [D] ----- | 2125

0555 - 0755 |--- 43 [D] --- |

HPTXR

RTLT : 12h 42m 24s

1200 RTLT=12h 42m 24s

0000 RTLT=12h 42m 26s

VOYAGER 2

↓ 1225 SLEW->HELIO-12

↓ 0025 SLEW->HELIO-13

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

|----- VGR ----- |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/19/95 - 08:03

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
JANUARY 27, 1995
027-028

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 17m 36s

VOYAGER 1

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

- ↓ 1109 GYROS AB ON
- ↓ 1110 GYRO INIT
- ↓ 1119 GYRO FAULT TEST
- 1212 | 1218 CCSTIM(B)

1200 RTLT=16h 17m 34s

0000 RTLT=16h 17m 34s

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

65 [D] ----- | 1345

1330 |

12 [D] ----- | 2110

0230 |----- 65 [D] -----

HPTXR
DSN COVERAGE

32

1635 |----- 15 [D] ----- | 1945

1945 - 0730 |

42 [D] ----- |

HPTXR

RTLT : 12h 42m 26s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLT=12h 42m 26s

- ↓ 1225 SLEW->HELIO-14

0000 RTLT=12h 42m 28s

- ↓ 0025 SLEW->HELIO-15

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

| - VGR - |

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/19/95 - 08:03

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
JANUARY 28, 1995
028-029

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 17m 34s

1200 RTLT=16h 17m 32s

0000 RTLT=16h 17m 32s

VOYAGER 1

U/L 1405 | - | - - - - - TLC (SHORT-FORM) - - - - - |
- 0751 | D/L - |

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

0820 65 [D]

1105 |

12 - - - - -

2105

0230 |

65 [D] - - - - -

DSN COVERAGE
HPTXR

32

0905 | - - - - - 65 [D] - - - - - | 1300

1630 |

15 [D] - - - - -

2035

2020 |

42 [D] - - - - -

0330

0550 - 0750 | - - - 43 [o] - - - |

HPTXR

RTLT : 12h 42m 28s

1200 RTLT=12h 42m 28s

0000 RTLT=12h 42m 28s

VOYAGER 2

↓ 1225 SLEW->HELIO-16

↓ 0025 SLEW->HELIO-17

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

- - - - - ON CALL - - - - -

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/19/95 - 08:03

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
JANUARY 29, 1995
029-030

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 17m 32s

1200 RTLT=16h 17m 30s

0000 RTLT=16h 17m 28s

VOYAGER 1

FDSL : 11AF

CCSL : A020

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

65 [D]

1145

1200

12 [D]

2105

0225

65 [D]

DSN COVERAGE

HPTXR

32

1630

15 [D]

2115

0445 - 0720

42 [D]

HPTXR

RTLT : 12h 42m 28s

1200 RTLT=12h 42m 30s

0000 RTLT=12h 42m 30s

VOYAGER 2

↓ 1225 SLEW->HELIO-18

↓ 0025 SLEW->HELIO-19

FDSL : 11AF

CCSL : B023

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/19/95 - 08:03

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
JANUARY 30, 1995
030-031

MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 17m 28s

1200 RTLTL=16h 17m 28s

0000 RTLTL=16h 17m 26s

↓ 2309 SLEW->DARKPLATE

VOYAGER 1

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 | 0815 65 [D] |-----| 1000 |-----| 15 [D] |-----| 2155 |-----| 0220 |-----| 65 [D] |-----|

DSN COVERAGE
HPTXR

32 | 0900 |-----| 65 [D] |-----| 1250 |-----| 1810 |-----| 42 [D] |-----| 0600 |-----| 0545 - 0745 |-----| 43 [D] |-----|

HPTXR

RTLTL : 12h 42m 30s

1200 RTLTL=12h 42m 30s

0000 RTLTL=12h 42m 32s

↓ 1225 SLEW->HELIO-20

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

|-----| VGR |-----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/19/95 - 08:03

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

<p>TUESDAY JANUARY 31, 1995 031-032</p>	
<p>UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8</p> <p>RTLTL : 16h 17m 26s</p> <p>VOYAGER 1</p> <p>FDSL : 11AF</p> <p>CCSL : A020 TWNC : ON SB : OFF XB : LOW PYR : .05/ .10/ .25 GYROS : ON</p> <p>FDS MODE XB DATA RATE (MI)</p>	<p>1200 RTLTL=16h 17m 24s</p> <p>0000 RTLTL=16h 17m 22s</p> <p>↓ 1209 GYRO INIT</p> <p>▼ 1620 DUMMY</p> <p>2027 2028 PWS/RH</p> <p>2027 GS-4B 2028</p> <p>CR-5T 160(32) CR-5T 160(32)</p>
<p>DSN COVERAGE</p> <p>HPTXR</p> <p>31</p> <p>HPTXR</p> <p>32</p> <p>HPTXR</p>	<p>65 [D] - 0930</p> <p>1055 ----- 12 ----- 1730</p> <p>0350 - 0710 ----- 63 [D] ----- </p> <p>1805 ----- 42 [D] ----- 0555</p> <p>0540 - 0740 --- 43 [o] --- </p>
<p>RTLTL : 12h 42m 32s</p> <p>VOYAGER 2</p> <p>FDSL : 11AF</p> <p>CCSL : B023 TWNC : ON SB : OFF XB : LOW PYR : .05/ .10/ .25 GYROS : OFF</p> <p>FDS MODE XB DATA RATE (MI)</p>	<p>1200 RTLTL=12h 42m 32s</p> <p>0000 RTLTL=12h 42m 32s</p> <p>2005 2006 PWS/RH</p> <p>2017 ----- DTR MAINT ----- 0143</p> <p>0145 0147 TAPPOS</p> <p>DUMMY 0610 ▼</p> <p>2005 GS-4B 2006</p> <p>CR-5T 160(32) CR-5T 160(32)</p>
<p>VOYAGER COVERAGE</p>	<p> ----- VGR ----- VGR </p>
<p>NOTES</p>	<p>[1] S/C 32=GS-4B @ 2005 XB=2.8K(41) NOT RECOVERABLE</p> <p>[2] S/C 31=GS-4B @ 2027 XB=2.8K(41) NOT RECOVERABLE</p>

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/19/95 - 08:03

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
FEBRUARY 1, 1995
032-033

SFOS/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 17m 22s

1200 RTLTL=16h 17m 22s

0000 RTLTL=16h 17m 20s

VOYAGER 1

1242 | PLSCAL - | 1424

1242 | --- MAGCAL --- | 1544

1242 | --- PESCAL --- | 1602

▽ 0420 GYRO DRIFT U/D

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 --- 65 [D] --- | 1000

0950 | ----- 15 [D] ----- | 2145

0320 | ----- 61 [D] -----

DSN COVERAGE
HPTXR

32 1045 | --- 65 [D] --- | 1245

1800 - 0710 | ----- 42 [D] ----- |

HPTXR

RTLTL : 12h 42m 32s

1200 RTLTL=12h 42m 32s

0000 RTLTL=12h 42m 32s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

| ----- VGR ----- |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/19/95 - 08:03

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
FEBRUARY 2, 1995
033-034

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 17m 20s

1200 RTLTL=16h 17m 18s

0000 RTLTL=16h 17m 16s

VOYAGER 1

↓ 1500 BAY 1 HTR OFF
↓ 1504 X/B HI POWER

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 0820 61 [D] 0945 |----- 15 [D] -----| 2145 0210 |----- 65 [D] -----|

DSN COVERAGE HPTXR

32 1725 |----- 45 [D] -----| 2045 0530 |----- 43 [D] -----|

HPTXR

RTLTL : 12h 42m 32s

1200 RTLTL=12h 42m 34s

0000 RTLTL=12h 42m 34s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/19/95 - 08:03

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
FEBRUARY 3, 1995
034-035

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 17m 16s

1200 RTLTL=16h 17m 16s

0000 RTLTL=16h 17m 14s

VOYAGER 1

↓ 1219 AAI

1222 |----- MAGROL -----| 1818

↓ 1811 RAI

↓ 1818 CRU

↓ 1818 GYROS OFF

↓ 1820 X/B LOW POWER

↓ 1824 BAY 1 HTR ON

FDSL : 11AF

CCSL : A020

TWNC : ON

SB : OFF XB : HI

PYR : .05/ .10/ .25

GYROS : ON

FDS MODE

CR-5T

XB DATA RATE (MI)

160(32)

31

----- 65 [D] ----- | 1200

1145 |----- 15 [D] -----| 2105

0310 - 0750 |----- 61 [D] -----|

HPTXR

DSN COVERAGE

32

| 0805 43 [D]

1755 |----- 42 [D] -----| 2330

0525 - 0725 |--- 43 [D] ---|

HPTXR

RTLTL : 12h 42m 34s

1200 RTLTL=12h 42m 34s

0000 RTLTL=12h 42m 34s

VOYAGER 2

FDSL : 11AF

CCSL : B023

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE

CR-5T

XB DATA RATE (MI)

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

[1] S/C 31 - D/L AGC VARIATIONS EXPECTED DURING MAGROL (1222-1818)

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/19/95 - 08:03

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
FEBRUARY 4, 1995
035-036

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 17m 14s

1200 RTLT=16h 17m 12s

0000 RTLT=16h 17m 10s

VOYAGER 1

FDSL : 11AF

CCSL : A020

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1040 |----- 12 [D] -----| 1630

0205 - 0750 |----- 65 [D] -----|

DSN COVERAGE
HPTXR

32

1750 |----- 42 [D] -----| 2330
2350 |----- 45 [D] -----| 0540
0525 - 0725 |--- 43 [o] ---|

HPTXR

RTLT : 12h 42m 34s

1200 RTLT=12h 42m 34s

0000 RTLT=12h 42m 34s

VOYAGER 2

FDSL : 11AF

CCSL : B023

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/19/95 - 08:03

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
FEBRUARY 5, 1995
036-037

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 17m 10s

1200 RTLTL=16h 17m 8s

0000 RTLTL=16h 17m 8s

VOYAGER 1

FDSL : 11AF

CCSL : A020

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

0935 |----- 15 [D] -----| 2130

0200 - 0750 |----- 65 [D] -----|

DSN COVERAGE
HPTXR

32

|----- 65 [D] -----| 0835 - 1230

1645 |----- 45 [D] -----| 2330

HPTXR

RTLTL : 12h 42m 34s

1200 RTLTL=12h 42m 34s

0000 RTLTL=12h 42m 32s

VOYAGER 2

FDSL : 11AF

CCSL : B023

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8