

ISSUE DATE: 02/08/95 - 13:54

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
FEBRUARY 9, 1995
040-041

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 16m 56s

1200 RTLT=16h 16m 54s

0000 RTLT=16h 16m 52s

VOYAGER 1

S/C 31 STATUS

FDSL : 11AF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -3.679 sec
SCAN PLAT POSITION:
AZ = -9.286 deg
EL = 110.659 deg
ROLLREF = RIGIL
KENTAURUS

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31

0920 |-----15 [D]-----| 2115

0215 |-----63 [D]-----| 0515
0500 |--65 [D]--| 0645

DSN COVERAGE
HPTXR

32

|---65 [D]---| 0820 - 1045

1655 |-----45 [D]-----| 0520
0505 |--43 [D]--| 0705

HPTXR

RTLT : 12h 42m 30s

1200 RTLT=12h 42m 30s
↓ 1255 SLEW->HELIO-X11

0000 RTLT=12h 42m 30s

VOYAGER 2

S/C 32 STATUS

FDSL : 11AF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: 3:21.941 min
SCAN PLAT POSITION:
AZ = 269.967 deg
EL = 105.215 deg
ROLLREF = VEGA

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

↓ 0055 SLEW->HELIO-X10

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/08/95 - 13:54

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
FEBRUARY 10, 1995
041-042

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 16m 52s

1200 RTLT=16h 16m 50s

0000 RTLT=16h 16m 50s

VOYAGER 1

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

1010 |-----12 [D]-----| 1935

0150 - 0730 |-----65 [D]-----|

DSN COVERAGE
HPTXR

32

1545 |-----15 [D]-----| 1940

1925 |-----45 [D]-----| 0515

0500 | - 43 [B,o] - - | 0700

HPTXR

RTLT : 12h 42m 30s

1200 RTLT=12h 42m 28s

0000 RTLT=12h 42m 28s

VOYAGER 2

↓ 1255 SLEW->HELIO-X9

↓ 0055 SLEW->HELIO-X8

SLEW->MIDWAY1 0625 ↓

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

|-----VGR-----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/08/95 - 13:54

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
FEBRUARY 11, 1995
042-043

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 16m 50s

1200 RTLT=16h 16m 48s

0000 RTLT=16h 16m 46s

VOYAGER 1

FDSL : 11AF

CCSL : A020

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

0910 |----- 15 [D] -----| 1410

1355 |----- 12 [D] -----| 1930

0150 - 0725 |----- 65 [D] -----|

DSN COVERAGE
HPTXR

32

|----- 65 [D] -----| 0815 - 1205

1540 |----- 15 [D] -----| 2025

2010 |----- 45 [D] -----| 0655

HPTXR

RTLT : 12h 42m 28s

1200 RTLT=12h 42m 26s

0000 RTLT=12h 42m 26s

VOYAGER 2

↓ 1725 SLEW->MIDWAY2

↓ 0055 SLEW->HELIO-X7

FDSL : 11AF

CCSL : B023

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/08/95 - 13:54

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
FEBRUARY 12, 1995
043-044

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 16m 46s

1200 RTLT=16h 16m 44s

0000 RTLT=16h 16m 42s

VOYAGER 1

U/L 1100 |-----| TLC (SHORT-FORM) |-----| D/L -|0445

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

1010 |-----| 12 |-----| 1930 |-----| 0145 - 0720 |-----| 65 [D] |-----|

DSN COVERAGE
HPTXR

32

-----| 65 [D] -----| 0810 - 1200
1535 |-----| 15 [D] -----| 1935
1920 |-----| 42 [D] -----| 2245

HPTXR

RTLT : 12h 42m 26s

1200 RTLT=12h 42m 24s

0000 RTLT=12h 42m 24s

VOYAGER 2

↓ 1255 SLEW->HELIO-X6

↓ 0055 SLEW->HELIO-X5

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

-----| ON CALL |-----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/08/95 - 13:54

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
FEBRUARY 13, 1995
044-045

MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 16m 42s

1200 RTLTL=16h 16m 40s

0000 RTLTL=16h 16m 38s

VOYAGER 1

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

0905

15 [D]

2100

0140

65 [D]

DSN COVERAGE
HPTXR

32

65 [D]

0805 - 1155

1715

42 [D]

2020

0450

43 [D]

0650

HPTXR

RTLTL : 12h 42m 24s

1200 RTLTL=12h 42m 22s

0000 RTLTL=12h 42m 22s

VOYAGER 2

↓ 1255 SLEW->HELIO-X4

↓ 0055 SLEW->HELIO-X3

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

VGR

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/08/95 - 13:54

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
FEBRUARY 14, 1995
045-046

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 16m 38s

1200 RTLTL=16h 16m 36s

0000 RTLTL=16h 16m 34s

VOYAGER 1

▼ 1730 DUMMY
1938 | 1939 PWS/RH

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1938
GS-4B 1939

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

CR-5T
160(32)

31 --- | 0845 65 [D] | 1000 |-----| 12 |-----| 1955 |-----| 0540 |--- 65 [D] ---

HPTXR

0155 |----- 63 [D] -----| 0555

DSN COVERAGE

32

0945 |--- 63 [D] ---| 1155 |----- 1620 |----- 45 [D] -----| 2045 |----- 0445 |--- 43 [B,o] ---| 0645

HPTXR

RTLTL : 12h 42m 22s

1200 RTLTL=12h 42m 20s

0000 RTLTL=12h 42m 20s

VOYAGER 2

↓ 1255 SLEW->HELIO-X2

1917 | 1918 PWS/RH

FDSL : 11AF

↓ 0055 SLEW->HELIO-X1
DUMMY (BRACKETED) 0502 ▼

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1917
GS-4B 1918

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

CR-5T
160(32)

VOYAGER COVERAGE

|----- VGR -----| |----- VGR -----|

NOTES

[1] S/C 32=GS-4B @ 1917 XB=2.8K(41) NOT RECOVERABLE
[2] S/C 31=GS-4B @ 1938 XB=2.8K(41) NOT RECOVERABLE

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/08/95 - 13:54

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
FEBRUARY 15, 1995
046-047

SFOS/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 16m 34s

1200 RTLTL=16h 16m 32s

0000 RTLTL=16h 16m 30s

VOYAGER 1

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31

65 [D] ----- | 1235

1220 |----- 15 [D] ----- | 2020

0135 - 0710 |----- 65 [D] ----- |

DSN COVERAGE
HPTXR

32

1605 |----- 45 [D] ----- | 2045

65 [D] 0755 |

HPTXR

RTLTL : 12h 42m 20s

1200 RTLTL=12h 42m 18s

0000 RTLTL=12h 42m 16s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

|----- VGR ----- |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/08/95 - 13:54

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
FEBRUARY 16, 1995
047-048

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 16m 30s

1200 RTLT=16h 16m 28s

0000 RTLT=16h 16m 24s

VOYAGER 1

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 0855 |----- 15 [D] -----| 2050 0530 |--- 65 [D] ---|

0145 |----- 63 [D] -----| 0545

DSN COVERAGE
HPTXR

32 ----- 65 [D] -----| 1145

1605 |----- 45 [D] -----| 2045

0435 |-- 43 [D] --| 0635

HPTXR

RTLT : 12h 42m 16s

1200 RTLT=12h 42m 16s

0000 RTLT=12h 42m 14s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/08/95 - 13:54

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
FEBRUARY 17, 1995
048-049

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 16m 24s

1200 RTLTL=16h 16m 22s

0000 RTLTL=16h 16m 20s

VOYAGER 1

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 ----- 65 [D] ----- | 1225
1210 |----- 12 [D] ----- | 1950
0125 |----- 65 [D] ----- | 0705

DSN COVERAGE
HPTXR

32 1515 |----- 15 [D] ----- | 1915 65 [D] 0750 |
1900 |----- 45 [D] ----- | 0635

HPTXR

RTLTL : 12h 42m 14s

1200 RTLTL=12h 42m 12s

0000 RTLTL=12h 42m 10s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/08/95 - 13:54

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
FEBRUARY 18, 1995
049-050

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 16m 20s

1200 RTLTL=16h 16m 18s

0000 RTLTL=16h 16m 16s

VOYAGER 1

U/L 1100 |-----| TLC (SHORT-FORM) |-----| D/L |0444

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

0945 |-----| 12 |-----| 1705

1810 |--- 14 [D] ---| 2040

0120 |-----| 65 [D] |-----|

DSN COVERAGE
HPTXR

32

65 [D] |-----| 1140

1515 |-----| 15 [D] |-----| 1910

1855 |-----| 45 [D] |-----| 0445

0430 |--- 43 [o] ---| 0630

HPTXR

RTLTL : 12h 42m 10s

1200 RTLTL=12h 42m 8s

0000 RTLTL=12h 42m 8s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/08/95 - 13:54

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
FEBRUARY 19, 1995
050-051

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 16m 16s

1200 RTLT=16h 16m 14s

0000 RTLT=16h 16m 12s

VOYAGER 1

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

-----65 [D]-----|1215

1200 |-----

-----12 [D]-----|1940

0210 |-----

-----61 [D]-----|0620

DSN COVERAGE
HPTXR

32

1510 |-----15 [D]-----|1905

1850 |-----

-----42 [D]-----|0600

HPTXR

RTLT : 12h 42m 8s

1200 RTLT=12h 42m 6s

0000 RTLT=12h 42m 4s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/08/95 - 13:54

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
FEBRUARY 20, 1995
051-052

MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 16m 12s

1200 RTLTL=16h 16m 10s

0000 RTLTL=16h 16m 8s

VOYAGER 1

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31

0935 |----- 12 [D] -----| 1530

0115 |----- 65 [D] -----| 0650

DSN COVERAGE
HPTXR

32

2150 |----- 45 [D] -----| 0650

65 [D] 0735 |

HPTXR

RTLTL : 12h 42m 4s

1200 RTLTL=12h 42m 2s

0000 RTLTL=12h 42m 0s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/08/95 - 13:54

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
FEBRUARY 21, 1995
052-053

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 16m 8s

VOYAGER 1

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

1200 RTLTL=16h 16m 6s

0000 RTLTL=16h 16m 4s

1914 | 1915 PWS/RH

▼ 1720 DUMMY

1914
GS-4B 1915

CR-5T

CR-5T

160(32)

160(32)

31

0935 |-----| 12 |-----| 1935

0125 |-----| 63 [D] |-----| 0510 |-----| 65 [D] |-----| 0525

DSN COVERAGE
HPTXR

32

65 [D] |-----| 1045

1545 |-----| 45 [D] |-----| 0335

0450 | 43 [D,A] | 0620

0450 | 45 [D,A] | 0620

HPTXR

RTLTL : 12h 42m 0s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

1200 RTLTL=12h 41m 58s

0000 RTLTL=12h 41m 56s

1853 | 1854 PWS/RH

1853
GS-4B 1854

CR-5T

CR-5T

160(32)

160(32)

VOYAGER COVERAGE

|-----| VGR |-----|

NOTES

- [1] S/C 32=GS-4B @ 1853 XB=2.8K(41) NOT RECOVERABLE
- [2] S/C 31=GS-4B @ 1914 XB=2.8K(41) NOT RECOVERABLE

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/08/95 - 13:54

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
FEBRUARY 22, 1995
053-054

SFOS/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 16m 4s

1200 RTLT=16h 16m 2s

0000 RTLT=16h 16m 0s

VOYAGER 1

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

65 [D] -----| 1205

0225 |-----63 [D] -----| 0520

1150 |-----15 [D] -----| 1500

0505 - 0750 |-----65 [D] -----|

1635 |-----14 [D] -----| 2025

DSN COVERAGE
HPTXR

32

1540 |-----45 [D] -----| 0645

HPTXR

RTLT : 12h 41m 56s

1200 RTLT=12h 41m 54s

0000 RTLT=12h 41m 52s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|-----VGR-----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/08/95 - 13:54

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
FEBRUARY 23, 1995
054-055

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 16m 0s

1200 RTLTL=16h 15m 56s

0000 RTLTL=16h 15m 54s

VOYAGER 1

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 |----- 15 [D] -----| 0825 - 1545 | 0100 |----- 65 [D] -----|

DSN COVERAGE
HPTXR

32 |----- 1635 |----- 42 [D] -----| 2040 |----- 0410 | - 43 [B,o] - -| 0610

HPTXR

RTLTL : 12h 41m 52s

1200 RTLTL=12h 41m 50s

0000 RTLTL=12h 41m 48s

VOYAGER 2

↓ 1655 SLEW->VW HYI

DUMMY (BRACKETED) 0427 ▼

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

|----- VGR -----| | VGR -|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/08/95 - 13:54

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
FEBRUARY 24, 1995
055-056

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 15m 54s

1200 RTLTL=16h 15m 52s

0000 RTLTL=16h 15m 50s

VOYAGER 1

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 65 [D] | 0905

0920 |----- 12 [D] -----| 1545

0055 |----- 65 [D] -----| 0635

DSN COVERAGE
HPTXR

32 0905 |--- 63 [D] ---| 1115

1450 |----- 15 [D] -----| 1845

1830 |----- 45 [D] -----| 0420

65 [D] 0720 |---

0405 |--- 43 [D] ---| 0605

HPTXR

RTLTL : 12h 41m 48s

1200 RTLTL=12h 41m 46s

0000 RTLTL=12h 41m 44s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/08/95 - 13:54

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
FEBRUARY 25, 1995
056-057

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 15m 50s

1200 RTLT=16h 15m 48s

0000 RTLT=16h 15m 46s

VOYAGER 1

U/L 1105 | - | ----- TLC (SHORT-FORM) ----- | D/L | 0449

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 0915 | ----- 12 ----- | 1525
1625 | ----- 14 [D] ----- | 2015
0055 | ----- 65 [D] ----- | 0635

DSN COVERAGE
HPTXR

32 --- 65 [D] --- | 1000
1445 | ----- 15 [D] ----- | 1845
1830 | ----- 45 [D] ----- | 0420
0405 | --- 43 [D] --- | 0605
65 [D] 0720 | ---

HPTXR

RTLT : 12h 41m 44s

1200 RTLT=12h 41m 42s

0000 RTLT=12h 41m 38s

0357 | COMMAND MORATORIUM

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/08/95 - 13:54

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
FEBRUARY 26, 1995
057-058

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 15m 46s

1200 RTLT=16h 15m 44s

0000 RTLT=16h 15m 42s

VOYAGER 1

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 0910 |----- 12 [D] -----| 1525

0140 |----- 61 [D] -----| 0545

DSN COVERAGE
HPTXR

32 ----- 65 [D] -----| 1055

1445 |----- 15 [D] -----| 1825

65 [D] 0715 |-----

2030 |----- 43 [D,A] -----| 0400

2030 |----- 45 [D,A] -----| 0400

HPTXR

1200 RTLT=12h 41m 36s

0000 RTLT=12h 41m 34s

RTLT : 12h 41m 38s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

----- COMMAND MORATORIUM -----

↓ 1609 BAY 1 HTR OFF

↓ 1613 X/B HI POWER

1625 |----- 1651 TAPPOS

↓ 2045 YAW=.05

2055 |----- PLAYBACK -----| 0331

↓ 0340 YAW=.10

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

2055

PB-5
7.2K(41)

0331

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL -----

----- VGR -----

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8