

ISSUE DATE: 02/22/95 - 09:49

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY  
FEBRUARY 23, 1995  
054-055

VGR STAFF/A148  
VCB/MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 16m 0s

1200 RTLT=16h 15m 56s

0000 RTLT=16h 15m 54s

VOYAGER 1

S/C 31 STATUS

FDSL : 11AF

FDS CLOCK DRIFT:  
ADD TO S/C EVENT  
ERT: -3.810 sec  
SCAN PLAT POSITION:  
AZ = -9.286 deg  
EL = 110.659 deg  
ROLLREF = RIGIL  
KENTAURUS

CCSL : A020  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160 (32)

31 |----- 15 [D] -----| 0825 - 1545 | 0100 |----- 65 [D] -----|

DSN COVERAGE  
HPTXR

32 |----- 1635 |----- 42 [D] -----| 2040 |----- 0410 |----- 43 [B,o] -----| 0610

HPTXR

RTLT : 12h 41m 52s

1200 RTLT=12h 41m 50s

0000 RTLT=12h 41m 48s

VOYAGER 2

↓ 1655 SLEW->VW HYI

DUMMY (BRACKETED) 0427 ▼

FDSL : 11AF

S/C 32 STATUS  
FDS CLOCK DRIFT:  
ADD TO S/C EVENT  
ERT: 3:20.177 min  
SCAN PLAT POSITION:  
AZ = 85.468 deg  
EL = 89.748 deg  
ROLLREF = VEGA

CCSL : B023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160 (32)

VOYAGER COVERAGE

|----- VGR -----| |----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/22/95 - 09:49

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY  
FEBRUARY 24, 1995  
055-056

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 15m 54s

1200 RTLTL=16h 15m 52s

0000 RTLTL=16h 15m 50s

VOYAGER 1

FDSL : 11AF

CCSL : A020  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160 (32)

31 65 [D] - 0935

0920 |----- 12 [D] -----| 1545

0055 |----- 65 [D] -----| 0635

DSN COVERAGE  
HPTXR

32 0905 |--- 63 [D] ---| 1115

1450 |----- 15 [D] -----| 1845

1830 |----- 45 [D] -----| 0420

65 [D] 0720 |---

0405 |--- 43 [D] ---| 0605

HPTXR

RTLTL : 12h 41m 48s

1200 RTLTL=12h 41m 46s

0000 RTLTL=12h 41m 44s

VOYAGER 2

FDSL : 11AF

CCSL : B023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160 (32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/22/95 - 09:49

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY  
FEBRUARY 25, 1995  
056-057

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 15m 50s

1200 RTLTL=16h 15m 48s

0000 RTLTL=16h 15m 46s

VOYAGER 1

U/L 1105 | - | ----- TLC (SHORT-FORM) ----- | D/L | 0449

FDSL : 11AF

CCSL : A020  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

31

0915 | ----- 12 ----- | 1525

1625 | ----- 14 [D] ----- | 2015

0055 | ----- 65 [D] ----- | 0635

DSN COVERAGE  
HPTXR

32

65 [D] --- | 1030

1445 | ----- 15 [D] ----- | 1845

1830 | ----- 45 [D] ----- | 0420

65 [D] 0720 | ---

0405 | --- 43 [D] --- | 0605

HPTXR

RTLTL : 12h 41m 44s

1200 RTLTL=12h 41m 42s

0000 RTLTL=12h 41m 38s

0357 | COMMAND MORATORIUM |

VOYAGER 2

FDSL : 11AF

CCSL : B023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/22/95 - 09:49

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY  
FEBRUARY 26, 1995  
057-058

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 15m 46s

1200 RTLT=16h 15m 44s

0000 RTLT=16h 15m 42s

VOYAGER 1

FDSL : 11AF

CCSL : A020  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

31

0910 |----- 12 [D] -----| 1525

0140 |----- 61 [D] -----| 0545

DSN COVERAGE  
HPTXR

32

----- 65 [D] -----| 1105

1445 |----- 15 [D] -----| 1855

65 [D] 0715 |-----

2030 |----- 43 [D,A] -----| 0400

2030 |----- 45 [D,A] -----| 0400

HPTXR

RTLT : 12h 41m 38s

1200 RTLT=12h 41m 36s

0000 RTLT=12h 41m 34s

VOYAGER 2

FDSL : 11AF

CCSL : B023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

----- COMMAND MORATORIUM -----

↓ 1609 BAY 1 HTR OFF

↓ 1613 X/B HI POWER

1625 |-----| 1651 TAPPOS

↓ 2045 YAW=.05

2055 |----- PLAYBACK -----| 0331

↓ 0340 YAW=.10

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

2055

PB-5

7.2K(41)

0331

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----|

----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/22/95 - 09:49

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY  
FEBRUARY 27, 1995  
058-059

MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 15m 42s

1200 RTLTL=16h 15m 40s

0000 RTLTL=16h 15m 38s

VOYAGER 1

FDSL : 11AF

CCSL : A020  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

31 |-----15 [D]-----| 0815 - 1550 |-----0045-----65 [D]-----|  
1630 |-----14 [D]-----| 1945

DSN COVERAGE  
HPTXR

32 |-----65 [D]-----| 1100 |-----1520-----45 [D]-----| 2130 |-----0355-----43 [D]-----| 0555

HPTXR

RTLTL : 12h 41m 34s

1200 RTLTL=12h 41m 32s

0000 RTLTL=12h 41m 28s

VOYAGER 2

FDSL : 11AF

CCSL : B023  
TWNC : ON  
SB : OFF XB : HI  
PYR : .05/ .10 / .25  
GYROS : OFF

COMMAND MORATORIUM

1725 | TAPPOS | 1908

0357 | COMMAND MORATORIUM |  
↓ 0410 SLEW->LAM ERI

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

1606

UV-5A

600(36)

VOYAGER COVERAGE


|-----VGR-----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/22/95 - 09:49

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0



ISSUE DATE: 02/22/95 - 09:49

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY  
MARCH 1, 1995  
060-061

SFOS/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 15m 32s

1200 RTLT=16h 15m 30s

0000 RTLT=16h 15m 28s

VOYAGER 1

1105 | PLSCAL - | 1248

1105 | --- MAGCAL --- | 1408

1105 | --- PESCAL --- | 1425

FDSL : 11AF

CCSL : A020  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31 0855 |----- 12 [D] -----| 1545

0035 |----- 65 [D] -----| 0610

DSN COVERAGE  
HPTXR

32 ----- 65 [D] ----- | 1055 1515 |----- 45 [D] -----| 0620 61 [o] 0720 |---

HPTXR

RTLT : 12h 41m 24s

1200 RTLT=12h 41m 22s

0000 RTLT=12h 41m 18s

VOYAGER 2

----- COMMAND MORATORIUM ----- | 0332

FDSL : 11AF

CCSL : B023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10 / .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/22/95 - 09:49

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY  
MARCH 2, 1995  
061-062

VGR STAFF/A148  
VCB/MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 15m 28s

1200 RTLTL=16h 15m 26s

0000 RTLTL=16h 15m 24s

VOYAGER 1

↓ 1008 SLEW->HELIO-1

FDSL : 11AF

CCSL : A020  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31

0910 |----- 15 [D] -----| 1920

0035 |----- 65 [D] -----|

DSN COVERAGE  
HPTXR

32

61 [o] ----| 1035

1510 |----- 45 [D] -----| 2045

0345 |--- 43 [o] ---| 0545

HPTXR

RTLTL : 12h 41m 18s

1200 RTLTL=12h 41m 16s

0000 RTLTL=12h 41m 12s

VOYAGER 2

FDSL : 11AF

CCSL : B023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10 / .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8



ISSUE DATE: 02/22/95 - 09:49

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY  
MARCH 3, 1995  
062-063

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 15m 24s

1200 RTLT=16h 15m 22s

0000 RTLT=16h 15m 20s

VOYAGER 1

↓ 1008 SLEW->HELIO-2

FDSL : 11AF

CCSL : A020  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

31

65 [D] ----- | 1130

1115 |----- 12 [D] ----- | 1745

0030 |----- 65 [D] ----- | 0610

DSN COVERAGE  
HPTXR

32

1425 |----- 15 [D] ----- | 1820

1805 |----- 45 [D] ----- | 0355

0655 | 65 [D] |

0340 | - 43 [B,o] - - | 0540

HPTXR

RTLT : 12h 41m 12s

1200 RTLT=12h 41m 10s

0000 RTLT=12h 41m 8s

VOYAGER 2

DUMMY (BRACKETED) 0357 ▼

FDSL : 11AF

CCSL : B023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10 / .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

VOYAGER COVERAGE

|----- VGR -----|

| VGR |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/22/95 - 09:49

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY  
MARCH 4, 1995  
063-064

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 15m 20s

VOYAGER 1

FDSL : 11AF

CCSL : A020  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

U/L 1005 |-----| TLC (SHORT-FORM) |-----| D/L | 0348

↓ 1008 SLEW->HELIO-3

1200 RTLT=16h 15m 18s

0000 RTLT=16h 15m 14s

31 0850 |-----| 12 |-----| 1855 0025 |-----| 65 [D] |-----| 15 [D] 0745 |-----| 0605

DSN COVERAGE  
HPTXR

32 --- 65 [D] --- | 1040 1500 |-----| 45 [D] |-----| 0350 0650 | 65 [D] |-----| 0335 |--- 43 [D] --- | 0535

HPTXR

RTLT : 12h 41m 8s

VOYAGER 2

FDSL : 11AF

CCSL : B023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10 / .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

1200 RTLT=12h 41m 4s

0000 RTLT=12h 41m 2s

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/22/95 - 09:49

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY  
MARCH 5, 1995  
064-065

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 15m 14s

1200 RTLTL=16h 15m 12s

0000 RTLTL=16h 15m 10s

VOYAGER 1

↓ 1008 SLEW->HELIO-4

FDSL : 11AF

CCSL : A020  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31

15 [D]

1430 | 1445

12 [D]

1845

0025 |

65 [D]

15 [D] 0740 |

0605

HPTXR

DSN COVERAGE

32

65 [D] | 1040

1455 |

45 [D]

2215

0405 |

43 [D] |

0650 |

65 [D]

HPTXR

RTLTL : 12h 41m 2s

1200 RTLTL=12h 40m 58s

0000 RTLTL=12h 40m 56s

VOYAGER 2

FDSL : 11AF

CCSL : B023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10 / .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/22/95 - 09:49

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY  
MARCH 6, 1995  
065-066

MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 15m 10s

1200 RTLTL=16h 15m 8s

0000 RTLTL=16h 15m 6s

VOYAGER 1

↓ 1008 SLEW->HELIO-5

FDSL : 11AF

CCSL : A020  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

31 ----- 15 [D] ----- | 1445

0020 | ----- 65 [D] ----- | 0600

DSN COVERAGE  
HPTXR

32 ---- 65 [D] ---- | 1035

1550 | ----- 42 [D] ----- | 1945

0410 | 43 [D] -| 0530

HPTXR

RTLTL : 12h 40m 56s

1200 RTLTL=12h 40m 52s

0000 RTLTL=12h 40m 50s

VOYAGER 2

FDSL : 11AF

CCSL : B023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10 / .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

VOYAGER COVERAGE


| ----- VGR ----- |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/22/95 - 09:49

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0



ISSUE DATE: 02/22/95 - 09:49

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY  
MARCH 8, 1995  
067-068

SFOS/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 15m 2s

1200 RTLT=16h 15m 0s

0000 RTLT=16h 14m 58s

VOYAGER 1

- ↓ 0819 GYRO INIT
- ↓ 0819 GYROS BC ON
- ↓ 0829 GYRO FAULT TEST
- ↓ 1008 SLEW->HELIO-7

FDSL : 11AF

CCSL : A020  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 65 [D] ----- | 1110  
1055 |----- 12 [D] ----- | 1430  
0100 |----- 61 [D] -----  
15 [D] 0800

DSN COVERAGE  
HPTXR

32 1405 |--- 15 [D] --- | 1640  
1625 |----- 43 [D,A] ----- | 0520  
1625 |----- 45 [D,A] ----- | 0520

HPTXR

RTLT : 12h 40m 44s

1200 RTLT=12h 40m 40s

0000 RTLT=12h 40m 36s

VOYAGER 2

- COMMAND MORATORIUM -----
- ↓ 1704 BAY 1 HTR OFF
- ↓ 1708 X/B HI POWER
- ↓ 1804 YAW=.05
- 1813 |----- PLAYBACK ----- | 0048
- ↓ 0102 YAW=.10

FDSL : 11AF

CCSL : B023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10 / .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

1813

PB-5

7.2K(41)

0048

CR-5T

160(32)

VOYAGER COVERAGE

VGR |----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/22/95 - 09:49

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY  
MARCH 9, 1995  
068-069

VGR STAFF/A148  
VCB/MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 14m 58s

1200 RTLT=16h 14m 56s

0000 RTLT=16h 14m 54s

VOYAGER 1

↓ 1008 SLEW->HELIO-8

FDSL : 11AF

CCSL : A020  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : ON

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

31 | 0815 61 [D]

15 [D] 0725 | - -

HPTXR

----- 15 [D] ----- | 0800 - 1930

0005 | ----- 65 [D] ----- | 0550

DSN COVERAGE

32

1440 | ----- 45 [D] ----- | 2345

0635 | 65 [D] -  
0345 | 43 [D] - | 0515

HPTXR

RTLT : 12h 40m 36s

1200 RTLT=12h 40m 34s

0000 RTLT=12h 40m 30s

VOYAGER 2

----- COMMAND MORATORIUM -----

1636 | 1643 TAPPOS  
↓ 1657 GYROS BC ON  
↓ 1658 GYRO INIT  
↓ 1707 GYRO FAULT TEST  
1801 | 1808 CCSTIM(B)

FDSL : 11AF

CCSL : B023  
TWNC : ON  
SB : OFF XB : HI  
PYR : .05/ .10 / .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

VOYAGER COVERAGE

| ----- VGR ----- |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/22/95 - 09:49

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY  
MARCH 10, 1995  
069-070

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 14m 54s

1200 RTLT=16h 14m 52s

0000 RTLT=16h 14m 50s

VOYAGER 1

↓ 1008 SLEW->HELIO-9

FDSL : 11AF

CCSL : A020  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : ON

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 15 [D] ----- | 1850

0005 | ----- 65 [D] ----- | 0550

DSN COVERAGE  
HPTXR

32

--- 65 [D] --- | 1020

1440 | ----- 45 [D] ----- | 0400

0345 | - 43 [o] - | 0515

HPTXR

RTLT : 12h 40m 30s

1200 RTLT=12h 40m 26s

0000 RTLT=12h 40m 24s

VOYAGER 2

----- COMMAND MORATORIUM ----- | 0417

FDSL : 11AF

CCSL : B023  
TWNC : ON  
SB : OFF XB : HI  
PYR : .05/ .10 / .25  
GYROS : ON

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

| ----- VGR ----- |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8



ISSUE DATE: 02/22/95 - 09:49

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY  
MARCH 11, 1995  
070-071

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 14m 50s

1200 RTLT=16h 14m 48s

0000 RTLT=16h 14m 44s

VOYAGER 1

↓ 1008 SLEW->HELIO-10

↓ 1318 GYRO INIT

FDSL : 11AF

U/L 1600 |----- TLC (SHORT-FORM) -----

CCSL : A020  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : ON

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31

12

0820 - 1825

0000 |----- 65 [D] ----- | 0420

DSN COVERAGE  
HPTXR

32

HPTXR

65 [D] --- | 1015

1435

45 [D]

| 0400

0345 | 43 [o] - | 0510

RTLT : 12h 40m 24s

1200 RTLT=12h 40m 20s

0000 RTLT=12h 40m 16s

VOYAGER 2

FDSL : 11AF

CCSL : B023  
TWNC : ON  
SB : OFF XB : HI  
PYR : .05/ .10 / .25  
GYROS : ON

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/22/95 - 09:49

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY  
MARCH 12, 1995  
071-072

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 14m 44s

1200 RTLT=16h 14m 42s

0000 RTLT=16h 14m 40s

VOYAGER 1

↓ 1008 SLEW->MIDWAY

↓ 1208 SLEW->HELIO-11

FDSL : 11AF

--- | TLC (SHORT-FORM)

| D/L - | 0943

CCSL : A020

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : ON

FDS MODE

CR-5T

XB DATA RATE (MI)

160(32)

31

----- 12 [D] ----- | 0820 - 1625

65 [D] 0705 |-----

HPTXR

DSN COVERAGE

32

1435

----- 45 [D] ----- | 0350

0335 | - 43 [o] - | 0505

HPTXR

RTLT : 12h 40m 16s

1200 RTLT=12h 40m 14s

0000 RTLT=12h 40m 10s

VOYAGER 2

FDSL : 11AF

CCSL : B023

TWNC : ON

SB : OFF XB : HI

PYR : .05/ .10 / .25

GYROS : ON

FDS MODE

CR-5T

XB DATA RATE (MI)

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8