

ISSUE DATE: 03/08/95 - 14:01

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY  
MARCH 9, 1995  
068-069

VGR STAFF/A148  
VCB/MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 14m 58s

1200 RTLT=16h 14m 56s  
1008 SLEW->HELIO-8  
0000 RTLT=16h 14m 54s

VOYAGER 1  
FDSL : 11AF  
CCSL : A020  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : ON

S/C 31 STATUS  
FDS CLOCK DRIFT:  
ADD TO S/C EVENT  
ERT: -3.936 sec  
SCAN PLAT POSITION:  
AZ = 299.953 deg  
EL = 138.992 deg  
ROLLREF = RIGIL  
KENTAURUS

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160 (32)

31 | 0815 61 [D] |-----| 15 [D] |-----| 0800 - 1930 |-----| 0005 |-----| 65 [D] |-----| 15 [D] 0725 |-----|

DSN COVERAGE  
HPTXR

32

1445 |-----| 45 [D] |-----| 2345 |-----| 0635 | 65 [D] |-----|  
0345 | 43 [D] |-----| 0515

HPTXR

RTLT : 12h 40m 36s

1200 RTLT=12h 40m 34s  
0000 RTLT=12h 40m 30s

VOYAGER 2  
FDSL : 11AF  
CCSL : B023  
TWNC : ON  
SB : OFF XB : HI  
PYR : .05/ .10 / .25  
GYROS : OFF

S/C 32 STATUS  
FDS CLOCK DRIFT:  
ADD TO S/C EVENT  
ERT: 3:18.413 min  
SCAN PLAT POSITION:  
AZ = 136.363 deg  
EL = 120.728 deg  
ROLLREF = VEGA

1636 | 1643 TAPPOS  
1657 GYROS BC ON  
1658 GYRO INIT  
1707 GYRO FAULT TEST  
1801 | 1808 CCSTIM(B)

COMMAND MORATORIUM

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

VOYAGER COVERAGE

|-----| VGR |-----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/08/95 - 14:01

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY  
MARCH 10, 1995  
069-070

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 14m 54s

1200 RTLT=16h 14m 52s

0000 RTLT=16h 14m 50s

VOYAGER 1

↓ 1008 SLEW->HELIO-9

FDSL : 11AF

CCSL : A020  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : ON

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

31

----- 15 [D] ----- | 1850

0005 | ----- 65 [D] ----- | 0550

DSN COVERAGE  
HPTXR

32

--- 65 [D] --- | 1020

1440 | ----- 45 [D] ----- | 0400

0345 | - 43 [o] - | 0515

0635 | 65 [D] |

HPTXR

RTLT : 12h 40m 30s

1200 RTLT=12h 40m 26s

0000 RTLT=12h 40m 24s

VOYAGER 2

----- COMMAND MORATORIUM ----- | 0417

FDSL : 11AF

CCSL : B023  
TWNC : ON  
SB : OFF XB : HI  
PYR : .05/ .10 / .25  
GYROS : ON

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

| ----- VGR ----- |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/08/95 - 14:01

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY  
MARCH 11, 1995  
070-071

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 14m 50s

1200 RTLT=16h 14m 48s

0000 RTLT=16h 14m 44s

VOYAGER 1

↓ 1008 SLEW->HELIO-10

↓ 1318 GYRO INIT

FDSL : 11AF

U/L 1600 |----- TLC (SHORT-FORM) -----

CCSL : A020  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : ON

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

31

12

0820 - 1825

0000 |----- 65 [D] ----- | 0420

DSN COVERAGE  
HPTXR

32

65 [D] --- | 1015

1435

45 [D]

| 0400

0345 | 43 [o] - | 0510

HPTXR

RTLT : 12h 40m 24s

1200 RTLT=12h 40m 20s

0000 RTLT=12h 40m 16s

VOYAGER 2

FDSL : 11AF

CCSL : B023  
TWNC : ON  
SB : OFF XB : HI  
PYR : .05/ .10 / .25  
GYROS : ON

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/08/95 - 14:01

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY  
MARCH 12, 1995  
071-072

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 14m 44s

1200 RTLTL=16h 14m 42s

0000 RTLTL=16h 14m 40s

VOYAGER 1

↓ 1008 SLEW->MIDWAY

↓ 1208 SLEW->HELIO-11

FDLSL : 11AF

--- | TLC (SHORT-FORM)

| D/L - | 0943

CCSL : A020

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : ON

FDS MODE

CR-5T

XB DATA RATE (MI)

160 (32)

31

----- 12 [D] ----- | 0820 - 1625

65 [D] 0705 |-----

DSN COVERAGE HPTXR

32

1435 |----- 45 [D] ----- | 0535

HPTXR

RTLTL : 12h 40m 16s

1200 RTLTL=12h 40m 14s

0000 RTLTL=12h 40m 10s

VOYAGER 2

FDLSL : 11AF

CCSL : B023

TWNC : ON

SB : OFF XB : HI

PYR : .05/ .10 / .25

GYROS : ON

FDS MODE

CR-5T

XB DATA RATE (MI)

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/08/95 - 14:01

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY  
MARCH 13, 1995  
072-073

MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 14m 40s  
VOYAGER 1  
FDSL : 11AF  
CCSL : A020  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : ON

↓ 1008 SLEW->HELIO-12

▽ 0120 GYRO DRIFT U/D

1200 RTLTL=16h 14m 38s      0000 RTLTL=16h 14m 36s

FDS MODE	CR-5T
XB DATA RATE (MI)	160 (32)

31	65 [D]	1050		0040	61 [D]	0420	15 [D]	0710
	1035	15 [D]	1525					
			1545	42 [D]		1800		
DSN COVERAGE	HPTXR		1425		45 [D]		2345	
	HPTXR		32					

RTLTL : 12h 40m 10s  
VOYAGER 2  
FDSL : 11AF  
CCSL : B023  
TWNC : ON  
SB : OFF XB : HI  
PYR : .05/ .10 / .25  
GYROS : ON

↓ 1554 SLEW->VW HYI UPDATE

↓ 1813 ALL DB=.05

↓ 1829 AAI

1830 |---| 1907 ASCAL

↓ 1904 RAI

↓ 1907 CRU

↓ 1915 ROLL=.25

↓ 1915 YAW=.10

↓ 1917 GYRO FAULT TEST

FDS MODE	1758	1910	CR-5T
XB DATA RATE (MI)	160(32)	40(30)	EL-40
			CR-5T
			160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

[1] S/C 32 - D/L AGC/SNR VARIATIONS EXPECTED DURING ASCAL (1830-1907)

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8



ISSUE DATE: 03/08/95 - 14:01

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY  
MARCH 15, 1995  
074-075

SFOS/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 14m 32s

1200 RTLT=16h 14m 30s

0000 RTLT=16h 14m 28s

VOYAGER 1

↓ 1008 SLEW->HELIO-14

FDSL : 11AF

CCSL : A020  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31 |----- 12 [D] -----| 0805 - 1520 |----- 12 [D] 0800

1535 |--- 42 [D] ---| 1800

2345 |----- 65 [D] -----| 0525

DSN COVERAGE  
HPTXR

32 |----- 1500 |----- 43 [D] -----| 2145 |----- 0610 |--- 65 [D] ---

2315 |----- 45 [D] -----| 0455

HPTXR

RTLT : 12h 39m 56s

1200 RTLT=12h 39m 52s

0000 RTLT=12h 39m 48s

VOYAGER 2

▽ 1740 GYRO DRIFT U/D

FDSL : 11AF

CCSL : B023  
TWNC : ON  
SB : OFF XB : HI  
PYR : .05 / .10 / .25  
GYROS : ON

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/08/95 - 14:01

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY  
MARCH 16, 1995  
075-076

VGR STAFF/A148  
VCB/MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 14m 28s

1200 RTLT=16h 14m 28s

0000 RTLT=16h 14m 26s

VOYAGER 1

↓ 1008 SLEW->HELIO-15

FDSL : 11AF

CCSL : A020  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

31 ----- 12 [D] ----- | 0800 - 1520 |----- 0700 | 15 [D]

1535 |----- 42 [D] -----| 1910

2340 |----- 65 [D] -----| 0520

DSN COVERAGE  
HPTXR

32 --- 65 [D] --- | 0955 |----- 1440 |----- 45 [D] -----| 0605 |--- 65 [D] ---

HPTXR

RTLT : 12h 39m 48s

1200 RTLT=12h 39m 46s  
1156 |-----

0000 RTLT=12h 39m 42s

VOYAGER 2

COMMAND MORATORIUM

↓ 1807 AAI  
1810 |-----

MAGROL -----| 0005

FDSL : 11AF

CCSL : B023  
TWNC : ON  
SB : OFF XB : HI  
PYR : .05 / .10 / .25  
GYROS : ON

↓ 2358 RAI  
↓ 0005 CRU  
↓ 0005 GYROS OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

[1] S/C 32 - D/L AGC VARIATIONS EXPECTED DURING MAGROL (1810-0005)

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8



ISSUE DATE: 03/08/95 - 14:01

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY  
MARCH 17, 1995  
076-077

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 14m 26s

1200 RTLTL=16h 14m 24s

0000 RTLTL=16h 14m 22s

VOYAGER 1

↓ 1008 SLEW->HELIO-16

FDSL : 11AF

CCSL : A020  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 15 [D] ----- | 1855

2350 | ----- 63 [D] ----- | 0350

0655 | 15 [D] |

0335 | - 61 [D] - - | 0525

DSN COVERAGE

HPTXR

32

----- 65 [D] ----- | 0950

1410 | ----- 45 [D] ----- | 0345

0605 | - 65 [D] - -

0330 | 43 [o] | 0445

HPTXR

RTLTL : 12h 39m 42s

1200 RTLTL=12h 39m 38s

0000 RTLTL=12h 39m 34s

VOYAGER 2

----- COMMAND MORATORIUM -----

FDSL : 11AF

CCSL : B023  
TWNC : ON  
SB : OFF XB : HI  
PYR : .05 / .10 / .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

| ----- VGR ----- |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/08/95 - 14:01

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY  
MARCH 18, 1995  
077-078

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 14m 22s

1200 RTLT=16h 14m 20s

0000 RTLT=16h 14m 18s

VOYAGER 1

↓ 1008 SLEW->HELIO-17

FDSL : 11AF

U/L 1800 | - | - - - - - TLC (SHORT-FORM) - - - - -

CCSL : A020  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31

15 [D]

1600

0650 | 15 [D]

1555 |

42

1910

2330 |

65 [D]

0515

DSN COVERAGE

HPTXR

32

65 [D] - | 0945

1435 |

45 [D]

0340

0600 | 65 [D]

HPTXR

0325 |

43 [o] - | 0445

RTLT : 12h 39m 34s

1200 RTLT=12h 39m 30s

0000 RTLT=12h 39m 26s

1126 COMMAND MORATORIUM

VOYAGER 2

FDSL : 11AF

CCSL : B023  
TWNC : ON  
SB : OFF XB : HI  
PYR : .05 / .10 / .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/08/95 - 14:01

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY  
MARCH 19, 1995  
078-079

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 14m 18s

1200 RTLTL=16h 14m 16s

0000 RTLTL=16h 14m 14s

VOYAGER 1

↓ 1008 SLEW->HELIO-18

FDSL : 11AF

-----| TLC (SHORT-FORM)

| D/L -| 1142

CCSL : A020

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31

-----|

15 [D]

-----|

1520

-----|

1535

-----|

42 [D]

-----|

1905

-----|

2325

-----|

65 [D]

-----|

0510

-----|

0645

-----|

15 [D]

DSN COVERAGE

HPTXR

32

-----|

65 [D]

-----|

0945

-----|

1445

-----|

45 [D]

-----|

0440

-----|

0555

-----|

65 [D]

HPTXR

RTLTL : 12h 39m 26s

1200 RTLTL=12h 39m 22s

0000 RTLTL=12h 39m 18s

VOYAGER 2

FDSL : 11AF

CCSL : B023

TWNC : ON

SB : OFF XB : HI

PYR : .05 / .10 / .25

GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

-----| ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/08/95 - 14:01

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY  
MARCH 20, 1995  
079-080

MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 14m 14s

1200 RTLTL=16h 14m 12s

0000 RTLTL=16h 14m 10s

VOYAGER 1

↓ 1008 SLEW->HELIO-19

FDSL : 11AF

CCSL : A020  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31

15 [D]

1535

15 [D] 0715

1520 |----- 42 [D] -----| 1905

2320 - 0730 |----- 65 [D] -----|

HPTXR

DSN COVERAGE

32

65 [D] |----- 0940

1400 |----- 45 [D] -----| 2345

0305 | 43 [B] | 0415

HPTXR

RTLTL : 12h 39m 18s

1200 RTLTL=12h 39m 16s

0000 RTLTL=12h 39m 12s

▼ 0342 DUMMY (BRACKETED)

VOYAGER 2

FDSL : 11AF

CCSL : B023  
TWNC : ON  
SB : OFF XB : HI  
PYR : .05 / .10 / .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|


| VGR |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/08/95 - 14:01

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0



ISSUE DATE: 03/08/95 - 14:01

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY  
MARCH 22, 1995  
081-082

SFOS/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 14m 8s

1200 RTLTL=16h 14m 6s

0000 RTLTL=16h 14m 4s

VOYAGER 1

----- DTR MAINT ----- | 0826 - 1350  
1354 | 1356 TAPPOS

▼ 1650 DUMMY

FDSL : 11AF

CCSL : A020  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

31 --- 65 [D] --- | 1015 2315 |----- 65 [D] ----- | 0500 12 [D] 0730 |---

1000 |----- 15 [D] ----- | 1545  
1540 |----- 14 ----- | 1835

DSN COVERAGE  
HPTXR

32 1225 |----- 12 [D] ----- | 1600 0545 |--- 65 [D] ---

1545 |----- 45 [D] ----- | 0445

HPTXR

RTLTL : 12h 39m 4s

1200 RTLTL=12h 39m 0s  
1254 |-----

0000 RTLTL=12h 38m 56s  
----- COMMAND MORATORIUM -----

↓ 0103 X/B LOW POWER  
↓ 0107 BAY 1 HTR ON

VOYAGER 2

FDSL : 11AF

CCSL : B023  
TWNC : ON  
SB : OFF XB : HI  
PYR : .05 / .10 / .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/08/95 - 14:01

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY  
MARCH 23, 1995  
082-083

VGR STAFF/A148  
VCB/MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 14m 4s

1200 RTLTL=16h 14m 2s

0000 RTLTL=16h 14m 0s

VOYAGER 1

↓ 1008 SLEW->HELIO-X19

FDSL : 11AF

CCSL : A020  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

31 ----- 12 [D] ----- | 1530 ----- 12 [D] 0725 | ---

1500 |----- 14 [D] -----| 1835

2310 |----- 65 [D] -----| 0455

DSN COVERAGE  
HPTXR

32 65 [D] -| 0925 ----- 0540 |--- 65 [D] ---

1450 |----- 42 [D] -----| 1905

0255 | - 43 [D] - | 0425

HPTXR

RTLTL : 12h 38m 56s

1200 RTLTL=12h 38m 52s

0000 RTLTL=12h 38m 48s

VOYAGER 2

----- COMMAND MORATORIUM -----

↓ 2024 SLEW->HELIO-1

FDSL : 11AF

CCSL : B023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05 / .10 / .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/08/95 - 14:01

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY  
MARCH 24, 1995  
083-084

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 14m 0s

1200 RTLTL=16h 13m 58s

0000 RTLTL=16h 13m 58s

VOYAGER 1

↓ 1008 SLEW->HELIO-X18

FDSL : 11AF

CCSL : A020  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 12 [D] ----- | 1315

1500 |----- 42 [D] -----| 1905

0110 |----- 65 [D] -----

2325 |-- 63 [D] --| 0125

DSN COVERAGE  
HPTXR

32 65 [D] -| 0920

1305 |---- 15 [D] ----| 1545

0250 |-- 43 [D] --| 0420

HPTXR

2300 |----- 45 [D] -----| 0305

RTLTL : 12h 38m 48s

1200 RTLTL=12h 38m 44s

0000 RTLTL=12h 38m 40s

VOYAGER 2

COMMAND MORATORIUM -| 1228

↓ 0824 SLEW->HELIO-2

↓ 2024 SLEW->HELIO-3

FDSL : 11AF

CCSL : B023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05 / .10 / .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8



ISSUE DATE: 03/08/95 - 14:01

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY  
MARCH 25, 1995  
084-085

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 13m 58s

1200 RTLTL=16h 13m 56s

0000 RTLTL=16h 13m 54s

VOYAGER 1

↓ 1008 SLEW->HELIO-X17

FDSL : 11AF

U/L 1800 | - | ----- TLC(SHORT-FORM) -----

CCSL : A020  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

31 --- 65 [D] -- | 1000  
0945 |----- 15 [D] -----| 1510  
1455 |----- 42 -----| 1905  
2300 |----- 65 [D] -----| 0450  
0620 | - 15 [D] - -

DSN COVERAGE  
HPTXR

32  
1340 |----- 45 [D] -----| 0230  
0245 | - 43 [o] - | 0415  
0535 | - 65 [D] - -

HPTXR

RTLTL : 12h 38m 40s

1200 RTLTL=12h 38m 36s

0000 RTLTL=12h 38m 32s

VOYAGER 2

↓ 0824 SLEW->HELIO-4

↓ 2024 SLEW->HELIO-5

FDSL : 11AF

CCSL : B023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/08/95 - 14:01

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY  
MARCH 26, 1995  
085-086

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 13m 54s

1200 RTLT=16h 13m 52s

0000 RTLT=16h 13m 52s

VOYAGER 1

↓ 1008 SLEW->HELIO-X16

FDSL : 11AF

-----| TLC(SHORT-FORM)

| D/L -| 1142

CCSL : A020

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE

CR-5T

XB DATA RATE (MI)

160(32)

31

1455 |

42 [D] -----|

1905

12 [D] 0715 |

-----|

15 [D] -----|

1510

DSN COVERAGE

HPTXR

32

65 [D] | 0915

1335 |

45 [D] -----|

0300

0245 |

43 [D] -|

0415

HPTXR

RTLT : 12h 38m 32s

1200 RTLT=12h 38m 28s

0000 RTLT=12h 38m 24s

VOYAGER 2

↓ 0823 SLEW->HELIO-6

↓ 2023 SLEW->HELIO-7

FDSL : 11AF

CCSL : B023

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE

CR-5T

XB DATA RATE (MI)

160(32)

VOYAGER COVERAGE

-----| ON CALL -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8