

ISSUE DATE: 05/17/95 - 13:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
MAY 18, 1995
138-139

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 15m 6s

1200 RTLTL=16h 15m 10s

0000 RTLTL=16h 15m 14s

VOYAGER 1

S/C 31 STATUS


FDSL : 11AF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -4.704 sec
SCAN PLAT POSITION:
AZ = 155.005 deg
EL = 29.991 deg
ROLLREF = RIGIL
KENTAURUS

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)



DSN COVERAGE HPTXR

RTLTL : 12h 32m 8s

1200 RTLTL=12h 32m 6s

0000 RTLTL=12h 32m 4s

VOYAGER 2

S/C 32 STATUS

FDSL : 11AF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: 3:09.833 min
SCAN PLAT POSITION:
AZ = 79.985 deg
EL = 85.994 deg
ROLLREF = VEGA

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

▼ 2347 DUMMY [BRACKETED]

VOYAGER COVERAGE

----- VGR -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/17/95 - 13:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
MAY 19, 1995
139-140

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 15m 14s

1200 RTLTL=16h 15m 18s

0000 RTLTL=16h 15m 22s

VOYAGER 1

↓ 1708 BAY 1 HTR OFF
↓ 1712 X/B HI POWER

FDSL : 11AF

0138 | - TAPPOS - | 0344

↓ 0421 YAW=.05
0431 | - PLAYBACK - -

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

0431

PB-14

160 (32)

1.4K(39)

31

----- 24 [D] -----

1345 |----- 1400

2345 |----- 61 [D] -----

0415 |----- 14 [D] -----

0420

HPTXR

DSN COVERAGE

32

1000 |----- 45 [D] -----

2255 |----- 43 [D] -----

2310

HPTXR

RTLTL : 12h 32m 4s

1200 RTLTL=12h 32m 2s

0000 RTLTL=12h 32m 0s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

|----- VGR -----|

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/17/95 - 13:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
MAY 20, 1995
140-141

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 15m 22s

1200 RTLTL=16h 15m 24s

0000 RTLTL=16h 15m 28s

VOYAGER 1

↓ 1116 YAW=.10

U/L 1500 |-----| TLC (SHORT-FORM) -----|

FDSL : 11AF

1608 |---| 1653 TAPPOS

CCSL : A021
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .05 / .25
GYROS : OFF

↓ 2008 X/B LOW POWER
↓ 2012 BAY 1 HTR ON

-----PLAYBACK-----| 1107

FDS MODE
XB DATA RATE (MI)

1107
PB-14
1.4K(39)

CR-5T
160(32)

31
DSN COVERAGE
HPTXR

-----14 [D]-----| 1115
1115 |-----42-----| 1845
1920 |-----65 [D]-----| 0600
0545 | 12 [D]

32
HPTXR

1000 |-----45 [D]-----| 0110
0240 |---61 [D]---| 0445

RTLTL : 12h 32m 0s

1200 RTLTL=12h 31m 58s

0000 RTLTL=12h 31m 56s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

-----VGR-----+-----ON CALL-----+VGR+-----ON CALL-----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/17/95 - 13:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
MAY 21, 1995
141-142

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 15m 28s

1200 RTLT=16h 15m 32s

0000 RTLT=16h 15m 36s

VOYAGER 1

FDSL : 11AF

TLC (SHORT-FORM)
D/L - 0844

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 12 [D] -----

1110 |-----| 1125

----- 42 [D] -----

1840

1920 - 0610 |-----|

65 [D] -----

0555 | 12 [D] |

DSN COVERAGE

HPTXR

32

0955 |-----|

45 [D] -----

2345

0235 |-----|

61 [D] -----

0440

HPTXR

RTLT : 12h 31m 56s

1200 RTLT=12h 31m 54s

0000 RTLT=12h 31m 52s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/17/95 - 13:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
MAY 22, 1995
142-143

MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 15m 36s

1200 RTLT=16h 15m 40s

0000 RTLT=16h 15m 44s

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

-----12 [D] -----| 1120

1105 |-----42 [D] -----| 1835

0325 |-----12 [D] -----

HPTXR

1915 |-----65 [D] -----| 0110

DSN COVERAGE

32

0955 |-----45 [D] -----| 0100

0155 |-----65 [D] -----| 0515

HPTXR

RTLT : 12h 31m 52s

1200 RTLT=12h 31m 50s

0000 RTLT=12h 31m 48s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/17/95 - 13:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
MAY 23, 1995
143-144

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 15m 44s
VOYAGER 1
FDSL : 11AF
CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

1200 RTLT=16h 15m 48s
0000 RTLT=16h 15m 52s

1402 | 1403 PWS/RH

PLSCAL 0617 | - -
MAGCAL 0617 | - -
PESCAL 0617 | - -

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

CR-5T
160(32)

31

12 [D] | 1115

1100 | 42 [D] | 1830 | 0100 | 61 [D] | 0530 | 12 [D] |

1855 | 65 [D] | 0105

HPTXR

DSN COVERAGE

32

0945 | 45 [D] | 2205 | 0150 | 65 [D] | 0510

HPTXR

RTLT : 12h 31m 48s
VOYAGER 2
FDSL : 11AF
CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLT=12h 31m 46s
0000 RTLT=12h 31m 44s

1336 | 1337 PWS/RH

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

CR-5T
160(32)

VOYAGER COVERAGE

| - - - - - VGR - - - - - | | VGR |

NOTES

[1] S/C 32=GS-4B @ 1336 XB=2.8K(41) NOT RECOVERABLE
[2] S/C 31=GS-4B @ 1402 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/17/95 - 13:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
MAY 24, 1995
144-145

SFOS/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 15m 52s

1200 RTLT=16h 15m 56s

0000 RTLT=16h 16m 0s

VOYAGER 1

---|0800 PLSCAL
-- MAGCAL --|0920
--- PESCAL ---|0937

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 12 [D] ----- | 1330
1340 |----- 42 [D] ----- | 1830 2100 |----- 65 [D] ----- | 0100
1920 |-- 63 [D] -- | 2115

DSN COVERAGE HPTXR

32 0825 |----- 24 [D] ----- | 1245
1230 |----- 45 [D] ----- | 1815
0145 |----- 65 [D] ----- | 0505

HPTXR

RTLT : 12h 31m 44s

1200 RTLT=12h 31m 44s

0000 RTLT=12h 31m 42s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- VGR ----- |----- VGR -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/17/95 - 13:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
MAY 25, 1995
145-146

VGR STAFF/A148
VCB/MD MTG/A148
SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 16m 0s

1200 RTLT=16h 16m 6s

0000 RTLT=16h 16m 10s

VOYAGER 1

▼ 2130 DUMMY

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 24 [D] ----- | 1425

1915 |----- 63 -----| 2255

0250 |----- 24 [D] -----

2240 |----- 65 [D] -----| 0305

DSN COVERAGE
HPTXR

32 0900 |----- 12 [D] -----| 1240

1225 |----- 42 [D] -----| 2115

2100 |----- 45 [D] -----| 0050

0355 | 63 [B] | 0505

HPTXR

RTLT : 12h 31m 42s

1200 RTLT=12h 31m 40s

0000 RTLT=12h 31m 38s

VOYAGER 2

DUMMY (BRACKETED) 0415 ▼

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

| VGR |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/17/95 - 13:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
MAY 26, 1995
146-147

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 16m 10s

1200 RTLT=16h 16m 14s

0000 RTLT=16h 16m 18s

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

24 [D]

1345

0535 24 [D]

1330

42 [D]

1820

1900

65 [D]

0550

DSN COVERAGE

HPTXR

32

0935

45 [D]

2300

HPTXR

0220

61 [D]

0420

RTLT : 12h 31m 38s

1200 RTLT=12h 31m 38s

0000 RTLT=12h 31m 36s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

VGR

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/17/95 - 13:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
MAY 27, 1995
147-148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 16m 18s

1200 RTLTL=16h 16m 22s 0000 RTLTL=16h 16m 28s

VOYAGER 1

U/L 1400 |-----| TLC (SHORT-FORM) |-----| D/L

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 ----- 24 [D] ----- | 1100 0530 | 12 [D] |-----

1045 |-----| 42 ----- | 1815 1855 |-----| 65 [D] ----- | 0545

DSN COVERAGE HPTXR

32 0925 |-----| 45 [D] ----- | 2255

HPTXR

0215 |---| 61 [D] --- | 0415

RTLTL : 12h 31m 36s

1200 RTLTL=12h 31m 34s 0000 RTLTL=12h 31m 34s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/17/95 - 13:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
MAY 28, 1995
148-149

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 16m 28s

1200 RTLT=16h 16m 32s

0000 RTLT=16h 16m 36s

VOYAGER 1

D/L | 0745

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 12 [D] ----- | 1055

0520 | -- 12 [D] --

1040 | -----

----- 42 [D] ----- | 1810

1850 | -----

----- 65 [D] ----- | 0540

DSN COVERAGE

HPTXR

32

0925 | ----- 45 [D] -----

| 0035

0210 | -- 61 [D] -- | 0410

HPTXR

RTLT : 12h 31m 34s

1200 RTLT=12h 31m 32s

0000 RTLT=12h 31m 32s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/17/95 - 13:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
MAY 29, 1995
149-150

MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 16m 36s

1200 RTLT=16h 16m 42s

0000 RTLT=16h 16m 46s

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

HPTXR

DSN COVERAGE

32

HPTXR

RTLT : 12h 31m 32s

1200 RTLT=12h 31m 30s

0000 RTLT=12h 31m 30s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

VGR


NOTES

JPL HOLIDAY

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/17/95 - 13:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0



ISSUE DATE: 05/17/95 - 13:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
MAY 31, 1995
151-152

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 16m 56s

1200 RTLT=16h 17m 2s

0000 RTLT=16h 17m 6s

VOYAGER 1

0956 |--- TAPPOS ---| 1230

↓ 1409 SLEW->HELIO-18A

↓ 0209 SLEW->HELIO-17A

FDSL : 11AF

--- DTR MAINT ---| 0951

▼ 1630 DUMMY

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

-----12 [D]-----|

1250 |-----42-----|

1800

0510 |--- 12 [D] ---|

HPTXR

DSN COVERAGE

32

0845 |-----24 [D]-----| 1215

1200 |-----45 [D]-----|

0025

0200 |--- 61 [D] ---| 0400

HPTXR

1200 RTLT=12h 31m 26s

0000 RTLT=12h 31m 26s

RTLT : 12h 31m 28s

VOYAGER 2

FDSL : 11AF

AGC/CMD -|-----D/L-----| 1206

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

0846

1226

UV-5A

EL-40

CR-5T

600(36)

40(30)

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/17/95 - 13:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
JUNE 1, 1995
152-153

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 17m 6s

1200 RTLT=16h 17m 12s 0000 RTLT=16h 17m 16s

VOYAGER 1

↓ 1409 SLEW->HELIO-16A

↓ 0209 SLEW->HELIO-15A

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 ----- 12 [D] ----- | 1040 0510 |-- 12 [D] --

1025 |----- 42 [D] ----- | 1755
1835 |----- 65 [D] ----- | 0525

DSN COVERAGE
HPTXR

32 1015 |-- 14 [D] -- | 1215 0155 |-- 61 [D] -- | 0355

1200 |----- 45 [D] ----- | 2220
2205 |-- 43 [B] -- | 2350

HPTXR

RTLT : 12h 31m 26s

1200 RTLT=12h 31m 24s 0000 RTLT=12h 31m 24s

VOYAGER 2

↓ 1236 SLEW-> SUN +1 EL
↓ 1320 SLEW->2 DELTA EL ACROSS SUN
1320 | | 1337 SUNMON
↓ 1329 SLEW->+2 DELTA EL ACROSS SUN
↓ 1338 SLEW->SAFE
▼ 2247 DUMMY (BRACKETED)

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

1222 1341
CR-5T UV-5A CR-5T
160(32) 600(36) 160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/17/95 - 13:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
JUNE 2, 1995
153-154

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 17m 16s

1200 RTLT=16h 17m 22s

0000 RTLT=16h 17m 28s

VOYAGER 1

↓ 1409 SLEW->HELIO-14A

↓ 0209 SLEW->HELIO-13A

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

12 [D]

1255

0245

12 [D]

1240

42 [D]

1750

1830

65 [D]

0300

HPTXR

DSN COVERAGE

32

0900

45 [D]

2220

2205

43 [D]

2345

0150

61 [D]

0350

HPTXR

RTLT : 12h 31m 24s

1200 RTLT=12h 31m 24s

0000 RTLT=12h 31m 24s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

VGR

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/17/95 - 13:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
JUNE 3, 1995
154-155

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 17m 28s

1200 RTLTL=16h 17m 32s 0000 RTLTL=16h 17m 38s

VOYAGER 1

U/L 1400 |-----| TLC (SHORT-FORM) |-----| D/L

FDSL : 11AF

↓ 1409 SLEW->HELIO-12A

↓ 0209 SLEW->HELIO-11A

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 12 [D] ----- | 1030

0500 |----- 12 [D] -----

1015 |-----

----- 42 -----

| 1750

1825 |-----

----- 65 [D] -----

| 0515

DSN COVERAGE

HPTXR

32

0900 |-----

----- 45 [D] -----

| 2210

2155 |-----

----- 43 [D] -----

| 2345

0150 |-----

----- 61 [D] -----

| 0345

HPTXR

RTLTL : 12h 31m 24s

1200 RTLTL=12h 31m 22s

0000 RTLTL=12h 31m 22s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/17/95 - 13:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
JUNE 4, 1995
155-156

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 17m 38s

D/L | 0746

1200 RTLT=16h 17m 44s

0000 RTLT=16h 17m 50s

VOYAGER 1

↓ 0809 SLEW->MIDPOINT

FDSL : 11AF

↓ 1409 SLEW->HELIO-10A

↓ 0210 SLEW->HELIO-9A

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 12 [D] ----- | 1030

0500 | - - - 12 [D] - - -

1015 |

----- 42 [D] ----- |

1745

1820 |

----- 65 [D] ----- |

0515

DSN COVERAGE

HPTXR

32

0855 | ----- 45 [D] ----- |

2345

0145 | - - 61 [D] - - | 0340

HPTXR

RTLT : 12h 31m 22s

1200 RTLT=12h 31m 22s

0000 RTLT=12h 31m 22s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7