

ISSUE DATE: 08/30/95 - 13:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
AUGUST 31, 1995
243-244

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 45m 52s

1200 RTLT=16h 46m 4s

0000 RTLT=16h 46m 16s

VOYAGER 1

S/C 31 STATUS


FDSL : 11AF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -5.637 sec
SCAN PLAT POSITION:
AZ = 176.097 deg
EL = 69.671 deg
ROLLREF = RIGIL
KENTAURUS

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)



RTLT : 12h 46m 58s

1200 RTLT=12h 47m 10s

0000 RTLT=12h 47m 20s

VOYAGER 2

S/C 32 STATUS

FDSL : 11AF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: 2:56.921 min
SCAN PLAT POSITION:
AZ = 270.025 deg
EL = 29.945 deg
ROLLREF = VEGA

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

| ----- VGR ----- |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/30/95 - 13:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
SEPTEMBER 1, 1995
244-245

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 46m 16s

1200 RTLT=16h 46m 28s

0000 RTLT=16h 46m 40s

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

----- 42 [D] ----- | 1055

1420 |----- 61 [D] -----| 1855

2130 |----- 24 [D] ----- 42 0700

HPTXR

DSN COVERAGE

32

----- 45 [D] ----- | 1230

1215 |----- 42 [D] -----| 1705

1955 |----- 61 [D] -----| 2135

0315 |----- 45 [D] -----

HPTXR

RTLT : 12h 47m 20s

1200 RTLT=12h 47m 30s

0000 RTLT=12h 47m 42s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/30/95 - 13:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
SEPTEMBER 2, 1995
245-246

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 46m 40s

1200 RTLT=16h 46m 52s

0000 RTLT=16h 47m 4s

VOYAGER 1

U/L 0900 |-----| TLC (SHORT-FORM) |-----| D/L | 0315

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 | 0715 24 [D] |-----| 0700 - 1055 |-----| 2150 |-----| 12 [D] |-----| 0535 | 42 [D] |-----| 0550

42 |-----| 1355 |-----| 61 [D] |-----| 2205

DSN COVERAGE
HPTXR

32 |-----| 45 [D] |-----| 1810 |-----| 0245 |-----| 45 [D] |-----|

1910 |-----| 65 [D] |-----| 2210

HPTXR

RTLT : 12h 47m 42s

1200 RTLT=12h 47m 52s

0000 RTLT=12h 48m 2s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/30/95 - 13:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
SEPTEMBER 3, 1995
246-247

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 47m 4s
 VOYAGER 1
 FDSL : 11AF
 CCSL : A021
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

FDS MODE CR-5T
 XB DATA RATE (MI) 160 (32)

1200 RTLT=16h 47m 16s 0000 RTLT=16h 47m 28s

DSN COVERAGE HPTXR

31 -----42 [D] ----- | 1050
 1220 |-----65 [D] -----| 2315
 2300 |-----24 [D] -----| 0515
 0500 |--42 [D] --|

32 -----45 [D] ----- | 1110
 1150 |-----42 [D] -----| 1655
 0205 |-----12 [D] -----| 0520
 0530 |--45 [D] --|

HPTXR

RTLT : 12h 48m 2s
 VOYAGER 2
 FDSL : 11AF
 CCSL : B024
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

FDS MODE CR-5T
 XB DATA RATE (MI) 160 (32)

VOYAGER COVERAGE ----- ON CALL -----

1200 RTLT=12h 48m 14s 0000 RTLT=12h 48m 24s

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/30/95 - 13:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
SEPTEMBER 4, 1995
247-248

MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 47m 28s

1200 RTLT=16h 47m 40s

0000 RTLT=16h 47m 52s

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 ----- 42 [D] ----- | 1045

1445 |----- 63 [D] -----| 1845

2140 |----- 12 [D] -----| 0545 | 42 [D] -----| 0600

1830 |----- 61 [D] -----| 2155

DSN COVERAGE
HPTXR

32 ----- 45 [D] ----- | 1505

1445 |--- 42 [D] ---| 1650

0520 |--- 45 [D] ---| 0600

0335 |--- 14 [D] ---| 0535

1905 |--- 65 [D] ---| 2200

HPTXR

RTLT : 12h 48m 24s

1200 RTLT=12h 48m 36s

0000 RTLT=12h 48m 46s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

ON CALL

NOTES

JPL HOLIDAY

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/30/95 - 13:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
SEPTEMBER 5, 1995
248-249

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 47m 52s

0818 | 0819 PWS/RH

▼ 2010 DUMMY

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

0818
GS-4B 0819

FDS MODE
XB DATA RATE (MI)

CR-5T CR-5T
160 (32) 160(32)

31 ----- 42 [D] ----- | 1040 ----- 1215 | ----- 65 [D] ----- | 1800 ----- 2220 | ----- 12 [D] ----- 0540 | 42 [D] |

DSN COVERAGE
HPTXR

----- 1745 | ----- 63 ----- | 2235 -----

32 ----- 45 [D] ----- | 1800 ----- 1900 | ----- 65 [D] ----- | 2200 ----- 0235 | ----- 45 [D] -----

HPTXR

RTLTL : 12h 48m 46s

| 0744 - 0745 PWS/RH

1649 | ----- COMMAND MORATORIUM -----

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

0324 | ----- | 0434 TAPPOS
BAY 1 HTR OFF 0508 ↓
X/B HI POWER 0512 ↓
YAW=.05 0608 ↓
PLAYBACK 0616 | -----

0744
GS-4B 0745

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

0616
PB-5

VOYAGER COVERAGE

| ----- VGR ----- |

NOTES

- [1] S/C 32=GS-4B @ 0744 XB=2.8K(41) NOT RECOVERABLE
- [2] S/C 31=GS-4B @ 0818 XB=2.8K(41) NOT RECOVERABLE
- [3] S/C 32=PB-5 @ 0616 XB=7.2K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/30/95 - 13:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
SEPTEMBER 6, 1995
249-250

SFOS/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 48m 16s

1200 RTLT=16h 48m 28s

0000 RTLT=16h 48m 40s

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 42 [D] ----- | 1040

1205 |----- 65 [D] ----- | 1830

0035 |----- 12 [D] ----- | 0540 | 42 [D] -

1815 |----- 63 [D] ----- | 2230

DSN COVERAGE
HPTXR

32 ----- 45 [D] ----- | 1755

1915 |----- 65 [D] ----- | 2155

0125 |----- 14 [D] ----- | 0500

HPTXR

RTLT : 12h 49m 8s

1200 RTLT=12h 49m 18s

0000 RTLT=12h 49m 30s

VOYAGER 2

----- COMMAND MORATORIUM -----

FDSL : 11AF

↓ 1306 YAW=.10

0440 - 0651 | - TAPPOS - - |

CCSL : B024
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .05 / .25
GYROS : OFF

----- PLAYBACK ----- | 1252

FDS MODE
XB DATA RATE (MI)

PB-5
7.2K(41)

CR-5T
160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/30/95 - 13:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
SEPTEMBER 7, 1995
250-251

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 48m 40s

1200 RTLT=16h 48m 52s

0000 RTLT=16h 49m 4s

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 ----- 42 [D] ----- | 1035
1335 |----- 61 [D] -----| 2145
2130 |----- 12 [D] -----| 0545

DSN COVERAGE
HPTXR

32 ----- 45 [D] -----| 1750
1850 |----- 65 [D] -----| 2150
0225 |----- 45 [D] -----

HPTXR

RTLT : 12h 49m 30s

1200 RTLT=12h 49m 42s

0000 RTLT=12h 49m 52s

COMMAND MORATORIUM

1622
1706

COMMAND MORATORIUM

GYRO INIT 0526 ↓
GYROS BC ON 0526 ↓
GYRO FAULT TEST 0536 ↓
CCSTIM(B) 0631 - 0637 ||

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

0659
UV-5A

VOYAGER COVERAGE

|----- VGR -----| |----- VGR -----|

NOTES

[1] S/C 32=UV-5A @ 0659 XB=600(36)

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/30/95 - 13:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
SEPTEMBER 8, 1995
251-252

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 49m 4s

1200 RTLT=16h 49m 16s

0000 RTLT=16h 49m 28s

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

42 [D] ----- | 1030

0525 | --- 42 ---

1200 | ----- 65 [D] ----- | 1800

2055 | ----- 12 [D] ----- | 0540

HPTXR

DSN COVERAGE

32

45 [D] ----- | 1715

0250 | ----- 45 [D] -----

1845 | ----- 65 [D] ----- | 2145

HPTXR

RTLT : 12h 49m 52s

1200 RTLT=12h 50m 4s

0000 RTLT=12h 50m 14s

VOYAGER 2

↓ 0729 SLEW->Eta Uma

COMMAND MORATORIUM

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10 / .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

UV-5A

600(36)

0701

VOYAGER COVERAGE

| ----- VGR ----- |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/30/95 - 13:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
SEPTEMBER 9, 1995
252-253

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 49m 28s

1200 RTLT=16h 49m 40s

0000 RTLT=16h 49m 52s

VOYAGER 1

U/L 0900 |----- TLC (SHORT-FORM) -----| D/L |0318

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

-----42-----|1025
1155 |----- 65 [D] -----|1800
2230 |----- 12 [D] -----|0620 |-----
42 [D] 0620 |-----
-----1745-----|63 [D]-----|2250
-----1740-----
1845 |----- 65 [D] -----|2140
-----0215-----|45 [D]-----

HPTXR

DSN COVERAGE

32

HPTXR

RTLT : 12h 50m 14s

1200 RTLT=12h 50m 26s

0000 RTLT=12h 50m 36s

VOYAGER 2

----- COMMAND MORATORIUM -----|1635

↓ 0729 SLEW->Eta Uma BKGD

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10 / .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

UV-5A

600(36)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/30/95 - 13:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
SEPTEMBER 10, 1995
253-254

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 49m 52s
 VOYAGER 1
 FDSL : 11AF
 CCSL : A021
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

1200 RTLT=16h 50m 4s
 0000 RTLT=16h 50m 16s

DSN COVERAGE

HPTXR 31 ----- 42 [D] ----- | 1020
 1155 |----- 65 [D] ----- | 1755
 2050 |----- 12 [D] ----- | 0535
 0520 |-- 42 [D] --|

HPTXR 32 ----- 45 [D] ----- | 1740
 1840 |----- 65 [D] ----- | 2140
 0255 |-- 14 [D] --| 0455
 0440 |-- 45 [D] --|

RTLT : 12h 50m 36s
 VOYAGER 2
 FDSL : 11AF
 CCSL : B024
 TWNC : ON
 SB : OFF XB : HI
 PYR : .05/ .10 / .25
 GYROS : ON

FDS MODE UV-5A
 XB DATA RATE (MI) 600(36)

1200 RTLT=12h 50m 48s
 0000 RTLT=12h 51m 0s

↓ 0729 SLEW->Alpha Vir

VOYAGER COVERAGE ----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/30/95 - 13:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
SEPTEMBER 12, 1995
255-256

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 50m 40s
VOYAGER 1
FDSL : 11AF
CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLTL=16h 50m 50s
0000 RTLTL=16h 51m 2s

0011 | PLSCAL - | 0153
0011 | --- MAGCAL --- | 0313
0011 | --- PESCAL --- | 0331
0420 || 0421 PWS/RH

0420 GS-4B 0421

FDS MODE	CR-5T	CR-5T
XB DATA RATE (MI)	160(32)	160(32)

DSN COVERAGE

31 ----- 42 [D] ----- | 1015
1330 |----- 65 [D] ----- | 2240
2220 |----- 12 [D] ----- | 0525

HPTXR

32 ----- 45 [D] ----- | 1730
1910 | - 61 [D] - | 2050
0320 - 0620 |----- 42 [D] ----- |

HPTXR

RTLTL : 12h 51m 22s
VOYAGER 2
FDSL : 11AF
CCSL : B024
TWNC : ON
SB : OFF XB : HI
PYR : .05 /05 / .05
GYROS : ON

1200 RTLTL=12h 51m 34s
0000 RTLTL=12h 51m 46s

↓ 0734 RAI
↓ 0736 CRU
↓ 0745 ROLL=.25
↓ 0745 YAW=.10
↓ 0746 GYRO FAULT TEST

0346 || 0347 PWS/RH

0739

FDS MODE	CR-5T	CR-5T
XB DATA RATE (MI)	160(32)	160(32)

0736 ASCAL

0346 GS-4B 0347

VOYAGER COVERAGE | VGR |----- VGR -----|

NOTES

[1] S/C 32=EL-40 @ 0627 XB=40(30)
[2] S/C 32=GS-4B @ 0346 XB=2.8K(41) NOT RECOVERABLE
[3] S/C 31=GS-4B @ 0420 XB=2.8K(41) NOT RECOVERABLE
[4] S/C 32 - D/L AGC/SNR VARIATIONS EXPECTED DURING ASCAL (0659-0736)

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/30/95 - 13:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
SEPTEMBER 13, 1995
256-257

SFOS/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 51m 2s

1200 RTLT=16h 51m 14s

0000 RTLT=16h 51m 26s

VOYAGER 1

↓ 1831 GYROS AB ON

↓ 1832 GYRO INIT

↓ 1841 GYRO FAULT TEST

FDSL : 11AF

▼ 2030 DUMMY

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 |----- 42 [D] -----| 0720 - 1010

1140

65 [D]

1800

0025

0420

42 [D]

0435

HPTXR

1745

63

2220

DSN COVERAGE

32

45 [D]

1725

0450

45 [D]

HPTXR

1845

65 [D]

2125

0305

14 [D]

0505

RTLT : 12h 51m 46s

1200 RTLT=12h 51m 56s

0000 RTLT=12h 52m 8s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : HI
PYR : .05 / .10 / .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/30/95 - 13:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
SEPTEMBER 14, 1995
257-258

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 51m 26s

1200 RTLTL=16h 51m 38s

0000 RTLTL=16h 51m 50s

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 ----- 42 [D] ----- | 1005
1120 |----- 65 [D] ----- | 1815 2145 |----- 12 [D] ----- | 0430 |----- 42 [D] -----
1810 |----- 63 [D] ----- | 2200

DSN COVERAGE
HPTXR

32 ----- 45 [D] ----- | 1720
1900 |----- 65 [D] ----- | 2120
0155 |----- 45 [D] -----

HPTXR

RTLTL : 12h 52m 8s

1200 RTLTL=12h 52m 20s

0000 RTLTL=12h 52m 32s

0013 |----- COMMAND MORATORIUM -----

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : HI
PYR : .05 / .10 / .25
GYROS : ON

SLEW->MAGROL START POS 0300 ↓

AAI 0637 ↓
MAGROL 0640 |-----
UVS MAGROL RIDER 0653 |-----

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

|----- VGR ----- | VGR |-----

NOTES

[1] S/C 32 - D/L AGC VARIATIONS EXPECTED DURING MAGROL (0640-1236)

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/30/95 - 13:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
SEPTEMBER 15, 1995
258-259

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 51m 50s

1200 RTLT=16h 52m 2s

0000 RTLT=16h 52m 14s

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 42 [D] ----- | 1005
1305 |----- 61 [D] -----| 2045
2030 |----- 12 [D] -----| 0430
0415 |----- 42 -----

DSN COVERAGE
HPTXR

32 ----- 45 [D] ----- | 1645
1820 |----- 65 [D] -----| 2120
0220 |----- 45 [D] -----

HPTXR

RTLT : 12h 52m 32s

1200 RTLT=12h 52m 42s

0000 RTLT=12h 52m 54s

VOYAGER 2

↓ 0940 SLEW->+20 DEG EL

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : HI
PYR : .05 / .10 / .25
GYROS : ON

MAGROL ----- | 1236

UVS MAGROL RIDER ----- | 1301

↓ 1229 RAI

↓ 1236 CRU

↓ 1236 GYROS OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- VGR ----- | ----- VGR -----

NOTES

[1] S/C 32 - D/L AGC VARIATIONS EXPECTED DURING MAGROL (0640-1236)

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/30/95 - 13:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
SEPTEMBER 16, 1995
259-260

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 52m 14s
 VOYAGER 1
 FDSL : 11AF
 CCSL : A021
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : ON

U/L 0900 |----- TLC (SHORT-FORM) -----| D/L |0321

FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

1200 RTLT=16h 52m 26s | 0000 RTLT=16h 52m 36s

DSN COVERAGE

HPTXR 31 ----- 42 ----- |1000
 1130 |----- 65 [D] -----| 1730
 2025 |----- 12 [D] -----| 0425
 0410 |----- 42 [D] -----

HPTXR 32 ----- 45 [D] -----| 1715
 1815 |----- 65 [D] -----| 2115
 0250 |----- 14 [D] -----| 0450
 0435 |----- 45 [D] -----

RTLT : 12h 52m 54s
 VOYAGER 2
 FDSL : 11AF
 CCSL : B024
 TWNC : ON
 SB : OFF XB : HI
 PYR : .05 / .10 / .25
 GYROS : OFF

COMMAND MORATORIUM -----| 2343

1200 RTLT=12h 53m 6s | 0000 RTLT=12h 53m 18s

FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

VOYAGER COVERAGE ----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/30/95 - 13:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
SEPTEMBER 17, 1995
260-261

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 52m 36s
 VOYAGER 1
 FDSL : 11AF
 CCSL : A021
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : ON
 FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

1200 RTLT=16h 52m 48s 0000 RTLT=16h 53m 0s

↓ 1832 GYRO INIT

DSN COVERAGE HPTXR
 31 ----- 42 [D] ----- | 0955
 1125 |----- 65 [D] -----| 2220
 2200 |----- 12 [D] -----| 0430
 0415 |----- 42 [D] -----
 32 ----- 45 [D] ----- | 1710
 1850 |----- 61 [D] -----| 2030
 0200 |----- 14 [D] -----| 0445
 0430 |----- 45 [D] -----

RTLT : 12h 53m 18s
 VOYAGER 2
 FDSL : 11AF
 CCSL : B024
 TWNC : ON
 SB : OFF XB : HI
 PYR : .05 / .10 / .25
 GYROS : OFF
 FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

1200 RTLT=12h 53m 30s 0000 RTLT=12h 53m 42s

VOYAGER COVERAGE ----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7