

ISSUE DATE: 05/08/96 - 10:46

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
MAY 9, 1996
130-131

VCB/MD MTG/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 17h 14m 36s

1200 RTLTL=17h 14m 40s

0000 RTLTL=17h 14m 42s

VOYAGER 1

S/C 31 STATUS

↓ 1320 X/B LOW POWER
↓ 1324 BAY 1 HTR ON

↓ 1738 SLEW->HELIO-20A

FDSL : 11AF

▼ 1255 DUMMY (06:09:40)

SLEW->HELIO-19A 0538 ↓

CCSL : A023
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -7.612 sec

ROLLREF = RIGIL
KENTAURUS

FDS MODE
XB DATA RATE (MI)

CR-05

160 (32)

31

24

1305

1250 |-----| 42 [D]

1835

2320 |-----| 65 [D]

0335

0250

24 [D]

HPTXR

DSN COVERAGE

32

1040

45 [D]

0150

HPTXR

RTLTL : 13h 22m 14s

0850

1200 RTLTL=13h 22m 12s

0000 RTLTL=13h 22m 8s

COMMAND MORATORIUM

VOYAGER 2

S/C 32 STATUS

↓ 1543 AAI
1546 |-----|

MAGROL

2142

FDSL : 11AF

↓ 2135 RAI

CCSL : B025
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : ON

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: 2:25.160 min

↓ 2142 CRU

↓ 2142 GYROS OFF

ROLLREF = VEGA

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

|-----| VGR |-----|

NOTES

[1] S/C 32 - D/L AGC VARIATIONS EXPECTED DURING MAGROL (1546-2142)

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/08/96 - 10:46

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
MAY 10, 1996
131-132

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 17h 14m 42s

1200 RTLTL=17h 14m 44s

0000 RTLTL=17h 14m 46s

VOYAGER 1

↓ 1738 SLEW->HELIO-18A

SLEW->HELIO-17A 0538 ↓

FDSL : 11AF

CCSL : A023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-05

160 (32)

31 ----- 24 [D] ----- | 1300 ----- 0330 |----- 24 [D] -----

1245 |----- 42 [D] ----- | 1830

2130 |----- 61 [D] ----- | 0335

DSN COVERAGE
HPTXR

32 ----- 1035 |----- 15 [D] ----- | 1405 ----- 0145 -----

1400 |----- 45 [D] ----- | 0145

0330 |----- 65 [D] ----- | 0525

HPTXR

RTLTL : 13h 22m 8s

1200 RTLTL=13h 22m 6s

0000 RTLTL=13h 22m 4s

----- COMMAND MORATORIUM -----

VOYAGER 2

TAPPOS 0429 |----- | 0457

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/08/96 - 10:46

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
MAY 11, 1996
132-133

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 14m 46s

1200 RTLT=17h 14m 50s 0000 RTLT=17h 14m 52s

VOYAGER 1

U/L 1335 | - | ----- TLC (SHORT-FORM)

FDSL : 11AF

↓ 1738 SLEW->HELIO-16A

SLEW->HELIO-15A 0538 ↓

CCSL : A023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-05

160 (32)

31

24 [D]

1300

0325

15 [D]

1245 |

42

1825

2000 |

65 [D]

2325

DSN COVERAGE
HPTXR

32

1145 |

43 [o,A]

1645

1145 |

45 [D,A]

0010

0025 |

43 [o]

0155

HPTXR

RTLT : 13h 22m 4s

1200 RTLT=13h 22m 0s

0000 RTLT=13h 21m 58s

-----|0820 COMMAND MORATORIUM

VOYAGER 2

↓ 1156 YAW=.05

FDSL : 11AF

1207 |

PLAYBACK

1635

↓ 1644 YAW=.10

0344 |

0425 TAPPOS

CCSL : B025
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

PB-05

7.2K(41)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL

|----- VGR

|----- ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/08/96 - 10:46

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
MAY 12, 1996
133-134

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 17h 14m 52s

1200 RTLTL=17h 14m 54s

0000 RTLTL=17h 14m 58s

VOYAGER 1

TLC (SHORT-FORM)
D/L -|0818

↓ 1738 SLEW->HELIO-14A

SLEW->HELIO-13A 0538 ↓

FDSL : 11AF

CCSL : A023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-05

160 (32)

31 ----- 15 [D] ----- | 1505 ----- 0320 |----- 15 [D] -----

1450 |----- 42 [D] ----- | 1820

2125 |----- 61 [D] ----- | 0325

DSN COVERAGE
HPTXR

32 ----- 1030 |----- 45 [D] ----- | 1925 ----- 0325 |----- 65 [D] ----- | 0515

1920 |----- 42 [o] ----- | 2345

HPTXR

RTLTL : 13h 21m 58s

1200 RTLTL=13h 21m 56s

0000 RTLTL=13h 21m 52s

VOYAGER 2

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/08/96 - 10:46

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
MAY 13, 1996
134-135

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 17h 14m 58s

1200 RTLTL=17h 15m 0s

0000 RTLTL=17h 15m 4s

VOYAGER 1

↓ 1738 SLEW->HELIO-12A

SLEW->HELIO-11A 0538 ↓

FDSL : 11AF

CCSL : A023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-05

160 (32)

31 ----- 15 [D] ----- | 1500 ----- 2300 |----- 61 [D] ----- | 0525

1445 |----- 42 [D] ----- | 1815

1930 |----- 63 [D] ----- | 2315

DSN COVERAGE
HPTXR

32 ----- 1025 |----- 45 [D] ----- | 1930

1915 |----- 42 [o] ----- | 0030

HPTXR

RTLTL : 13h 21m 52s

1200 RTLTL=13h 21m 50s

0000 RTLTL=13h 21m 48s

VOYAGER 2

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE


|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/08/96 - 10:46

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0



ISSUE DATE: 05/08/96 - 10:46

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
MAY 15, 1996
136-137

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 15m 10s

1200 RTLT=17h 15m 12s

0000 RTLT=17h 15m 16s

VOYAGER 1

FDSL : 11AF

▼ 1600 DUMMY (09:15:16)

↓ 1738 SLEW->HELIO-9A

SLEW->HELIO-8A 0538 ↓

CCSL : A023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 15 [D] ----- | 1450

1435 |----- 42 -----| 1810

2110 |----- 61 [D] -----| 0520

DSN COVERAGE
HPTXR

32

1015 |----- 45 [D] -----| 0130

HPTXR

RTLT : 13h 21m 44s

1200 RTLT=13h 21m 42s

0000 RTLT=13h 21m 38s

VOYAGER 2

FDSL : 11AF

↓ 2344 SLEW->CHI LUP

CCSL : B025
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A

600(36)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/08/96 - 10:46

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
MAY 16, 1996
137-138

VCB/MD MTG/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 17h 15m 16s

1200 RTLTL=17h 15m 20s

0000 RTLTL=17h 15m 22s

VOYAGER 1

↓ 1738 SLEW->HELIO-7A

SLEW->HELIO-6A 0538 ↓

FDSL : 11AF

CCSL : A023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 0750 |----- 24 [D] -----| 1240

1225 |----- 42 [D] -----| 1805

2250 |----- 65 [D] -----| 0305

0225 |----- 15 [D] -----|

HPTXR

DSN COVERAGE

32

1015 |----- 45 [D] -----| 0120

0310 |----- 65 [D] -----| 0500

HPTXR

RTLTL : 13h 21m 38s

1200 RTLTL=13h 21m 36s

0000 RTLTL=13h 21m 34s

VOYAGER 2

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A

600(36)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/08/96 - 10:46

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
MAY 18, 1996
139-140

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 17h 15m 30s

1200 RTLTL=17h 15m 32s

0000 RTLTL=17h 15m 36s

VOYAGER 1

↓ 1738 SLEW->HELIO-3A

FDSL : 11AF

TLC (SHORT-FORM)

D/L -| 2219

SLEW->HELIO-2A 0538 ↓

CCSL : A023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

15 [D]

1415 |-----| 1430

42 [D]

1755

2100 |-----|

61 [D]

0450 |-----|

15 [D]

DSN COVERAGE

HPTXR

32

1010 |-----|

45 [D]

1910

1855 |-----|

42 [o]

0010

0300 |-----|

65 [D]

0450

HPTXR

RTLTL : 13h 21m 30s

1200 RTLTL=13h 21m 28s

0000 RTLTL=13h 21m 26s

VOYAGER 2

COMMAND MORATORIUM

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/08/96 - 10:46

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
MAY 19, 1996
140-141

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 17h 15m 36s

1200 RTLTL=17h 15m 40s

0000 RTLTL=17h 15m 44s

VOYAGER 1

↓ 1738 SLEW->HELIO-1A

FDSL : 11AF

CCSL : A023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 15 [D] ----- | 1230 ----- 42 [D] ----- | 1755 ----- 61 [D] ----- | 0505 | -- 24 [D] -- |

1215 |

2055 |

DSN COVERAGE
HPTXR

32 ----- 1000 |----- 45 [D] ----- | 1930 ----- 65 [D] ----- | 0445

1915 |----- 42 [o] ----- | 2245

HPTXR

RTLTL : 13h 21m 26s

| 0727 COMMAND MORATORIUM

1200 RTLTL=13h 21m 24s

0000 RTLTL=13h 21m 22s

VOYAGER 2

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/08/96 - 10:46

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
MAY 20, 1996
141-142

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 15m 44s

1200 RTLT=17h 15m 48s

0000 RTLT=17h 15m 50s

SLEW->HELIO-1B 0408 ↓

VOYAGER 1

FDSL : 11AF

CCSL : A023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 24 [D] ----- | 1225 ----- 0250 | ----- 15 [D] -----

1210 | ----- 42 [D] ----- | 1750

1905 | ----- 63 [D] ----- | 2235

DSN COVERAGE
HPTXR

32 ----- 0955 | ----- 45 [D] ----- | 1915

1900 | ----- 42 [o] ----- | 0005

0255 | - 65 [D] - - | 0440

HPTXR

RTLT : 13h 21m 22s

1200 RTLT=13h 21m 20s

0000 RTLT=13h 21m 20s

VOYAGER 2

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

| ----- VGR ----- |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/08/96 - 10:46

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
MAY 21, 1996
142-143

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 15m 50s

1200 RTLT=17h 15m 54s 0000 RTLT=17h 15m 58s

VOYAGER 1

1408 | 1409 PWS/RH
↓ 1608 SLEW->HELIO-2B

SLEW->HELIO-3B 0408 ↓

FDSL : 11AF

PLSCAL 0559 |-----
MAGCAL 0559 |-----
PESCAL 0559 |-----

CCSL : A023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1408
GS-4B 1409

FDS MODE
XB DATA RATE (MI)

CR-5T 160(32) CR-5T 160(32)

31 15 [D] 1230 1215 |----- 42 [D] 1745 1900 |----- 63 |----- 2225 0245 |----- 15 [D] -----

DSN COVERAGE
HPTXR

32 0950 |----- 45 [D] 1900 1845 |----- 42 [o] 0000 2345 |----- 43 -- | 0115 0250 |----- 65 [D] -- | 0440

HPTXR

RTLT : 13h 21m 20s

1200 RTLT=13h 21m 18s 0000 RTLT=13h 21m 16s

VOYAGER 2

1336 | 1337 PWS/RH ▼ 0030 DUMMY (13:51:16)

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1336
GS-4B 1337

FDS MODE
XB DATA RATE (MI)

CR-5T 160(32) CR-5T 160(32)

VOYAGER COVERAGE

|----- VGR -----| | VGR |

NOTES

[1] S/C 32=GS-4B @ 1336 XB=2.8K(41) NOT RECOVERABLE
[2] S/C 31=GS-4B @ 1408 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/08/96 - 10:46

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
MAY 22, 1996
143-144

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 15m 58s

1200 RTLT=17h 16m 2s

0000 RTLT=17h 16m 6s

VOYAGER 1

▼ 1600 DUMMY (09:16:06)

FDSL : 11AF

↓ 1608 SLEW->HELIO-4B

CCSL : A023

---| 0742 PLSCAL

TWNC : ON

--MAGCAL -| 0902

U/L 1935 | -| ----- TLC (SHORT-FORM)

SB : OFF XB : LOW

---PESCAL ---| 0919

SLEW->HELIO-5B 0408 ↓

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

HPTXR

DSN COVERAGE

32

HPTXR

RTLT : 13h 21m 16s

1200 RTLT=13h 21m 14s

0000 RTLT=13h 21m 12s

VOYAGER 2

FDSL : 11AF

CCSL : B025

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/08/96 - 10:46

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
MAY 23, 1996
144-145

VCB/MD MTG/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 16m 6s

1200 RTLT=17h 16m 10s

0000 RTLT=17h 16m 14s

VOYAGER 1

↓ 1608 SLEW->HELIO-6B

SLEW->HELIO-7B 0408 ↓

FDSL : 11AF

CCSL : A023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF
----- TLC (SHORT-FORM) ----- | D/L - | 1419

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

HPTXR

DSN COVERAGE

32

HPTXR

RTLT : 13h 21m 12s

1200 RTLT=13h 21m 12s

0000 RTLT=13h 21m 10s

VOYAGER 2

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/08/96 - 10:46

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
MAY 24, 1996
145-146

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 16m 14s

1200 RTLT=17h 16m 18s

0000 RTLT=17h 16m 24s

VOYAGER 1

↓ 1608 SLEW->HELIO-8B

SLEW->HELIO-9B 0408 ↓

FDSL : 11AF

CCSL : A023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

24 [D]

1205

0300

15 [D]

1150

42 [D]

1735

1910

65 [D]

0315

HPTXR

DSN COVERAGE

32

0940

1310

1305

45 [D]

2345

2330

43 [o]

0100

HPTXR

RTLT : 13h 21m 10s

1200 RTLT=13h 21m 8s

0000 RTLT=13h 21m 6s

VOYAGER 2

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

VGR

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/08/96 - 10:46

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
MAY 25, 1996
146-147

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 16m 24s

1200 RTLT=17h 16m 28s

0000 RTLT=17h 16m 32s

VOYAGER 1

↓ 1608 SLEW->HELIO-10B

SLEW->MIDPNT1 0408 ↓

FDSL : 11AF

CCSL : A023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 15 [D] ----- | 1410

1905 | ----- 65 [D] ----- | 0400 ----- 15 [D] ----- | 0415

DSN COVERAGE HPTXR

32 ----- 1040 | ----- 42 [o] ----- | 2345

HPTXR

RTLT : 13h 21m 6s

1200 RTLT=13h 21m 6s

0000 RTLT=13h 21m 4s

VOYAGER 2

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/08/96 - 10:46

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
MAY 26, 1996
147-148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 16m 32s
 VOYAGER 1
 FDSL : 11AF
 CCSL : A023
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

↓ 1039 SLEW->MIDPNT2
 ↓ 1609 SLEW->HELIO-11B
 SLEW->HELIO-12B 0409 ↓

FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

1200 RTLT=17h 16m 36s 0000 RTLT=17h 16m 40s

DSN COVERAGE

HPTXR 31
 15 [D] 1200 0300 15 [D]
 1145 42 [D] 1725 1900 65 [D] 0315

HPTXR 32
 0930 45 [D] 1915 1900 42 [o] 2340

RTLT : 13h 21m 4s
 VOYAGER 2
 FDSL : 11AF
 CCSL : B025
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

VOYAGER COVERAGE ON CALL

1200 RTLT=13h 21m 2s 0000 RTLT=13h 21m 2s

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7