

ISSUE DATE: 06/19/96 - 07:57

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY  
JUNE 20, 1996  
172-173

VCB/MD MTG/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 21m 26s

1200 RTLT=17h 21m 32s

0000 RTLT=17h 21m 40s

VOYAGER 1

FDSSL : 11AF

CCSL : A023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

S/C 31 STATUS

▼ 1800 DUMMY (11:21:40)

FDS CLOCK DRIFT:  
ADD TO S/C EVENT  
ERT: -7.794 sec

ROLLREF = RIGIL  
KENTAURUS

FDS MODE  
XB DATA RATE (MI)

CR-05

160 (32)

31

-----24 [D]-----| 1020

1005 |-----42 [D]-----| 1545

1720 |-----63-----| 2020

0045 |-----12 [D]-----

DSN COVERAGE  
HPTXR

32

0750 |-----45 [D]-----| 1700

1645 |-----42 [o]-----| 2200

HPTXR

RTLT : 13h 21m 14s

1200 RTLT=13h 21m 16s

0000 RTLT=13h 21m 18s

VOYAGER 2

FDSSL : 11AF

CCSL : B025  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

S/C 32 STATUS

↓ 2144 SLEW->HELIO-19

FDS CLOCK DRIFT:  
ADD TO S/C EVENT  
ERT: 2:20.199 min

ROLLREF = VEGA

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

|-----VGR-----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/19/96 - 07:57

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY  
JUNE 21, 1996  
173-174

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 21m 40s

1200 RTLT=17h 21m 48s

0000 RTLT=17h 21m 56s

VOYAGER 1

FDSL : 11AF

CCSL : A023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-05

160 (32)

31 ----- 12 [D] ----- | 1130

1115 | ----- 42 [D] ----- | 1540

2000 | ----- 65 [D] ----- | 0140

0155 ----- 12 [D] -----

1715 | ----- 63 [D] ----- | 2015

DSN COVERAGE  
HPTXR

32 | ----- 45 [D] ----- | 0745- 1655

1640 | ----- 42 [o] ----- | 2155

HPTXR

RTLT : 13h 21m 18s

1200 RTLT=13h 21m 18s

0000 RTLT=13h 21m 20s

VOYAGER 2

FDSL : 11AF

CCSL : B025  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

↓ 2144 SLEW->HELIO-18

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

| ----- VGR ----- |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/19/96 - 07:57

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY  
JUNE 22, 1996  
174-175

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 21m 56s

1200 RTLT=17h 22m 2s 0000 RTLT=17h 22m 10s

VOYAGER 1

U/L 1305 | - | - - - - - TLC (SHORT-FORM) - - - - - | D/L

FDSL : 11AF

CCSL : A023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-05  
160 (32)

31 ----- 12 [D] ----- | 1005 ----- 0230 |----- 24 [D] -----

0955 |----- 42 ----- | 1535

1855 |----- 65 [D] ----- | 0245

HPTXR  
DSN COVERAGE

32 |----- 45 [D] ----- | 0740 - 2255

HPTXR

RTLT : 13h 21m 20s

1200 RTLT=13h 21m 22s 0000 RTLT=13h 21m 24s

VOYAGER 2

↓ 2144 SLEW->HELIO-17

FDSL : 11AF

CCSL : B025  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/19/96 - 07:57

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY  
JUNE 23, 1996  
175-176

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 22m 10s

1200 RTLT=17h 22m 18s

0000 RTLT=17h 22m 26s

VOYAGER 1

D/L | 0755

FDSL : 11AF

CCSL : A023

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE

CR-05

XB DATA RATE (MI)

160 (32)

31

----- 24 [D] ----- | 1005

1710 |

----- 65 [D] -----

0215 |

----- 24 [D] -----

| 0230

HPTXR

DSN COVERAGE

32

0845 |

----- 42 [o] -----

| 2150

HPTXR

RTLT : 13h 21m 24s

1200 RTLT=13h 21m 28s

0000 RTLT=13h 21m 30s

VOYAGER 2

↓ 2144 SLEW->HELIO-16

FDSL : 11AF

CCSL : B025

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE

CR-5T

XB DATA RATE (MI)

160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/19/96 - 07:57

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY  
JUNE 24, 1996  
176-177

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 22m 26s

1200 RTLT=17h 22m 34s

0000 RTLT=17h 22m 42s

VOYAGER 1

↓ 1842 SLEW->BW VUL

FDSL : 11AF

CCSL : A023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-05  
160 (32)

31 ----- 24 [D] ----- | 1200 1645 | ----- 63 [D] ----- | 2000 0030 | ----- 24 [D] -----

DSN COVERAGE HPTXR

32 |----- 45 [D] ----- | 0735 - 1215 1200 |----- 42 [D] ----- | 2145 0040 | - 65 [D] - | 0215

HPTXR

RTLT : 13h 21m 30s

1200 RTLT=13h 21m 32s

0000 RTLT=13h 21m 34s

VOYAGER 2

↓ 2144 SLEW->HELIO-15

FDSL : 11AF

CCSL : B025  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160 (32)

VOYAGER COVERAGE


|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/19/96 - 07:57

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0



ISSUE DATE: 06/19/96 - 07:57

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY  
JUNE 26, 1996  
178-179

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 22m 58s  
 VOYAGER 1  
 FDSL : 11AF  
 CCSL : A023  
 TWNC : ON  
 SB : OFF XB : LOW  
 PYR : .05/ .10/ .25  
 GYROS : OFF

1200 RTLT=17h 23m 6s  
 0000 RTLT=17h 23m 14s

FDS MODE CR-5T  
 XB DATA RATE (MI) 160(32)

31 ----- 24 [D] ----- | 1200  
 1645 |----- 63 [D] -----| 1955  
 2335 |----- 61 [D] -----| 0230  
 HPTXR  
 DSN COVERAGE  
 32 |----- 45 [D] -----| 0725 - 2135  
 2120 |--- 43 ---| 2250  
 HPTXR

RTLT : 13h 21m 38s  
 VOYAGER 2  
 FDSL : 11AF  
 CCSL : B025  
 TWNC : ON  
 SB : OFF XB : LOW  
 PYR : .05/ .10/ .25  
 GYROS : OFF

1200 RTLT=13h 21m 42s  
 0000 RTLT=13h 21m 44s

↓ 2144 SLEW->HELIO-13  
 ▼ 2150 DUMMY (11:11:44)

FDS MODE CR-5T  
 XB DATA RATE (MI) 160(32)

VOYAGER COVERAGE |----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/19/96 - 07:57

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY  
JUNE 27, 1996  
179-180

VCB/MD MTG/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 17h 23m 14s

1200 RTLTL=17h 23m 22s

0000 RTLTL=17h 23m 30s

VOYAGER 1

U/L 1335 | - | ----- TLC (SHORT-FORM) -----

FDSL : 11AF

CCSL : A023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 24 [D] ----- | 0950 ----- 42 ----- | 1515 ----- 1930 | ----- 65 [D] ----- | 0415 | ----- 24 [D] -----

0935 | -----

1645 | ----- 63 [D] ----- | 1945

0410

HPTXR

DSN COVERAGE

32 | ----- 45 [D] ----- | 0720 - 2240

HPTXR

RTLTL : 13h 21m 44s

1200 RTLTL=13h 21m 46s

0000 RTLTL=13h 21m 50s

VOYAGER 2

↓ 2144 SLEW->HELIO-12

FDSL : 11AF

CCSL : B025  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

| ----- VGR ----- |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7



ISSUE DATE: 06/19/96 - 07:57

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY  
JUNE 28, 1996  
180-181

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 17h 23m 30s

1200 RTLTL=17h 23m 38s

0000 RTLTL=17h 23m 46s

VOYAGER 1  
TLC (SHORT-FORM)  
D/L -| 0827

FDSL : 11AF

CCSL : A023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE CR-5T  
XB DATA RATE (MI) 160(32)

31 ----- 24 [D] ----- | 1150 1640 | ----- 63 [D] ----- | 1940 0100 | ----- 24 [D] -----

2200 | ----- 65 [D] ----- | 0115

DSN COVERAGE HPTXR

32 | ----- 45 [D] ----- | 0720 - 1215 2115 | - 43 [o] - | 2245

1200 | ----- 42 [o] ----- | 1745

1740 | ----- 45 [D] ----- | 2130

HPTXR

1200 RTLTL=13h 21m 52s

0000 RTLTL=13h 21m 56s

RTLTL : 13h 21m 50s

↓ 2144 SLEW->HELIO-11

VOYAGER 2

FDSL : 11AF

CCSL : B025  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE CR-5T  
XB DATA RATE (MI) 160(32)

VOYAGER COVERAGE

| ----- VGR ----- |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/19/96 - 07:57

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY  
JUNE 29, 1996  
181-182

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 23m 46s

1200 RTLT=17h 23m 54s

0000 RTLT=17h 24m 2s

VOYAGER 1

FDSL : 11AF

CCSL : A023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 24 [D] ----- | 1000 0100 | ----- 24 [D] -----

0945 | ----- 42 [D] ----- | 1445

1645 | ----- 65 [D] ----- | 0115

HPTXR

DSN COVERAGE

32

0850 | ----- 45 [D] ----- | 1600

1545 | ----- 42 [o] ----- | 2125

HPTXR

RTLT : 13h 21m 56s

1200 RTLT=13h 21m 58s

0000 RTLT=13h 22m 2s

VOYAGER 2

↓ 2144 SLEW->MIDPOINT

FDSL : 11AF

CCSL : B025  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/19/96 - 07:57

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY  
JUNE 30, 1996  
182-183

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 24m 2s

1200 RTLT=17h 24m 12s

0000 RTLT=17h 24m 20s

VOYAGER 1

FDSL : 11AF

CCSL : A023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31 --- 24 [D] --- | 0900

0940 | ----- 42 [D] ----- | 1500

0030 | ----- 24 [D] -----

HPTXR

1645 | ----- 65 [D] ----- | 0045

DSN COVERAGE

32 | ----- 45 [D] ----- | 0710- 1615

1600 | ----- 42 [o] ----- | 2120

HPTXR

1200 RTLT=13h 22m 4s

0000 RTLT=13h 22m 8s

RTLT : 13h 22m 2s

VOYAGER 2

↓ 2145 SLEW->HELIO-10

FDSL : 11AF

CCSL : B025  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/19/96 - 07:57

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY  
JULY 1, 1996  
183-184

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 24m 20s

1200 RTLT=17h 24m 28s

0000 RTLT=17h 24m 36s

VOYAGER 1

FDSL : 11AF

CCSL : A023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 24 [D] ----- | 1140

0000 |----- 24 [D] -----

DSN COVERAGE

HPTXR

32 |----- 45 [D] ----- | 0705 - 2220 45 [D] 0700

HPTXR

RTLT : 13h 22m 8s

1200 RTLT=13h 22m 10s

0000 RTLT=13h 22m 14s

VOYAGER 2

↓ 2145 SLEW->HELIO-9

FDSL : 11AF

CCSL : B025  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/19/96 - 07:57

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY  
JULY 2, 1996  
184-185

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 17h 24m 36s  
VOYAGER 1  
FDSL : 11AF  
CCSL : A023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

1200 RTLTL=17h 24m 46s | 0000 RTLTL=17h 24m 54s

1149 | 1149 PWS/RH

U/L 1800 | - | - - - - - TLC (SHORT-FORM) - - - - -

FDS MODE CR-5T CR-5T  
XB DATA RATE (MI) 160(32) 160(32)

31 - - - - - 24 [D] - - - - - | 1135 1725 | - - - - 63 - - - - | 1935 0000 | - - - - - 24 [D] - - - - -

DSN COVERAGE HPTXR  
32 - - - - - 45 [D] - - - - - | 0700 - 2115 2100 | - - 43 - - | 2230

HPTXR

RTLTL : 13h 22m 14s  
VOYAGER 2  
FDSL : 11AF  
CCSL : B025  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

1200 RTLTL=13h 22m 18s | 0000 RTLTL=13h 22m 22s

1113 | 1113 PWS/RH

▼ 2130 DUMMY (10:52:22)  
↓ 2145 SLEW->HELIO-8

1113 GS-4B 1113

FDS MODE CR-5T CR-5T  
XB DATA RATE (MI) 160(32) 160(32)

VOYAGER COVERAGE | - - - - - VGR - - - - - |

NOTES  
[1] S/C 32=GS-4B @ 1113 XB=2.8K(41) NOT RECOVERABLE  
[2] S/C 31=GS-4B @ 1149 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/19/96 - 07:57

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY  
JULY 3, 1996  
185-186

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 24m 54s

1200 RTLT=17h 25m 2s

0000 RTLT=17h 25m 12s

VOYAGER 1

--- TLC (SHORT-FORM) --- | D/L - | 1253

FDSL : 11AF

▼ 1700 DUMMY (10:25:12)

CCSL : A023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31

-- 24 [D] -- | 0845

0000 |

----- 24 [D] -----

0835 |

----- 45 [D] -----

| 1630

1620 |

----- 63 ----- | 1915

DSN COVERAGE

HPTXR

32

0805 |

----- 42 [o] -----

| 1730

1715 |

----- 45 [D] ----- | 2215

45 [D] 0655 |

HPTXR

RTLT : 13h 22m 22s

1200 RTLT=13h 22m 24s

0000 RTLT=13h 22m 28s

VOYAGER 2

↓ 2145 SLEW->HELIO-7

FDSL : 11AF

CCSL : B025  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

| ----- VGR ----- |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/19/96 - 07:57

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY  
JULY 4, 1996  
186-187

VCB/MD MTG/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 25m 12s

1200 RTLT=17h 25m 20s

0000 RTLT=17h 25m 30s

VOYAGER 1

FDSL : 11AF

CCSL : A023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 24 [D] ----- | 1130

1745 | 63 [D] - | 1915

0000 |----- 15 [D] -----

1900 |----- 65 [D] ----- | 0015

HPTXR  
DSN COVERAGE

32 ----- 45 [D] ----- | 2210

HPTXR

RTLT : 13h 22m 28s

1200 RTLT=13h 22m 32s

0000 RTLT=13h 22m 36s

VOYAGER 2

↓ 2145 SLEW->HELIO-6

FDSL : 11AF

CCSL : B025  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

**JPL HOLIDAY**

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/19/96 - 07:57

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY  
JULY 5, 1996  
187-188

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 25m 30s

1200 RTLT=17h 25m 38s

0000 RTLT=17h 25m 48s

VOYAGER 1

FDSL : 11AF

CCSL : A023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31

-----15 [D]-----|1055

1040 |-----45 [D]-----|1640

2345 |-----24 [D]-----

HPTXR

DSN COVERAGE

32

0755 |-----42 [o]-----|1735

1725 |-----45 [D]-----|2100

2040 |43 [D] -|2210

HPTXR

RTLT : 13h 22m 36s

1200 RTLT=13h 22m 40s

0000 RTLT=13h 22m 44s

VOYAGER 2

↓ 2145 SLEW->HELIO-5

FDSL : 11AF

CCSL : B025  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

-----ON CALL-----

NOTES

**JPL HOLIDAY**

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7



ISSUE DATE: 06/19/96 - 07:57

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY  
JULY 6, 1996  
188-189

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 25m 48s

1200 RTLT=17h 25m 56s

0000 RTLT=17h 26m 6s

VOYAGER 1

↓ 1844 SLEW->BW VUL

FDSL : 11AF

CCSL : A023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

31 --- 24 [D] --- 0845 --- 45 [D] --- 1630 --- 2350 --- 15 [D] ---

0830 |-----| 1620 |-----| 65 [D] |-----| 0005

DSN COVERAGE  
HPTXR

32 0750 |-----| 42 [o] |-----| 1730 |-----| 2200

1715 |-----| 45 [D] |-----|

HPTXR

RTLT : 13h 22m 44s

1200 RTLT=13h 22m 48s

0000 RTLT=13h 22m 52s

VOYAGER 2

↓ 2145 SLEW->HELIO-4

FDSL : 11AF

CCSL : B025  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/19/96 - 07:57

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY  
JULY 7, 1996  
189-190

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 26m 6s

1200 RTLT=17h 26m 14s

0000 RTLT=17h 26m 24s

VOYAGER 1

FDSL : 11AF

CCSL : A023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31 15 [D] - | 0830 0010 |----- 24 [D] -----

0815 |----- 45 [D] ----- | 1630  
1615 |----- 65 [D] ----- | 0025

HPTXR

DSN COVERAGE

32 |----- 42 [o] ----- | 0745 - 1730

1715 |----- 45 [D] ----- | 2210

HPTXR

RTLT : 13h 22m 52s

1200 RTLT=13h 22m 56s

0000 RTLT=13h 23m 0s

VOYAGER 2

↓ 2145 SLEW->HELIO-3

FDSL : 11AF

CCSL : B025  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7