

ISSUE DATE: 09/18/96 - 09:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
SEPTEMBER 19, 1996
263-264

VCB/MD MTG/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 53m 44s

1200 RTLT=17h 53m 54s

0000 RTLT=17h 54m 6s

VOYAGER 1

FDSL : 11AF

CCSL : A023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

S/C 31 STATUS

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -8.213 sec

ROLLREF = RIGIL
KENTAURUS

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

1145 |--- 63 [D] ---| 1400

1345 |----- 65 [D] -----| 2245

2230 - 0630 |----- 15 [D] -----|

HPTXR
DSN COVERAGE

32

0815 |----- 45 [D] -----| 1705

0140 |----- 45 [D] -----|

HPTXR

RTLT : 13h 43m 44s

1200 RTLT=13h 43m 56s

0000 RTLT=13h 44m 8s

COMMAND MORATORIUM -----| 2330

VOYAGER 2

FDSL : 11AF

CCSL : B026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

S/C 32 STATUS

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: 2:09.111 min

ROLLREF = VEGA

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/18/96 - 09:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
SEPTEMBER 20, 1996
264-265

☐ SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 54m 6s

1200 RTLT=17h 54m 18s

0000 RTLT=17h 54m 30s

VOYAGER 1

U/L 1735 | - | ----- TLC (SHORT-FORM) -----

FDSL : 11AF

CCSL : A023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

1605 | - - - - - 61 - - - - - | 1910

0045 | - - - - - 15 [D] - - - - - | 0455

DSN COVERAGE
HPTXR

32

----- 45 [D] ----- | 1625
1610 | 43 [B] | 1710

0445 | - - 45 [D] - - -

0215 | - - - 24 [o] - - - - | 0500

HPTXR

RTLT : 13h 44m 8s

1200 RTLT=13h 44m 20s

0000 RTLT=13h 44m 32s

VOYAGER 2

▼ 1628 DUMMY BRACKETED (6:12:30)

FDSL : 11AF

CCSL : B026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

| - - - - - VGR - - - - - |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/18/96 - 09:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
SEPTEMBER 21, 1996
265-266

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 54m 30s
 VOYAGER 1
 FDSL : 11AF
 CCSL : A023
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

----- TLC (SHORT-FORM) ----- | D/L -| 1258

FDS MODE CR-5T
 XB DATA RATE (MI) 160 (32)

1200 RTLT=17h 54m 40s 0000 RTLT=17h 54m 52s

DSN COVERAGE HPTXR

31 1055 |----- 63 [D] ----- | 1355 0600 | 42 [D]
 1340 |----- 65 [D] ----- | 2200
 2145- 0615 |----- 15 [D] ----- |

HPTXR

32 ----- 45 [D] ----- | 1620 0130 |----- 45 [D] -----
 1605 | 43 [o] | 1705

HPTXR

RTLT : 13h 44m 32s
 VOYAGER 2
 FDSL : 11AF
 CCSL : B026
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

FDS MODE CR-5T
 XB DATA RATE (MI) 160 (32)

VOYAGER COVERAGE ----- ON CALL -----

1200 RTLT=13h 44m 44s 0000 RTLT=13h 44m 56s

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/18/96 - 09:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
SEPTEMBER 22, 1996
266-267

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 54m 52s
 VOYAGER 1
 FDSL : 11AF
 CCSL : A023
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

1200 RTLT=17h 55m 4s
 0000 RTLT=17h 55m 16s

FDS MODE CR-5T
 XB DATA RATE (MI) 160 (32)

31 ----- 42 [D] ----- | 1015
 1115 |----- 65 [D] ----- | 2230
 HPTXR 2215 - 0610 |----- 15 [D] ----- |

DSN COVERAGE
 32 ----- 45 [D] ----- | 1650
 0130 |----- 45 [D] ----- |
 HPTXR 42 [D] 0700

RTLT : 13h 44m 56s
 VOYAGER 2
 FDSL : 11AF
 CCSL : B026
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

1200 RTLT=13h 45m 8s
 0000 RTLT=13h 45m 20s

FDS MODE CR-5T
 XB DATA RATE (MI) 160 (32)

VOYAGER COVERAGE ----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/18/96 - 09:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
SEPTEMBER 23, 1996
267-268

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 17h 55m 16s

1200 RTLTL=17h 55m 26s

0000 RTLTL=17h 55m 38s

VOYAGER 1

FDSL : 11AF

▼ 1750 DUMMY (11:45:38)

CCSL : A023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

1550 |----- 61 -----| 1900

1900- 0610 |----- 15 [D] -----|

DSN COVERAGE
HPTXR

32

| 0715 45 [D]

----- 42 [D] ----- | 0700 - 1540

1555 | 43 [D] | 1655

HPTXR

RTLTL : 13h 45m 20s

1200 RTLTL=13h 45m 32s

0000 RTLTL=13h 45m 44s

VOYAGER 2

FDSL : 11AF

CCSL : B026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/18/96 - 09:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
 SEPTEMBER 24, 1996
 268-269

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 17h 55m 38s
 VOYAGER 1
 FDSL : 11AF
 CCSL : A023
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

1200 RTLTL=17h 55m 50s
 0000 RTLTL=17h 56m 2s

0452 | 0453 PWS/RH

0452 GS-4B 0453

FDS MODE	CR-5T	CR-5T
XB DATA RATE (MI)	160 (32)	160(32)

31 1105 |----- 65 [D] -----| 2225 0000 |----- 15 [D] -----| 0600

DSN COVERAGE HPTXR

32 1000 |----- 45 [D] -----| 1645 0150 |----- 24 [o] -----| 0445 0440 |--- 45 [D] ---|

HPTXR

RTLTL : 13h 45m 44s
 VOYAGER 2
 FDSL : 11AF
 CCSL : B026
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

1200 RTLTL=13h 45m 56s
 0000 RTLTL=13h 46m 8s

0412 | 0413 PWS/RH
 PLSCAL 0550 |-----
 MAGCAL 0550 |-----
 PESCAL 0550 |-----

0412 GS-4B 0413

FDS MODE	CR-5T	CR-5T
XB DATA RATE (MI)	160 (32)	160(32)

VOYAGER COVERAGE |----- VGR -----|

NOTES
 [1] S/C 32=GS-4B @ 0412 XB=2.8K(41) NOT RECOVERABLE
 [2] S/C 31=GS-4B @ 0452 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/18/96 - 09:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
SEPTEMBER 25, 1996
269-270

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 56m 2s
 VOYAGER 1
 FDSL : 11AF
 CCSL : A023
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

1200 RTLT=17h 56m 12s 0000 RTLT=17h 56m 24s

DSN COVERAGE HPTXR

31 ----- 42 [D] ----- | 1000
 1330 |----- 65 [D] ----- | 2220
 0015 |----- 24 [D] ----- | 0555

32 ----- 45 [D] ----- | 1640
 0115 |----- 45 [D] -----

HPTXR

RTLT : 13h 46m 8s
 VOYAGER 2
 FDSL : 11AF
 CCSL : B026
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

1200 RTLT=13h 46m 20s 0000 RTLT=13h 46m 32s

-- | 0732 PLSCAL
 | MAGCAL -- | 0852
 -- | PESCAL -- | 0910

VOYAGER COVERAGE |----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/18/96 - 09:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
SEPTEMBER 26, 1996
270-271

VCB/MD MTG/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 56m 24s

1200 RTLT=17h 56m 36s

0000 RTLT=17h 56m 46s

VOYAGER 1

FDSL : 11AF

CCSL : A023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1100

65 [D]

2215

0535

42 [D]

2230

15 [D]

0550

HPTXR

DSN COVERAGE

32

45 [D] 1015

1545 43 [B] 1645

45 [D] 0700

0100

24 [o]

0435

HPTXR

RTLT : 13h 46m 32s

1200 RTLT=13h 46m 44s

0000 RTLT=13h 46m 56s

VOYAGER 2

FDSL : 11AF

CCSL : B026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

▼ 1603 DUMMY BRACKETED (NO D/L)

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

VGR

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/18/96 - 09:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
SEPTEMBER 27, 1996
271-272

☐ SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 17h 56m 46s

1200 RTLTL=17h 56m 58s

0000 RTLTL=17h 57m 8s

VOYAGER 1

U/L 1735 | - | - - - - - TLC (SHORT-FORM) - - - - -

FDSL : 11AF

↓ 1859 SLEW->VW HYI

CCSL : A023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 ----- 42 [D] ----- | 0955
1040 | ----- 63 [D] ----- | 1330
1405 | ----- 61 ----- | 1840
1840 | ----- 15 [D] ----- | 0550
0535 | 42 [D] -

HPTXR
DSN COVERAGE

32 ----- 45 [D] ----- | 0700 - 1630
0110 | ----- 45 [D] -----

HPTXR

RTLTL : 13h 46m 56s

1200 RTLTL=13h 47m 8s

0000 RTLTL=13h 47m 20s

VOYAGER 2

FDSL : 11AF

CCSL : B026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

| - - - - - VGR - - - - - |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/18/96 - 09:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
SEPTEMBER 28, 1996
272-273

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 17h 57m 8s
 VOYAGER 1
 FDSL : 11AF
 CCSL : A023
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

----- TLC (SHORT-FORM) ----- + D/L -| 1300

FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

1200 RTLTL=17h 57m 20s 0000 RTLTL=17h 57m 32s

DSN COVERAGE HPTXR

31 ----- 42 [D] ----- | 0950
 1050 |----- 65 [D] ----- | 2200
 2145 |----- 15 [D] ----- | 0550

32 ----- 45 [D] ----- | 1625
 0105 |----- 45 [D] ----- |

HPTXR

RTLTL : 13h 47m 20s
 VOYAGER 2
 FDSL : 11AF
 CCSL : B026
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

VOYAGER COVERAGE ----- ON CALL -----

1200 RTLTL=13h 47m 32s 0000 RTLTL=13h 47m 44s

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/18/96 - 09:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
SEPTEMBER 29, 1996
273-274

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 57m 32s
VOYAGER 1
FDSL : 11AF
CCSL : A023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE CR-5T
XB DATA RATE (MI) 160(32)

31 1045 |----- 65 [D] -----| 2200
2145 |----- 15 [D] -----| 0545

DSN COVERAGE HPTXR
32 |----- 45 [D] -----| 1625 0100 |----- 45 [D] -----|

HPTXR

RTLT : 13h 47m 44s
VOYAGER 2
FDSL : 11AF
CCSL : B026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE CR-5T
XB DATA RATE (MI) 160(32)

VOYAGER COVERAGE |----- ON CALL -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/18/96 - 09:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
SEPTEMBER 30, 1996
274-275

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 57m 54s
VOYAGER 1
FDSL : 11AF
CCSL : A023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

▼ 1700 DUMMY (10:58:16)

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 1350 |----- 61 -----| 1830
2005 |----- 15 [D] -----| 0545

HPTXR

DSN COVERAGE

32 --- 45 [D] --- | 0925
1420 |--- 45 [D] ---| 1620
0230 |----- 45 [D] -----|

HPTXR

RTLT : 13h 48m 8s
VOYAGER 2
FDSL : 11AF
CCSL : B026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLT=13h 48m 20s 0000 RTLT=13h 48m 32s

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/18/96 - 09:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY OCTOBER 1, 1996 275-276	
UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7	
RTLTL : 17h 58m 16s VOYAGER 1 FDSL : 11AF CCSL : A023 TWNC : ON SB : OFF XB : LOW PYR : .05/ .10/ .25 GYROS : OFF	1200 RTLTL=17h 58m 26s 0429 0430 PWS/RH 0430 GS-4B 0430 FDS MODE CR-5T XB DATA RATE (MI) 160(32) CR-5T 160(32)
31 DSN COVERAGE HPTXR 32 HPTXR	1040 ----- 65 [D] ----- 1830 1815 ----- 15 [D] ----- 0355 ----- 45 [D] ----- 1615 0230 ----- 45 [D] -----
RTLTL : 13h 48m 32s VOYAGER 2 FDSL : 11AF CCSL : B026 TWNC : ON SB : OFF XB : LOW PYR : .05/ .10/ .25 GYROS : OFF	1200 RTLTL=13h 48m 44s 0350 0350 PWS/RH 0350 GS-4B 0350 FDS MODE CR-5T XB DATA RATE (MI) 160(32) CR-5T 160(32)
VOYAGER COVERAGE	----- VGR -----
NOTES	[1] S/C 32=GS-4B @ 0350 XB=2.8K(41) NOT RECOVERABLE [2] S/C 31=GS-4B @ 0430 XB=2.8K(41) NOT RECOVERABLE
UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7	

ISSUE DATE: 09/18/96 - 09:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
OCTOBER 3, 1996
277-278

VCB/MD MTG/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 59m 0s

1200 RTLT=17h 59m 10s

0000 RTLT=17h 59m 22s

VOYAGER 1

FDSL : 11AF

CCSL : A023

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1135 | - 63 [D] - | 1310

1300 | - - - - - 65 [D] - - - - - | 2150

2330 | - - - - - 15 [D] - - - - - | 0530

DSN COVERAGE
HPTXR

32

45 [D] - - - - - | 1600

0400 | - - - - - 45 [D] - - - - -

0040 | - - - - - 24 [o] - - - - - | 0410

HPTXR

RTLT : 13h 49m 20s

1200 RTLT=13h 49m 32s

0000 RTLT=13h 49m 44s

VOYAGER 2

FDSL : 11AF

CCSL : B026

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

| - - - - - VGR - - - - - |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/18/96 - 09:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
OCTOBER 4, 1996
278-279

☐ SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 17h 59m 22s

█ 1200 RTLTL=17h 59m 32s

█ 0000 RTLTL=17h 59m 42s

VOYAGER 1

U/L 1635 | - | - - - - - TLC (SHORT-FORM) - - - - -

FDSL : 11AF

CCSL : A023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1335 | - - - - -

61

1815

1820 | - - - - -

15 [D]

0520

DSN COVERAGE HPTXR

32

45 [D]

1600

0040 | - - - - -

45 [D]

HPTXR

RTLTL : 13h 49m 44s

█ 1200 RTLTL=13h 49m 56s

█ 0000 RTLTL=13h 50m 8s

VOYAGER 2

FDSL : 11AF

CCSL : B026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

| - - - - - VGR - - - - - |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/18/96 - 09:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
OCTOBER 5, 1996
279-280

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 59m 42s

1200 RTLT=17h 59m 54s

0000 RTLT=18h 0m 4s

VOYAGER 1

-- TLC (SHORT-FORM) -- | D/L -| 1203

FDSL : 11AF

CCSL : A023

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1025

65 [D]

2130

2115

15 [D]

0525

DSN COVERAGE
HPTXR

32

45 [D]

1600

0035

45 [D]

HPTXR

RTLT : 13h 50m 8s

1200 RTLT=13h 50m 20s

0000 RTLT=13h 50m 32s

VOYAGER 2

FDSL : 11AF

CCSL : B026

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/18/96 - 09:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
OCTOBER 6, 1996
280-281

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 18h 0m 4s

1200 RTLT=18h 0m 16s

0000 RTLT=18h 0m 26s

VOYAGER 1

FDSL : 11AF

CCSL : A023

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1020

65 [D]

2130

2115

15 [D]

0520

DSN COVERAGE
HPTXR

32

45 [D]

1555

0035

45 [D]

HPTXR

RTLT : 13h 50m 32s

1200 RTLT=13h 50m 44s

0000 RTLT=13h 50m 56s

VOYAGER 2

FDSL : 11AF

CCSL : B026

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7