

ISSUE DATE: 03/12/97 - 08:57

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
MARCH 13, 1997
072-073

VCB/MD MTG/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 18h 15m 24s

1200 RTLTL=18h 15m 22s

0000 RTLTL=18h 15m 20s

↓ 0808 SLEW->HELIO-9A

VOYAGER 1

S/C 31 STATUS

FDSL : 11AF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -9.630 sec

CCSL : A024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

ROLLREF = RIGIL
KENTAURUS

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 --- 65 [D] --- | 1045

1230 | ----- 25 [D] ----- | 1900

0430 - 0740 | ----- 25 [D] 0725 | ---

0100 | ----- 63 [D] ----- | 0445

DSN COVERAGE
HPTXR

32

1425 | ----- 45 [D] ----- | 0550

HPTXR

RTLTL : 14h 19m 0s

1200 RTLTL=14h 18m 56s

0000 RTLTL=14h 18m 52s

VOYAGER 2

----- COMMAND MORATORIUM -----

1723 | 1731 TAPPOS

↓ 1745 GYRO INIT

↓ 1745 GYROS BC ON

↓ 1755 GYRO FAULT TEST

1848 | 1851 CCSTIM(B)

FDSL : 11AF

S/C 32 STATUS

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: 1:47.834 min

CCSL : B027
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10 / .25
GYROS : OFF

ROLLREF = VEGA

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

| ----- VGR ----- |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/12/97 - 08:57

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
MARCH 14, 1997
073-074

☐ SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 18h 15m 20s

█ 1200 RTLT=18h 15m 18s

█ 0000 RTLT=18h 15m 16s

VOYAGER 1

↓ 0808 SLEW->HELIO-8A

FDSL : 11AF

CCSL : A024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

----- 25 [D] -----

| 1745

25 [D] 0725 |

DSN COVERAGE
HPTXR

32

| 1420

45 [D] -----

| 0545

HPTXR

RTLT : 14h 18m 52s

█ 1200 RTLT=14h 18m 50s

█ 0000 RTLT=14h 18m 46s

----- COMMAND MORATORIUM -----

| 0326

VOYAGER 2

FDSL : 11AF

CCSL : B027
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10 / .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

| ----- VGR ----- |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/12/97 - 08:57

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
MARCH 15, 1997
074-075

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 18h 15m 16s

1200 RTLT=18h 15m 14s

0000 RTLT=18h 15m 12s

VOYAGER 1

↓ 0808 SLEW->HELIO-7A

FDSL : 11AF

CCSL : A024

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

----- 25 [D] ----- 1850

0120 - 0730 |----- 65 [D] ----- 25 [D] 0720 |---

DSN COVERAGE
HPTXR

32

1415 |----- 45 [D] ----- 0535

HPTXR

RTLT : 14h 18m 46s

1200 RTLT=14h 18m 44s

0000 RTLT=14h 18m 40s

VOYAGER 2

FDSL : 11AF

CCSL : B027

TWNC : ON

SB : OFF XB : HI

PYR : .05/ .10 / .25

GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/12/97 - 08:57

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
MARCH 16, 1997
075-076

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 18h 15m 12s

1200 RTLT=18h 15m 10s

0000 RTLT=18h 15m 8s

VOYAGER 1

↓ 0808 SLEW->HELIO-6A

FDSL : 11AF

CCSL : A024

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

----- 25 [D] ----- 1845

0025 |----- 63 [D] ----- 0420 |----- 65 [D] ----- 0435

DSN COVERAGE
HPTXR

32

1410 |----- 45 [D] ----- 2325

HPTXR

RTLT : 14h 18m 40s

1200 RTLT=14h 18m 36s

0000 RTLT=14h 18m 34s

VOYAGER 2

FDSL : 11AF

CCSL : B027

TWNC : ON

SB : OFF XB : HI

PYR : .05/ .10 / .25

GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/12/97 - 08:57

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
MARCH 17, 1997
076-077

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 18h 15m 8s
VOYAGER 1
FDSL : 11AF
CCSL : A024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLT=18h 15m 6s
0000 RTLT=18h 15m 4s

↓ 0808 SLEW->HELIO-5A

FDS MODE	CR-5T
XB DATA RATE (MI)	160 (32)

DSN COVERAGE

HPTXR 31
0830 65 [D] 25 [D] 0815- 1845 25 [D] 0715

HPTXR 32
1335 24 [D] 1545 1610 45 [D] 0530

0300- 0735 61 [D]

RTLT : 14h 18m 34s
VOYAGER 2
FDSL : 11AF
CCSL : B027
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10 / .25
GYROS : ON

1200 RTLT=14h 18m 30s
0000 RTLT=14h 18m 26s

↓ 1901 ALL DB=.05
↓ 1917 AAI
1918 1955 ASCAL
↓ 1952 RAI
↓ 1955 CRU
↓ 2003 ROLL=.25
↓ 2003 YAW=.10
↓ 2005 GYRO FAULT TEST

FDS MODE	CR-5T	EL-40	CR-5T
XB DATA RATE (MI)	160 (32)	40(30)	160(32)

VOYAGER COVERAGE
VGR

NOTES
[1] S/C 32 - D/L AGC/SNR VARIATIONS EXPECTED DURING ASCAL (1918-1955)

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/12/97 - 08:57

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
MARCH 18, 1997
077-078

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 18h 15m 4s

VOYAGER 1

FDSL : 11AF

CCSL : A024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

↓ 0808 SLEW->HELIO-4A

1902 | 1903 PWS/RH

1200 RTLTL=18h 15m 2s

0000 RTLTL=18h 15m 0s

1902
GS-4B 1903

CR-5T

160 (32)

CR-5T

160(32)

31

25 [D]

1840

0050 |

63 [D]

0425

24 [T] 0720 |

0410 - 0735 |

65 [D] |

DSN COVERAGE

HPTXR

32

1715 |

45 [D]

0525

HPTXR

RTLTL : 14h 18m 26s

VOYAGER 2

FDSL : 11AF

CCSL : B027
TWNC : ON
SB : OFF XB : HI
PYR : .05 / .10 / .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

1200 RTLTL=14h 18m 22s

0000 RTLTL=14h 18m 20s

1828 | 1829 PWS/RH

1828
GS-4B 1829

CR-5T

160(32)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

- [1] S/C 32=GS-4B @ 1828 XB=2.8K(41) NOT RECOVERABLE
- [2] S/C 31=GS-4B @ 1902 XB=2.8K(41) NOT RECOVERABLE

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/12/97 - 08:57

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
MARCH 19, 1997
078-079

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 18h 15m 0s

1200 RTLTL=18h 14m 58s

0000 RTLTL=18h 14m 56s

VOYAGER 1

↓ 0808 SLEW->HELIO-3A

▼ 1130 DUMMY (05:44)

FDSL : 11AF

U/L 1200 |-----| TLC (SHORT-FORM) |-----| - 0743 | D/L -|

CCSL : A024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 24 [T] ----- | 1345 |----- 0410 |----- 65 [D] -----

1330 |----- 25 [D] ----- | 1835

0050 |----- 63 [D] ----- | 0425

HPTXR

DSN COVERAGE

32

1350 |----- 43 [B] ----- | 1605

1715 |----- 45 [D] ----- | 0520

HPTXR

RTLTL : 14h 18m 20s

1200 RTLTL=14h 18m 16s

0000 RTLTL=14h 18m 12s

VOYAGER 2

▼ 1418 DUMMY (BRACKETED 04:36)

FDSL : 11AF

CCSL : B027
TWNC : ON
SB : OFF XB : HI
PYR : .05 / .10 / .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/12/97 - 08:57

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
MARCH 20, 1997
079-080

VCB/MD MTG/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 18h 14m 56s

1200 RTLTL=18h 14m 54s

0000 RTLTL=18h 14m 54s

VOYAGER 1

↓ 0808 SLEW->HELIO-2A

FDSL : 11AF

CCSL : A024

TWNC : ON

SB : OFF XB : LOW

PYR : .05 / .10 / .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

65 [D] 0955

0350

65 [D]

0940

25 [D]

1830

0030

63 [D]

0405

HPTXR

DSN COVERAGE

32

1330

24 [D]

1720

1710

45 [D]

0520

HPTXR

RTLTL : 14h 18m 12s

1200 RTLTL=14h 18m 8s

0000 RTLTL=14h 18m 6s

VOYAGER 2

COMMAND MORATORIUM

FDSL : 11AF

↓ 1855 AAI

1858

MAGROL

0053

↓ 0046 RAI

↓ 0053 CRU

↓ 0053 GYROS OFF

CCSL : B027

TWNC : ON

SB : OFF XB : HI

PYR : .05 / .10 / .25

GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

VGR

NOTES

[1] S/C 32 - D/L AGC VARIATIONS EXPECTED DURING MAGROL (1858-0053)

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/12/97 - 08:57

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
MARCH 21, 1997
080-081

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 18h 14m 54s

1200 RTLTL=18h 14m 52s

0000 RTLTL=18h 14m 50s

VOYAGER 1

↓ 0808 SLEW->HELIO-1A

FDSL : 11AF

CCSL : A024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31

0840 65 [D]

0700 25 [D]

----- 25 [D] ----- 0825 - 1745

0330 - 0715 |----- 61 [D] ----- |

DSN COVERAGE
HPTXR

32

1715 |----- 45 [D] ----- |0510

HPTXR

RTLTL : 14h 18m 6s

1200 RTLTL=14h 18m 2s

0000 RTLTL=14h 17m 58s

VOYAGER 2

----- COMMAND MORATORIUM -----

FDSL : 11AF

CCSL : B027
TWNC : ON
SB : OFF XB : HI
PYR : .05 / .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

|----- VGR ----- |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/12/97 - 08:57

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
MARCH 22, 1997
081-082

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 18h 14m 50s

1200 RTLTL=18h 14m 48s

0000 RTLTL=18h 14m 46s

SLEW->DARK PLATE 0708 ↓

VOYAGER 1

FDSL : 11AF

CCSL : A024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 25 [D] ----- | 1825

0450 |----- 65 [D] -----

HPTXR

DSN COVERAGE

32

1345 |----- 15 [D] ----- | 1655

1700 |----- 45 [D] ----- | 0510

HPTXR

RTLTL : 14h 17m 58s

1200 RTLTL=14h 17m 54s

0000 RTLTL=14h 17m 50s

| 1035 COMMAND MORATORIUM

VOYAGER 2

FDSL : 11AF

CCSL : B027
TWNC : ON
SB : OFF XB : HI
PYR : .05 / .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/12/97 - 08:57

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
MARCH 23, 1997
082-083

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 18h 14m 46s

1200 RTLTL=18h 14m 44s

0000 RTLTL=18h 14m 42s

VOYAGER 1

FDSL : 11AF

CCSL : A024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 -- 65 [D] -- | 0950

0935 |----- 25 [D] ----- | 1820

0225 - 0730 |----- 65 [D] ----- | 25 [D] 0715 |-----

DSN COVERAGE
HPTXR

32

1450 |----- 45 [D] ----- | 2145

HPTXR

RTLTL : 14h 17m 50s

1200 RTLTL=14h 17m 48s

0000 RTLTL=14h 17m 44s

VOYAGER 2

FDSL : 11AF

CCSL : B027
TWNC : ON
SB : OFF XB : HI
PYR : .05 / .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/12/97 - 08:57

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
MARCH 24, 1997
083-084

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 18h 14m 42s

1200 RTLT=18h 14m 42s

0000 RTLT=18h 14m 40s

VOYAGER 1

FDSL : 11AF

CCSL : A024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 25 [D] ----- | 1815

24 [T] 0715 |-----

0445 - 0730 |----- 65 [D] -----|

HPTXR

DSN COVERAGE

32

1635 |----- 45 [D] -----| 2035

0045 |----- 45 [D] -----| 0500

HPTXR

RTLT : 14h 17m 44s

1200 RTLT=14h 17m 40s

0000 RTLT=14h 17m 36s

VOYAGER 2

FDSL : 11AF

CCSL : B027
TWNC : ON
SB : OFF XB : HI
PYR : .05 / .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE


|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/12/97 - 08:57

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0



ISSUE DATE: 03/12/97 - 08:57

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
MARCH 26, 1997
085-086

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 18h 14m 36s

VOYAGER 1

FDSL : 11AF

CCSL : A024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 25 [D] ----- | 1745

2245 |----- 63 [D] ----- | 0345 |----- 65 [D] -----
|----- 0400

DSN COVERAGE
HPTXR

32

1335 |----- 45 [D] ----- | 0455

HPTXR

RTLT : 14h 17m 28s

VOYAGER 2

FDSL : 11AF

CCSL : B027
TWNC : ON
SB : OFF XB : HI
PYR : .05 / .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

1200 RTLT=14h 17m 24s
1203 |-----

COMMAND MORATORIUM

0000 RTLT=14h 17m 22s

↓ 0151 X/B LOW POWER
↓ 0155 BAY 1 HTR ON

VOYAGER COVERAGE

|----- VGR ----- |

| VGR |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/12/97 - 08:57

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
MARCH 27, 1997
086-087

VCB/MD MTG/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 18h 14m 34s

1200 RTLTL=18h 14m 32s

0000 RTLTL=18h 14m 30s

VOYAGER 1

FDSL : 11AF

CCSL : A024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 65 [D] --- | 1025

0340 |----- 65 [D] -----

1010 |----- 25 [D] ----- | 1805

0015 |----- 63 [D] ----- | 0355

DSN COVERAGE
HPTXR

32

1400 | - 43 [B] - - | 1545

1655 |----- 45 [D] ----- | 0455

HPTXR

RTLTL : 14h 17m 22s

1200 RTLTL=14h 17m 18s

0000 RTLTL=14h 17m 14s

----- COMMAND MORATORIUM -----

VOYAGER 2

▼ 1419 DUMMY (BRACKETED 04:36)

FDSL : 11AF

CCSL : B027
TWNC : ON
SB : OFF XB : LOW
PYR : .05 / .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/12/97 - 08:57

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
MARCH 28, 1997
087-088

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 18h 14m 30s

1200 RTLTL=18h 14m 30s

0000 RTLTL=18h 14m 28s

VOYAGER 1

FDSL : 11AF

CCSL : A024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 65 [D] --- | 1025

0335 |----- 65 [D] -----

1010 |----- 25 [D] ----- | 1745

0000 |----- 63 [D] ----- | 0350

DSN COVERAGE
HPTXR

1715 |----- 45 [D] ----- | 0445

32

HPTXR

RTLTL : 14h 17m 14s

1200 RTLTL=14h 17m 10s

0000 RTLTL=14h 17m 6s

1137 COMMAND MORATORIUM

VOYAGER 2

FDSL : 11AF

CCSL : B027
TWNC : ON
SB : OFF XB : LOW
PYR : .05 / .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/12/97 - 08:57

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
MARCH 29, 1997
088-089

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 18h 14m 28s

1200 RTLT=18h 14m 26s

0000 RTLT=18h 14m 26s

VOYAGER 1

FDSL : 11AF

CCSL : A024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 --- 65 [D] --- | 1020

0225 | ----- 65 [D] -----

1005 | ----- 25 [D] ----- | 1755

DSN COVERAGE
HPTXR

32

1315 | ----- 15 [D] ----- | 1625

1625 | ----- 45 [D] ----- | 0445

HPTXR

RTLT : 14h 17m 6s

1200 RTLT=14h 17m 2s

0000 RTLT=14h 16m 58s

VOYAGER 2

FDSL : 11AF

CCSL : B027
TWNC : ON
SB : OFF XB : LOW
PYR : .05 / .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/12/97 - 08:57

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
MARCH 30, 1997
089-090

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 18h 14m 26s

1200 RTLTL=18h 14m 24s

0000 RTLTL=18h 14m 22s

VOYAGER 1

FDSL : 11AF

CCSL : A024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

65 [D] ---| 1015

0250 |----- 65 [D] -----

1000 |----- 25 [D] -----| 1750

0005 |----- 63 [D] -----| 0305

HPTXR

DSN COVERAGE

32

1315 |----- 45 [D] -----| 2145

HPTXR

RTLTL : 14h 16m 58s

1200 RTLTL=14h 16m 54s

0000 RTLTL=14h 16m 50s

VOYAGER 2

FDSL : 11AF

CCSL : B027
TWNC : ON
SB : OFF XB : LOW
PYR : .05 / .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8