

ISSUE DATE: 04/07/98 - 09:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
APRIL 10, 1998
100-101

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 19h 14m 18s

1200 RTLTL=19h 14m 18s

0000 RTLTL=19h 14m 16s

VOYAGER 1

FDSL : 11AF

TLC (SHORT-FORM)

D/L -| 0242

CCSL : A026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31

14 [T]

1120

1120 |----- 24 [D] -----| 1420

0540 | 15 [D] -

HPTXR

2305 |----- 54 [D] -----| 0555

DSN COVERAGE

32

1230 |----- 34 [D] -----| 2000

1940 |----- 43 [o] -----| 0315

HPTXR

RTLTL : 15h 5m 56s

1200 RTLTL=15h 5m 52s

0000 RTLTL=15h 5m 48s

VOYAGER 2

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 04/07/98 - 09:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
APRIL 11, 1998
101-102

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 19h 14m 16s

1200 RTLT=19h 14m 16s

0000 RTLT=19h 14m 16s

VOYAGER 1

FDSL : 11AF

CCSL : A026

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 ----- 15 [D] ----- | 1440

2300 |----- 54 [D] ----- | 0535 | 15 [D] |
----- 0545

DSN COVERAGE
HPTXR

32 ----- 1225 |----- 34 [D] ----- | 0030

HPTXR

RTLT : 15h 5m 48s

1200 RTLT=15h 5m 48s

0000 RTLT=15h 5m 40s

VOYAGER 2

FDSL : 11AF

CCSL : B029

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 04/07/98 - 09:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
APRIL 12, 1998
102-103

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 19h 14m 16s
 VOYAGER 1
 FDSL : 11AF
 CCSL : A026
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

1200 RTLT=19h 14m 16s
 0000 RTLT=19h 14m 14s

FDS MODE CR-5T
 XB DATA RATE (MI) 160 (32)

31 ----- 15 [D] ----- 1300
 2255 |----- 54 [D] ----- 0515 |----- 14 [D] ----- 0530

DSN COVERAGE HPTXR
 32 1220 |----- 34 [D] ----- 0400
 HPTXR

RTLT : 15h 5m 40s
 VOYAGER 2
 FDSL : 11AF
 CCSL : B029
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

1200 RTLT=15h 5m 36s
 0000 RTLT=15h 5m 32s

FDS MODE CR-5T
 XB DATA RATE (MI) 160 (32)

VOYAGER COVERAGE ----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 04/07/98 - 09:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
APRIL 13, 1998
103-104

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 19h 14m 14s

1200 RTLT=19h 14m 14s

0000 RTLT=19h 14m 14s

VOYAGER 1

↓ 1847 BEGIN CCSL A027

FDSL : 11AF

CCSL : A026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31 ----- 14 [D] ----- 1445

0015 |----- 65 [D] ----- 0525 |----- 25 [D] ----- 0545

DSN COVERAGE HPTXR

32

2245 |----- 34 [D] ----- 0400

HPTXR

RTLT : 15h 5m 32s

1200 RTLT=15h 5m 30s

0000 RTLT=15h 5m 26s

VOYAGER 2

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 04/07/98 - 09:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
APRIL 14, 1998
104-105

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 19h 14m 14s
VOYAGER 1
FDSL : 11AF
CCSL : A027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLT=19h 14m 14s | 0000 RTLT=19h 14m 14s

1731 | 1732 PWS/RH
↓ 0138 SLEW->G191-B2B

1731 GS-4B 1732

FDS MODE	CR-5T	CR-5T
XB DATA RATE (MI)	160 (32)	160(32)

31 ----- 25 [D] ----- | 1655 |----- 2150 |----- 65 [D] ----- | 0525 | - 25 [D] - -

DSN COVERAGE HPTXR

32 |----- 1205 |----- 45 [D] ----- | 2245 |----- 0135 |----- 43 [B] ----- | 0405

HPTXR

RTLT : 15h 5m 26s
VOYAGER 2
FDSL : 11AF
CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLT=15h 5m 22s | 0000 RTLT=15h 5m 18s

1651 | 1651 PWS/RH
1702 |----- DTR MAINT ----- | 2228
2230 |--- TAPPOS --- | 0104

DUMMY (BRACKETED 5MIN 17:37) 0232 ▼

1651 GS-4B 1651

FDS MODE	CR-5T	CR-5T
XB DATA RATE (MI)	160 (32)	160(32)

VOYAGER COVERAGE ----- ON CALL ----- + - VGR - + ----- ON CALL -----

NOTES
[1] S/C 32=GS-4B @ 1651 XB=2.8K(41) NOT RECOVERABLE
[2] S/C 31=GS-4B @ 1731 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 04/07/98 - 09:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
APRIL 15, 1998
105-106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 19h 14m 14s

1200 RTLT=19h 14m 14s

0000 RTLT=19h 14m 14s

VOYAGER 1

FDSL : 11AF

CCSL : A027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ---|0735 25 [D] |-----15 [D]-----|0725- 1500 |-----2150 |-----65 [D]-----|0510 |---14 [T]---

DSN COVERAGE
HPTXR

32

1205 |-----45 [D]-----|-----2345

0015 |---42 [o]---|0235

HPTXR

RTLT : 15h 5m 18s

1200 RTLT=15h 5m 14s

0000 RTLT=15h 5m 10s

VOYAGER 2

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

-----ON CALL-----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 04/07/98 - 09:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
APRIL 16, 1998
106-107

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 19h 14m 14s

1200 RTLTL=19h 14m 14s

0000 RTLTL=19h 14m 14s

VOYAGER 1

▼ 1400 DUMMY (09:15)

FDSL : 11AF

U/L 1415 |-----| TLC(SHORT-FORM) -----|

CCSL : A027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 14 [T] ----- | 1445

2140 |-----| 65 [D] ----- | 0615 |-----| 0505

DSN COVERAGE
HPTXR

32

1205 |-----| 34 [D] ----- | 2145

HPTXR

RTLTL : 15h 5m 10s

1200 RTLTL=15h 5m 6s

0000 RTLTL=15h 5m 4s

VOYAGER 2

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL ----- | - VGR - | ----- ON CALL ----- |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 04/07/98 - 09:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
APRIL 17, 1998
107-108

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 19h 14m 14s

1200 RTLT=19h 14m 14s

0000 RTLT=19h 14m 14s

VOYAGER 1

FDSL : 11AF

TLC(SHORT-FORM)
D/L - 1057

CCSL : A027

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 14 [D] ----- 1445

2220 |----- 65 [D] -----| 0330 0455 |--- 14 [D] ---|

DSN COVERAGE
HPTXR

32 1200 |----- 34 [D] -----| 1620

1845 |----- 45 [D] -----| 2245

HPTXR

RTLT : 15h 5m 4s

1200 RTLT=15h 5m 0s

0000 RTLT=15h 4m 56s

VOYAGER 2

FDSL : 11AF

CCSL : B029

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 04/07/98 - 09:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
APRIL 18, 1998
108-109

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 19h 14m 14s

1200 RTLT=19h 14m 14s

0000 RTLT=19h 14m 14s

VOYAGER 1

FDSL : 11AF

CCSL : A027

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 14 [D] ----- | 1055

2135 |----- 65 [D] -----| 0145

0505 |--- 15 [D] ---

DSN COVERAGE
HPTXR

32

1155 |----- 34 [D] -----| 0340

HPTXR

RTLT : 15h 4m 56s

1200 RTLT=15h 4m 52s

0000 RTLT=15h 4m 48s

VOYAGER 2

FDSL : 11AF

CCSL : B029

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 04/07/98 - 09:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
APRIL 19, 1998
109-110

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 19h 14m 14s

1200 RTLT=19h 14m 14s

0000 RTLT=19h 14m 14s

VOYAGER 1

FDSL : 11AF

CCSL : A027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 -----15 [D] ----- | 1045

0110 |-----63 [D]-----| 0415
2230 | 54 [D] | 2345 0530 | 25 [D] |

DSN COVERAGE HPTXR

32

1150 |-----34 [D]-----| 0335

HPTXR

RTLT : 15h 4m 48s

1200 RTLT=15h 4m 48s

0000 RTLT=15h 4m 42s

VOYAGER 2

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 04/07/98 - 09:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
APRIL 20, 1998
110-111

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 19h 14m 14s

1200 RTLT=19h 14m 14s

0000 RTLT=19h 14m 14s

VOYAGER 1

FDSL : 11AF

CCSL : A027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 0820 | -- 15 [D] --- | 1030 2125 | ----- 65 [D] ----- | 0305 0505 | --- 14 [T] ---
-- 25 [D] - | 0840

HPTXR

1225 | ----- 43 [D] ----- | 1635

DSN COVERAGE

32

1145 | ----- 45 [D] ----- | 0015

HPTXR

RTLT : 15h 4m 42s

1200 RTLT=15h 4m 38s

0000 RTLT=15h 4m 34s

VOYAGER 2

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

↓ 1602 GYROS AB ON
↓ 1612 GYRO FAULT TEST

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL ----- | VGR | ----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 04/07/98 - 09:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
APRIL 21, 1998
111-112

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 19h 14m 14s

1200 RTLTL=19h 14m 14s

0000 RTLTL=19h 14m 16s

VOYAGER 1

▼ 1500 DUMMY (10:14)

FDSL : 11AF

U/L 1530 | - | - - - - - TLC (SHORT-FORM) - - - - -

1707 | 1708 PWS/RH

CCSL : A027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1707
GS-4B 1708

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

CR-5T
160(32)

31

14 [T]

1615

2120 | - - - - -

65 [D]

14 [D] 0630 | - - - - -
0500

DSN COVERAGE
HPTXR

32

1145 | - - - - -

34 [D]

0325

HPTXR

RTLTL : 15h 4m 34s

1200 RTLTL=15h 4m 30s

0000 RTLTL=15h 4m 28s

VOYAGER 2

1626 | 1627 PWS/RH

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

1626
GS-4B 1627

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

CR-5T
160(32)

VOYAGER COVERAGE

- - - - - ON CALL - - - - - | - VGR - | - - - - - ON CALL - - - - - |

NOTES

[1] S/C 32=GS-4B @ 1626 XB=2.8K(41) NOT RECOVERABLE
[2] S/C 31=GS-4B @ 1707 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 04/07/98 - 09:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
APRIL 22, 1998
112-113

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 19h 14m 16s

1200 RTLT=19h 14m 16s

0000 RTLT=19h 14m 16s

VOYAGER 1

FDSL : 11AF

-- TLC (SHORT-FORM) - + D/L - | 1145

CCSL : A027

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 14 [D] ----- | 1445

0105 |----- 63 [D] ----- | 0600 | 14 [D] | 0545

DSN COVERAGE
HPTXR

32

1135 |----- 43 [D] ----- | 1645

0045 |---- 43 [B] ---- | 0315

HPTXR

RTLT : 15h 4m 28s

1200 RTLT=15h 4m 24s

0000 RTLT=15h 4m 20s

VOYAGER 2

DUMMY (BRACKETED 5MIN 16:36) 0132 ▼

FDSL : 11AF

CCSL : B029

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL ----- + -- VGR -- + ----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 04/07/98 - 09:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
APRIL 23, 1998
113-114

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 19h 14m 16s

1200 RTLT=19h 14m 16s

0000 RTLT=19h 14m 18s

VOYAGER 1

FDSL : 11AF

CCSL : A027

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 14 [D] ----- | 1445

2100 | ----- 63 [D] ----- | 0445 | --- 25 [D] ---

0320

DSN COVERAGE
HPTXR

32 1125 | ----- 45 [D] ----- | 2015

HPTXR

RTLT : 15h 4m 20s

1200 RTLT=15h 4m 16s

0000 RTLT=15h 4m 14s

VOYAGER 2

FDSL : 11AF

CCSL : B029

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 04/07/98 - 09:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
APRIL 24, 1998
114-115

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 19h 14m 18s

1200 RTLT=19h 14m 18s

0000 RTLT=19h 14m 18s

↓ 2338 SLEW->GD 153

VOYAGER 1

FDSL : 11AF

CCSL : A027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 25 [D] ----- | 1300

2110 |----- 65 [D] -----| 0300 0430 |--- 14 [D] ---|

DSN COVERAGE HPTXR

32 1245 |----- 42 [D] -----| 1825

HPTXR

RTLT : 15h 4m 14s

1200 RTLT=15h 4m 10s

0000 RTLT=15h 4m 6s

VOYAGER 2

↓ 1501 BAY 1 HTR OFF

↓ 1505 X BD HI PWR

↓ 1601 GYRO INIT

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL ----- |--- VGR ---|----- ON CALL -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 04/07/98 - 09:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
APRIL 25, 1998
115-116

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 19h 14m 18s

1200 RTLT=19h 14m 20s

↓ 2347 SS GATE U/D

0007 | 0017 AACS MRO

VOYAGER 1

FDSL : 11AF

CCSL : A027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 14 [D] ----- | 1030

2105 | ----- 65 [D] ----- | 0300 0440 | -- 15 [D] --

DSN COVERAGE HPTXR

32

1240 | ----- 42 [D] ----- | 1945

HPTXR

RTLT : 15h 4m 6s

1200 RTLT=15h 4m 4s

0000 RTLT=15h 4m 0s

VOYAGER 2

↓ 1734 SLEW->HELIO-1A

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL ----- | -- VGR -- | ----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 04/07/98 - 09:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
APRIL 26, 1998
116-117

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 19h 14m 20s
 VOYAGER 1
 FDSL : 11AF
 CCSL : A027
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

1200 RTLT=19h 14m 20s 0000 RTLT=19h 14m 22s

31 ----- 15 [D] ----- | 1030
 2100 | ----- 65 [D] ----- | 0305
 0435 | ----- 15 [D] -----

HPTXR
 DSN COVERAGE
 32 1125 | ----- 34 [D] ----- | 0020
 HPTXR

RTLT : 15h 4m 0s
 VOYAGER 2
 FDSL : 11AF
 CCSL : B029
 TWNC : ON
 SB : OFF XB : HI
 PYR : .05/ .10/ .25
 GYROS : ON

FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

1200 RTLT=15h 3m 56s 0000 RTLT=15h 3m 54s
 ↓ 1734 SLEW->HELIO-2A

VOYAGER COVERAGE ----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7