

ISSUE DATE: 03/15/00 - 08:49

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
MARCH 16, 2000
076-077

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 21h 15m 44s

1200 RTLTL=21h 15m 42s

0000 RTLTL=21h 15m 40s

VOYAGER 1

FDSL : 11AF

CCSL : A034
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

S/C 31 STATUS
FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -18.531 sec
ROLLREF = RIGIL
KENTAURUS

↓ 1808 SLEW->HELIO-5A

SLEW->HELIO-4A 0608 ↓

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31

----- 15 [D] ----- | 1545

0120 |----- 54 [D] ----- | 0700

DSN COVERAGE
HPTXR

32

1600 |----- 43 [D] ----- | 0130

HPTXR

RTLTL : 16h 50m 28s

| 0835

1200 RTLTL=16h 50m 24s

0000 RTLTL=16h 50m 22s

VOYAGER 2

FDSL : 11AF

CCSL : B107
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : ON

S/C 32 STATUS
FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -22.182 sec
ROLLREF = VEGA

COMMAND MORATORIUM

↓ 1857 AAI

1900 |----- MAGROL ----- | 0055

↓ 0048 RAI

↓ 0055 CRU

↓ 0055 GYROS OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

----- ON CALL -----

----- VGR -----

----- ON CALL -----

NOTES

[1] S/C 32 - D/L AGC VARIATIONS EXPECTED DURING MAGROL (1900-0055)

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/15/00 - 08:49

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
MARCH 17, 2000
077-078

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 21h 15m 40s

1200 RTLT=21h 15m 38s

0000 RTLT=21h 15m 36s

VOYAGER 1

↓ 1808 SLEW->HELIO-3A

↓ 0201 GYRO INIT
SLEW->HELIO-2A 0608 ↓

FDSL : 11AF

U/L 0240 | - | - - - - TLC (SHORT-FORM) - - - -

CCSL : A034
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 |----- 24 [D] -----| 0805 - 1545 |----- 2330 - 0740 |----- 63 [T] -----| 15 [D] 0735 |

DSN COVERAGE
HPTXR

32 |----- 1515 |----- 45 [D] -----| 1935

HPTXR

RTLT : 16h 50m 22s

1200 RTLT=16h 50m 18s

0000 RTLT=16h 50m 14s

----- COMMAND MORATORIUM -----

VOYAGER 2

FDSL : 11AF

CCSL : B107
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/15/00 - 08:49

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
MARCH 18, 2000
078-079

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 21h 15m 36s

1200 RTLT=21h 15m 34s

0000 RTLT=21h 15m 32s

VOYAGER 1

↓ 1808 SLEW->HELIO-1A

FDSL : 11AF

CCSL : A034

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : ON

TLC (SHORT-FORM)

U/L -| 0125

FDS MODE

CR-5T

XB DATA RATE (MI)

160(32)

31

15 [D] -----| 1545

2325 - 0735 |-----

15 [D] 0730 |-----

DSN COVERAGE

HPTXR

32

1350 |----- 45 [D] -----| 1935

HPTXR

RTLT : 16h 50m 14s

1200 RTLT=16h 50m 12s

0000 RTLT=16h 50m 8s

0805 COMMAND MORATORIUM

VOYAGER 2

FDSL : 11AF

CCSL : B107

TWNC : ON

SB : OFF XB : HI

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE

CR-5T

XB DATA RATE (MI)

160 (32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/15/00 - 08:49

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
MARCH 19, 2000
079-080

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 21h 15m 32s

1200 RTLT=21h 15m 30s

0000 RTLT=21h 15m 28s

VOYAGER 1

FDSL : 11AF

CCSL : A034
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 15 [D] ----- | 1230 0100 | --- 65 [D] --- | 0340 15 [D] 0725 | --

2320 | - - 63 [D] - - | 0115

DSN COVERAGE
HPTXR

32 1410 | - - - - - 34 [D] - - - - - | 1810

HPTXR

RTLT : 16h 50m 8s

1200 RTLT=16h 50m 6s

0000 RTLT=16h 50m 2s

VOYAGER 2

FDSL : 11AF

CCSL : B107
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/15/00 - 08:49

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
MARCH 20, 2000
080-081

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 21h 15m 28s

VOYAGER 1

FDSL : 11AF

CCSL : A034
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 ----- 15 [D] ----- | 1230
2315 - 0725 |----- 63 ----- | 15 [D] 0720 |---

DSN COVERAGE
HPTXR

32

1445 |----- 34 [D] ----- | 1845

HPTXR

RTLT : 16h 50m 2s

VOYAGER 2

FDSL : 11AF

CCSL : B107
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

----- ON CALL ----- +----- VGR ----- |

NOTES


[1] S/C 31 - D/L AGC VARIATIONS EXPECTED DURING MAGROL (0043-0638)

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

↓ 0040 AAI
0043 |----- MAGROL -----| 0638
RAI 0631 ↓
CRU 0638 ↓
GYROS OFF 0638 ↓
▼ 0400 DUMMY (01:15)

ISSUE DATE: 03/15/00 - 08:49

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0



ISSUE DATE: 03/15/00 - 08:49

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
MARCH 22, 2000
082-083

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 21h 15m 20s

1200 RTLT=21h 15m 20s

0000 RTLT=21h 15m 18s

VOYAGER 1

FDSL : 11AF

CCSL : A034
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 --- 65 [D] --- | 1045

2310 |----- 63 [D] ----- | 15 [D] 0715 |-----
|----- 0645

DSN COVERAGE
HPTXR

32 1415 |----- 34 [D] ----- | 1815

2330 |--- 43 [D] --- | 0215

HPTXR

RTLT : 16h 49m 50s

0933 |----- COMMAND MORATORIUM -----

0000 RTLT=16h 49m 44s

↓ 0153 X/B LOW POWER
↓ 0157 BAY 1 HTR ON

VOYAGER 2

FDSL : 11AF

CCSL : B107
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL ----- | VGR |----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/15/00 - 08:49

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
MARCH 23, 2000
083-084

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 21h 15m 18s

1200 RTLT=21h 15m 16s

0000 RTLT=21h 15m 14s

VOYAGER 1

FDSL : 11AF

CCSL : A034
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 15 [D] ----- | 1545

2350 | ----- 65 [D] ----- | 0555 15 [D] 0710 | ---

DSN COVERAGE HPTXR

32 1350 | ----- 34 [D] ----- | 1750

HPTXR

RTLT : 16h 49m 44s

1200 RTLT=16h 49m 40s

0000 RTLT=16h 49m 36s

----- COMMAND MORATORIUM -----

VOYAGER 2

FDSL : 11AF

CCSL : B107
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/15/00 - 08:49

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
MARCH 24, 2000
084-085

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 21h 15m 14s

1200 RTLT=21h 15m 12s

0000 RTLT=21h 15m 10s

VOYAGER 1

FDSL : 11AF

U/L 0200 | - | - - - - - TLC (SHORT-FORM) - - - - -

CCSL : A034
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 15 [D] ----- | 1225

2300 - 0710 | - - - - - 63 [T] - - - - - | 15 [D] 0705 | - - - - -

DSN COVERAGE
HPTXR

32 1330 | - - - - - 45 [D] - - - - - | 1900
1845 | - - - - - 43 [o] - - - - - | 2245

HPTXR

RTLT : 16h 49m 36s

1200 RTLT=16h 49m 34s

0000 RTLT=16h 49m 30s

----- | 0907 COMMAND MORATORIUM

VOYAGER 2

FDSL : 11AF

CCSL : B107
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/15/00 - 08:49

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
MARCH 25, 2000
085-086

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 21h 15m 10s

1200 RTLT=21h 15m 8s

0000 RTLT=21h 15m 8s

VOYAGER 1

FDSL : 11AF

TLC (SHORT-FORM)

D/L -|0045

CCSL : A034
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 15 [D] 1215

2255 63 [D]

DSN COVERAGE

HPTXR

32

1325 45 [D] 2115

HPTXR

RTLT : 16h 49m 30s

1200 RTLT=16h 49m 26s

0000 RTLT=16h 49m 24s

VOYAGER 2

FDSL : 11AF

CCSL : B107
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/15/00 - 08:49

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
MARCH 26, 2000
086-087

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 21h 15m 8s

1200 RTLTL=21h 15m 6s

0000 RTLTL=21h 15m 4s

VOYAGER 1

FDSL : 11AF

CCSL : A034
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 -- 63 [D] -- | 0950

0930 | ---- 15 [D] ---- | 1215

15 [D] 0705 | ----

2255 | ----- 63 [D] ----- | 0340

DSN COVERAGE
HPTXR

32

1340 | ----- 34 [D] ----- | 1740

HPTXR

RTLTL : 16h 49m 24s

1200 RTLTL=16h 49m 20s

0000 RTLTL=16h 49m 16s

VOYAGER 2

FDSL : 11AF

CCSL : B107
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/15/00 - 08:49

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
MARCH 27, 2000
087-088

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 21h 15m 4s

1200 RTLT=21h 15m 2s

0000 RTLT=21h 15m 2s

VOYAGER 1

FDSL : 11AF

CCSL : A034
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 15 [D] ----- | 1805
2250 |----- 63 [D] ----- | 0655 | 15 [D] |
0705

DSN COVERAGE
HPTXR

32 1515 |----- 43 [B] ----- | 2045

HPTXR

RTLT : 16h 49m 16s

1200 RTLT=16h 49m 12s

0000 RTLT=16h 49m 10s

VOYAGER 2

FDSL : 11AF

CCSL : B107
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

▼ 2002 DUMMY (5 MIN BRACKETED NO D/L)

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL ----- | VGR |----- ON CALL ----- |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/15/00 - 08:49

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
MARCH 28, 2000
088-089

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 21h 15m 2s

1200 RTLTL=21h 15m 0s

0000 RTLTL=21h 14m 58s

VOYAGER 1

1832 | 1832 PWS/RH

▼ 2320 DUMMY

FDSL : 11AF

CCSL : A034
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1832
GS-4B 1832

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

CR-5T
160(32)

31 ----- 15 [D] ----- | 1205

2245 | ----- 63 ----- | 0650 | 15 [D] |

DSN COVERAGE
HPTXR

32 1330 | ----- 34 [D] ----- | 1835

HPTXR

RTLTL : 16h 49m 10s

1200 RTLTL=16h 49m 6s

0000 RTLTL=16h 49m 2s

VOYAGER 2

1741 | 1742 PWS/RH

FDSL : 11AF

CCSL : B107
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1741
GS-4B 1742

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL ----- | - VGR - | ----- ON CALL -----

NOTES

- [1] S/C 32=GS-4B @ 1741 XB=2.8K(41) NOT RECOVERABLE
- [2] S/C 31=GS-4B @ 1832 XB=2.8K(41) NOT RECOVERABLE

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/15/00 - 08:49

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
MARCH 29, 2000
089-090

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 21h 14m 58s

1200 RTLTL=21h 14m 56s

0000 RTLTL=21h 14m 56s

VOYAGER 1

1023 | PLSCAL - | 1205
1023 | --- MAGCAL --- | 1325
1023 | --- PESCAL --- | 1343

FDSL : 11AF

CCSL : A034
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 ----- 15 [D] ----- | 1445

2300 | ----- 63 [D] ----- | 0655 | 15 [D]

DSN COVERAGE
HPTXR

32 1330 | ----- 34 [D] ----- | 1925

HPTXR

RTLTL : 16h 49m 2s

1200 RTLTL=16h 49m 0s

0000 RTLTL=16h 48m 56s

VOYAGER 2

FDSL : 11AF

CCSL : B107
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/15/00 - 08:49

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
MARCH 30, 2000
090-091

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 21h 14m 56s

1200 RTLT=21h 14m 54s

0000 RTLT=21h 14m 52s

VOYAGER 1

FDSL : 11AF

CCSL : A034
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 15 [D] ----- | 1545

2240 | ----- 63 [D] ----- | 0655 | 25 [D] | 0655

DSN COVERAGE
HPTXR

32

1325 | ----- 34 [D] ----- | 1745

HPTXR

RTLT : 16h 48m 56s

1200 RTLT=16h 48m 52s

0000 RTLT=16h 48m 48s

VOYAGER 2

FDSL : 11AF

CCSL : B107
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/15/00 - 08:49

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
MARCH 31, 2000
091-092

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 21h 14m 52s

1200 RTLT=21h 14m 52s

0000 RTLT=21h 14m 50s

VOYAGER 1

FDSL : 11AF

U/L 0200 | - | - - - - - TLC (SHORT-FORM) - - - - -

CCSL : A034
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 - - - - - 25 [D] - - - - - | 1545

2235 | - - - - - 63 [T] - - - - - | 0640 | 15 [D] -
0650

DSN COVERAGE
HPTXR

32 1800 | - - - - - 45 [D] - - - - - | 2205

HPTXR

RTLT : 16h 48m 48s

1200 RTLT=16h 48m 46s

0000 RTLT=16h 48m 42s

VOYAGER 2

FDSL : 11AF

CCSL : B107
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

- - - - - ON CALL - - - - -

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/15/00 - 08:49

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
APRIL 1, 2000
092-093

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 21h 14m 50s

1200 RTLT=21h 14m 48s

0000 RTLT=21h 14m 48s

VOYAGER 1

FDSL : 11AF

TLC (SHORT-FORM)

D/L -|0045

CCSL : A034
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

15 [D]

1745

2315

65 [D]

0255

0635

15 [D]

DSN COVERAGE

HPTXR

32

1255

45 [D]

0145

HPTXR

RTLT : 16h 48m 42s

1200 RTLT=16h 48m 38s

0000 RTLT=16h 48m 34s

VOYAGER 2

FDSL : 11AF

CCSL : B107
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/15/00 - 08:49

PST: 0 1 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1

SUNDAY
APRIL 2, 2000
093-094

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 21h 14m 48s

1200 RTLT=21h 14m 46s

0000 RTLT=21h 14m 46s

VOYAGER 1

FDSL : 11AF

CCSL : A034
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 15 [D] ----- 1200

2225 |----- 63 [D] ----- 0630 | 15 [D] |----- 0640

DSN COVERAGE
HPTXR

32 1415 |----- 43 [o] ----- 2305

HPTXR

RTLT : 16h 48m 34s

1200 RTLT=16h 48m 32s

0000 RTLT=16h 48m 28s

VOYAGER 2

FDSL : 11AF

CCSL : B107
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8