

ISSUE DATE: 03/22/00 - 08:49

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
MARCH 23, 2000
083-084

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 21h 15m 18s

1200 RTLT=21h 15m 16s

0000 RTLT=21h 15m 14s

VOYAGER 1

FDSL : 11AF

CCSL : A034
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

S/C 31 STATUS

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -18.486 sec

ROLLREF = RIGIL
KENTAURUS

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

----- 15 [D] ----- | 1545

2350 | ----- 65 [D] ----- | 0555

15 [D] 0710 |

DSN COVERAGE
HPTXR

32

1350 | ----- 34 [D] ----- | 1750

HPTXR

RTLT : 16h 49m 44s

1200 RTLT=16h 49m 40s

0000 RTLT=16h 49m 36s

----- COMMAND MORATORIUM -----

VOYAGER 2

FDSL : 11AF

CCSL : B107
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

S/C 32 STATUS

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -23.006 sec

ROLLREF = VEGA

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/22/00 - 08:49

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
MARCH 24, 2000
084-085

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 21h 15m 14s

1200 RTLT=21h 15m 12s

0000 RTLT=21h 15m 10s

VOYAGER 1

FDSL : 11AF

U/L 0200 | - | - - - - - TLC (SHORT-FORM) - - - - -

CCSL : A034
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31 - - - - - 15 [D] - - - - - | 1225

2300 - 0710 | - - - - - 63 [T] - - - - - | 15 [D] 0705 | - - - - -

DSN COVERAGE
HPTXR

32 1330 | - - - - - 45 [D] - - - - - | 1900
1845 | - - - - - 43 [o] - - - - - | 2245

HPTXR

RTLT : 16h 49m 36s

1200 RTLT=16h 49m 34s

0000 RTLT=16h 49m 30s

- - - - - | 0907 COMMAND MORATORIUM

VOYAGER 2

FDSL : 11AF

CCSL : B107
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

- - - - - ON CALL - - - - -

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/22/00 - 08:49

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
MARCH 25, 2000
085-086

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 21h 15m 10s

1200 RTLTL=21h 15m 8s

0000 RTLTL=21h 15m 8s

VOYAGER 1

FDSL : 11AF

TLC (SHORT-FORM)

D/L - 0045

CCSL : A034
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

15 [D] 1215

2255 63 [D]

DSN COVERAGE
HPTXR

32

1325 45 [D] 2115

HPTXR

RTLTL : 16h 49m 30s

1200 RTLTL=16h 49m 26s

0000 RTLTL=16h 49m 24s

VOYAGER 2

FDSL : 11AF

CCSL : B107
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/22/00 - 08:49

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
MARCH 26, 2000
086-087

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 21h 15m 8s

1200 RTLT=21h 15m 6s

0000 RTLT=21h 15m 4s

VOYAGER 1

FDSL : 11AF

CCSL : A034
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31 -- 63 [D] -- | 0950 15 [D] 0705 | ---

0930 | --- 15 [D] --- | 1215

2255 | ----- 63 [D] ----- | 0340

DSN COVERAGE
HPTXR

32

1340 | ----- 34 [D] ----- | 1740

HPTXR

RTLT : 16h 49m 24s

1200 RTLT=16h 49m 20s

0000 RTLT=16h 49m 16s

VOYAGER 2

FDSL : 11AF

CCSL : B107
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/22/00 - 08:49

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
MARCH 27, 2000
087-088

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 21h 15m 4s

1200 RTLT=21h 15m 2s

0000 RTLT=21h 15m 2s

VOYAGER 1

FDSL : 11AF

CCSL : A034
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

HPTXR

DSN COVERAGE

32

HPTXR

RTLT : 16h 49m 16s

1200 RTLT=16h 49m 12s

0000 RTLT=16h 49m 10s

VOYAGER 2

FDSL : 11AF

CCSL : B107
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

▼ 2002 DUMMY (5 MIN BRACKETED NO D/L)

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

ON CALL

VGR

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/22/00 - 08:49

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
MARCH 28, 2000
088-089

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 21h 15m 2s

1200 RTLT=21h 15m 0s

0000 RTLT=21h 14m 58s

VOYAGER 1

FDSL : 11AF

CCSL : A034
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

DUMMY (02:21) 0506 ▼

FDS PATCH LINK (02:26) 0511 ▼ [3]

FDS MRO (02:41) 0525 ▼ [3]

1832
GS-4B 1832

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

CR-5T
160(32)

31 ----- 15 [D] ----- | 1205

2245 |----- 63 ----- | 0650 | 15 [D] |

DSN COVERAGE
HPTXR

32 1330 |----- 34 [D] ----- | 1835

HPTXR

RTLT : 16h 49m 10s

1200 RTLT=16h 49m 6s

0000 RTLT=16h 49m 2s

VOYAGER 2

FDSL : 11AF

CCSL : B107
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1741
GS-4B 1742

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL ----- | - - VGR - - | ON CALL | - -

NOTES

- [1] S/C 32=GS-4B @ 1741 XB=2.8K(41) NOT RECOVERABLE
- [2] S/C 31=GS-4B @ 1832 XB=2.8K(41) NOT RECOVERABLE
- [3] RETRANSMISSION OF THE COMMANDS NOT RECEIVED ON DOY 00-076

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/22/00 - 08:49

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
MARCH 29, 2000
089-090

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 21h 14m 58s

1200 RTLTL=21h 14m 56s

0000 RTLTL=21h 14m 56s

VOYAGER 1

FDSL : 11AF

* 0226 FDS PATCH LINK

* 0256 | 0310 FDS MRO

CCSL : A034
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

* 0243 0310

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

(1)

CR-5T

160(32)

31

----- 15 [D] ----- | 1445

2300 | ----- 63 [D] ----- | 0655 | 15 [D] |

DSN COVERAGE
HPTXR

32

1330 | ----- 34 [D] ----- | 1925

HPTXR

RTLTL : 16h 49m 2s

1200 RTLTL=16h 49m 0s

0000 RTLTL=16h 48m 56s

VOYAGER 2

FDSL : 11AF

CCSL : B107
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL ----- + - VGR - + ----- ON CALL -----

NOTES

(1) EH-12 @ 02:44 XB=1.2Kbps (MI=39)

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/22/00 - 08:49

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
MARCH 30, 2000
090-091

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 21h 14m 56s

1200 RTLTL=21h 14m 54s

0000 RTLTL=21h 14m 52s

VOYAGER 1

FDSL : 11AF

CCSL : A034
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 15 [D] ----- 1545

2240 |----- 63 [D] ----- 0655 | 25 [D] | 0655

DSN COVERAGE HPTXR

32 1325 |----- 34 [D] ----- 1745

HPTXR

RTLTL : 16h 48m 56s

1200 RTLTL=16h 48m 52s

0000 RTLTL=16h 48m 48s

VOYAGER 2

FDSL : 11AF

CCSL : B107
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/22/00 - 08:49

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
MARCH 31, 2000
091-092

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 21h 14m 52s

1200 RTLT=21h 14m 52s

0000 RTLT=21h 14m 50s

VOYAGER 1

FDSL : 11AF

U/L 0200 | - | - - - - - TLC (SHORT-FORM) - - - - -

CCSL : A034
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 - - - - - 25 [D] - - - - - | 1545

2235 | - - - - - 63 [T] - - - - - | 0640 | 15 [D] -
0650

DSN COVERAGE
HPTXR

32 1800 | - - - - - 45 [D] - - - - - | 2205

HPTXR

RTLT : 16h 48m 48s

1200 RTLT=16h 48m 46s

0000 RTLT=16h 48m 42s

VOYAGER 2

FDSL : 11AF

CCSL : B107
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

- - - - - ON CALL - - - - -

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/22/00 - 08:49

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
APRIL 1, 2000
092-093

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 21h 14m 50s

1200 RTLT=21h 14m 48s

0000 RTLT=21h 14m 48s

VOYAGER 1

FDSL : 11AF

TLC (SHORT-FORM)

D/L - 0045

CCSL : A034
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

15 [D]

1745

2315

65 [D]

0340

0635

15 [D]

DSN COVERAGE
HPTXR

32

1255

45 [D]

0145

HPTXR

RTLT : 16h 48m 42s

1200 RTLT=16h 48m 38s

0000 RTLT=16h 48m 34s

VOYAGER 2

FDSL : 11AF

CCSL : B107
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/22/00 - 08:49

PST: 0 1 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
APRIL 2, 2000
093-094

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 21h 14m 48s
 VOYAGER 1
 FDSL : 11AF
 CCSL : A034
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

31 ----- 15 [D] ----- | 1200
 2225 - 0640 |----- 63 (D) ----- |
 15 [D] 0630 |-----

DSN COVERAGE HPTXR
 32 1415 |----- 43 [o] ----- | 2305
 HPTXR

RTLT : 16h 48m 34s
 VOYAGER 2
 FDSL : 11AF
 CCSL : B107
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

| 1200 RTLT=16h 48m 32s
 | 0000 RTLT=16h 48m 28s

VOYAGER COVERAGE ----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 03/22/00 - 08:49

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
APRIL 3, 2000
094-095

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 21h 14m 46s
 VOYAGER 1
 FDSL : 11AF
 CCSL : A034
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

1200 RTLT=21h 14m 44s 0000 RTLT=21h 14m 44s

31 ----- 15 [D] ----- 1225 2220 |----- 63 [D] -----| 0320 15 [D] 0625 |---

DSN COVERAGE HPTXR

32 1310 |----- 34 [D] -----| 1745

HPTXR

RTLT : 16h 48m 28s
 VOYAGER 2
 FDSL : 11AF
 CCSL : B107
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

1200 RTLT=16h 48m 24s 0000 RTLT=16h 48m 20s

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 03/22/00 - 08:49

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
APRIL 4, 2000
095-096

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 21h 14m 44s

1200 RTLTL=21h 14m 42s

0000 RTLTL=21h 14m 40s

VOYAGER 1

1807 | 1808 PWS/RH

▼ 0130 DUMMY (22:44)

FDSL : 11AF

▼ 0134 EL-40 (22:49)

CCSL : A034
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

▼ 0149 CCSL A035 (23:03)

▼ 0229 CR-5T (23:44)

1808
GS-4B 1808

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

CR-5T
160(32)

31

----- 15 [D] ----- | 1325

2220 |----- 63 ----- | 0545

DSN COVERAGE
HPTXR

32

1250 |----- 45 [D] ----- | 1625

1800 |----- 43 [B] ----- | 2200

HPTXR

RTLTL : 16h 48m 20s

1200 RTLTL=16h 48m 16s

0000 RTLTL=16h 48m 14s

VOYAGER 2

1717 | 1718 PWS/RH

1831 | PLSCAL - | 2013

1831 |---- MAGCAL ---- | 2133

1831 |----- PESCAL ----- | 2151

FDSL : 11AF

▼ 2037 DUMMY (BRACKETED 5 MIN 13:25)

CCSL : B107
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1717
GS-4B 1718

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL ----- + VGR + ----- ON CALL ----- + VGR + ----- ON CALL -----

NOTES

- [1] S/C 32=GS-4B @ 1717 XB=2.8K(41) NOT RECOVERABLE
- [2] S/C 31=GS-4B @ 1808 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 03/22/00 - 08:49

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
APRIL 5, 2000
096-097

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 21h 14m 40s

1200 RTLT=21h 14m 40s

0000 RTLT=21h 14m 40s

VOYAGER 1

* 2318 || 2323 CCS CHKSUM

FDSL : 11AF

CCSL : A034
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

* 2250 2345 *

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

EL-40
40(30)

CR-5T
160(32)

31 0805 |----- 15 [D] -----| 1730 2215 |----- 63 [D] -----| 0545 15 [D] 0620 |---

DSN COVERAGE
HPTXR

32 1300 |----- 34 [D] -----| 1710

HPTXR

RTLT : 16h 48m 14s

1200 RTLT=16h 48m 10s

0000 RTLT=16h 48m 6s

VOYAGER 2

FDSL : 11AF

CCSL : B107
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL ----- |--- VGR ---| ----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 03/22/00 - 08:49

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
APRIL 6, 2000
097-098

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 21h 14m 40s

1200 RTLT=21h 14m 38s

0000 RTLT=21h 14m 38s

VOYAGER 1

FDSL : 11AF

CCSL : A034
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 15 [D] ----- | 1445

2210 - 0625 | ----- 63 [D] ----- | 25 [D] 0630 |

HPTXR

DSN COVERAGE

32

1255 | ----- 34 [D] ----- | 1855

HPTXR

RTLT : 16h 48m 6s

1200 RTLT=16h 48m 2s

0000 RTLT=16h 48m 0s

VOYAGER 2

FDSL : 11AF

CCSL : B107
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 03/22/00 - 08:49

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
APRIL 7, 2000
098-099

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 21h 14m 38s

1200 RTLT=21h 14m 36s

0000 RTLT=21h 14m 36s

VOYAGER 1

FDSL : 11AF

CCSL : A034
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 25 [D] ----- | 1445

2250 - 0630 | ----- 65 [D] ----- | 15 [D] 0610 | -----

DSN COVERAGE
HPTXR

32

1250 | ----- 34 [D] ----- | 1830

HPTXR

RTLT : 16h 48m 0s

1200 RTLT=16h 47m 56s

0000 RTLT=16h 47m 52s

VOYAGER 2

FDSL : 11AF

CCSL : B107
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 03/22/00 - 08:49

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
APRIL 8, 2000
099-100

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 21h 14m 36s

1200 RTLT=21h 14m 34s

0000 RTLT=21h 14m 34s

VOYAGER 1

FDSL : 11AF

U/L 0055 | - | - - - - - TLC (SHORT-FORM) - - - - -

CCSL : A034
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

15 [D] - - - - - | 1635

2200 - 0615 | - - - - - 63 [T] - - - - - | 24 [D] 0635 | - -

DSN COVERAGE
HPTXR

32

1230 | - - - - - 45 [D] - - - - - | 1700

0030 | - - - - - 45 [D] - - - - - | 0435

HPTXR

RTLT : 16h 47m 52s

1200 RTLT=16h 47m 48s

0000 RTLT=16h 47m 44s

VOYAGER 2

FDSL : 11AF

CCSL : B107
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

- - - - - ON CALL - - - - -

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 03/22/00 - 08:49

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
APRIL 9, 2000
100-101

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 21h 14m 34s

1200 RTLT=21h 14m 34s

0000 RTLT=21h 14m 32s

VOYAGER 1

FDSL : 11AF

TLC (SHORT-FORM)

D/L 2340

CCSL : A034
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

24 [D] 1315

2200 63 [D] 0305

15 [D] 0610

0245- 0635 65 [D]

DSN COVERAGE
HPTXR

32

1245 34 [D] 1845

HPTXR

RTLT : 16h 47m 44s

1200 RTLT=16h 47m 42s

0000 RTLT=16h 47m 38s

VOYAGER 2

FDSL : 11AF

0206 BML - CST CNANGL U/D

CCSL : B107
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7