

ISSUE DATE: 06/06/01 - 12:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
JUNE 7, 2001
158-159

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 22h 18m 48s
VOYAGER 1
FDSL : 11AF
CCSL : A039
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

S/C 31 STATUS
FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -21.419 sec
ROLLREF = RIGIL
KENTAURUS

1200 RTLTL=22h 18m 52s
0000 RTLTL=22h 18m 58s
1210 SLEW->HELIO-15A
0010 SLEW->HELIO-16A

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31

1830 |----- 63 [D] -----| 0105 0345 |----- 24 [D] -----|

HPTXR
DSN COVERAGE

32

1310 |----- 43 [B] -----| 1655

HPTXR

RTLTL : 17h 34m 54s
VOYAGER 2
FDSL : 11AF
CCSL : B112
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : AB ON

S/C 32 STATUS
FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -71.194 sec
ROLLREF = VEGA

1617 DUMMY CC (5 MIN BRACKETED - 09:52)

1200 RTLTL=17h 34m 54s
0000 RTLTL=17h 34m 54s

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL ----- | -- VGR -- | ----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/06/01 - 12:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
JUNE 8, 2001
159-160

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 22h 18m 58s
 VOYAGER 1
 FDSL : 11AF
 CCSL : A039
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

1200 RTLT=22h 19m 4s
 0000 RTLT=22h 19m 10s

↓ 1210 SLEW->HELIO-17A
 ↓ 0010 SLEW->HELIO-18A

FDS MODE CR-5T
 XB DATA RATE (MI) 160 (32)

31 --- 24 [D] --- | 0920
 1905 | ----- 63 [D] ----- | 0440
 0420 - 0625 | - - 25 [D] - - |

HPTXR
 DSN COVERAGE
 32 0920 | ----- 34 [o] ----- | 1835
 1820 | ----- 45 [D] ----- | 0000

HPTXR

RTLT : 17h 34m 54s
 VOYAGER 2
 FDSL : 11AF
 CCSL : B112
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : AB ON

1200 RTLT=17h 34m 54s
 0000 RTLT=17h 34m 54s

↓ 1208 GYROS AB ON
 ↓ 1208 GYRO INIT
 ↓ 1218 GYRO FAULT TEST

1311 | 1318 CCSTIM(B)

FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

VOYAGER COVERAGE ----- ON CALL -----

NOTES
 [1] S/C 32=GS-4B @ 0139 XB=2.8K(41) NOT RECOVERABLE (CANCELED)
 [2] S/C 32=GS-4B @ 0139, CANCELED DUE TO BHEL11 DISABLED

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/06/01 - 12:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
JUNE 9, 2001
160-161

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 22h 19m 10s

1200 RTLT=22h 19m 16s

0000 RTLT=22h 19m 20s

VOYAGER 1

↓ 1210 SLEW->HELIO-19A

↓ 0010 SLEW->HELIO-20A

FDSL : 11AF

CCSL : A039
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

1755 |----- 63 [D] -----| 2145

0230 |----- 25 [D] -----|

DSN COVERAGE HPTXR

32

0805 |----- 43 [D] -----| 1655

HPTXR

RTLT : 17h 34m 54s

1200 RTLT=17h 34m 56s

0000 RTLT=17h 34m 56s

VOYAGER 2

FDSL : 11AF

CCSL : B112
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : AB ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/06/01 - 12:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
JUNE 10, 2001
161-162

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 22h 19m 20s

1200 RTLT=22h 19m 26s

0000 RTLT=22h 19m 32s

VOYAGER 1

FDSL : 11AF

CCSL : A039
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

-----25 [D] -----|1245

2330 |-----54 [D] -----|0420

DSN COVERAGE
HPTXR

32

0945 |-----34 [o] -----|2145

HPTXR

RTLT : 17h 34m 56s

1200 RTLT=17h 34m 56s

0000 RTLT=17h 34m 58s

VOYAGER 2

FDSL : 11AF

CCSL : B112
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : AB ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

-----ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/06/01 - 12:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
JUNE 11, 2001
162-163

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 22h 19m 32s

1200 RTLT=22h 19m 38s

0000 RTLT=22h 19m 44s

VOYAGER 1

FDSL : 11AF

CCSL : A039
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

1930 |-----63 [D]-----| 0025

0530 | : 14 [D] |

DSN COVERAGE HPTXR

32

1345 |-----43 [o]-----| 2145

HPTXR

RTLT : 17h 34m 58s

1200 RTLT=17h 34m 58s

0000 RTLT=17h 34m 58s

VOYAGER 2

FDSL : 11AF

CCSL : B112
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : AB ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

-----ON CALL-----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/06/01 - 12:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
JUNE 12, 2001
163-164

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 22h 19m 44s
VOYAGER 1
FDSL : 11AF
CCSL : A039
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLTL=22h 19m 50s
0000 RTLTL=22h 19m 56s

1416 | 1417 PWS/RH
↓ 2211 SLEW->HELIO-19B
U/L 0015 | - | - - - - - TLC (SHORT-FORM) - - - - -
▼ 2100 DUMMY CC (19:20)

1416 GS-4B 1417

FDS MODE	CR-5T	CR-5T
XB DATA RATE (MI)	160 (32)	160(32)

DSN COVERAGE	31	14 [D] - - - - - 1135	1945 - - - - - 63 [T] - - - - - 0525 - - 25 [D] - -	0545
HPTXR	32	0755 - - - - - 43 [o] - - - - - 1655		

HPTXR

RTLTL : 17h 34m 58s
VOYAGER 2
FDSL : 11AF
CCSL : B112
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : AB ON

1200 RTLTL=17h 35m 0s
0000 RTLTL=17h 35m 0s

↓ 1258 DISABLE GYRO FAULT CHECK
↓ 1302 GYROS BC ON
↓ 1302 GYRO INIT
↓ 1308 GYRO INIT
↓ 1312 GYRO FAULT TEST

1315 | 1316 PWS/RH
1315 GS-4B 1316

FDS MODE	CR-5T	CR-5T
XB DATA RATE (MI)	160(32)	160(32)

VOYAGER COVERAGE - - - - - ON CALL - - - - - | - - VGR - - - - - | - - - - - ON CALL - - - - - | - - VGR - - - - - | - - - - - ON CALL - - - - -

NOTES
[1] S/C 32=GS-4B @ 1315 XB=2.8K(41) NOT RECOVERABLE
[2] S/C 31=GS-4B @ 1416 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/06/01 - 12:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
JUNE 13, 2001
164-165

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 22h 19m 56s

1200 RTLT=22h 20m 2s

0000 RTLT=22h 20m 10s

↓ 2211 SLEW->HELIO-18B

VOYAGER 1

FDSL : 11AF

TLC (SHORT-FORM)

D/L | 0003

CCSL : A039
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

25 [D]

1235

1740

63 [D]

0525

25 [D]

0545

DSN COVERAGE

HPTXR

32

0835

34 [o]

1645

1755

43 [o]

0040

HPTXR

RTLT : 17h 35m 0s

1200 RTLT=17h 35m 2s

0000 RTLT=17h 35m 2s

VOYAGER 2

FDSL : 11AF

CCSL : B112
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : BC ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/06/01 - 12:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
JUNE 14, 2001
165-166

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 22h 20m 10s

1200 RTLT=22h 20m 16s

0000 RTLT=22h 20m 22s

↓ 2211 SLEW->HELIO-17B

VOYAGER 1

FDSL : 11AF

CCSL : A039
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 25 [D] ----- | 1225

1935 | ----- 63 [D] ----- | 0020

0210 | ----- 25 [D] ----- | 0600

DSN COVERAGE
HPTXR

32

0830 | ----- 34 [D] ----- | 1440

1435 | --- 43 [B] --- | 1700

HPTXR

RTLT : 17h 35m 2s

1200 RTLT=17h 35m 4s

0000 RTLT=17h 35m 4s

0211 | - - COMMAND MORATORIUM - -

VOYAGER 2

FDSL : 11AF

▼ 1617 DUMMY CC (BRACKETED - 09:53)

CCSL : B112
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : BC ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL ----- | - - VGR - - | ----- ON CALL ----- |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/06/01 - 12:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
JUNE 15, 2001
166-167

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 22h 20m 22s

1200 RTLT=22h 20m 28s

0000 RTLT=22h 20m 34s

↓ 2211 SLEW->HELIO-16B

VOYAGER 1

FDSL : 11AF

CCSL : A039
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1920 |----- 63 [D] -----| 0010 0210 |----- 25 [D] -----|

DSN COVERAGE HPTXR

32

0920 |----- 43 [D] -----| 2130

HPTXR

RTLT : 17h 35m 4s

1200 RTLT=17h 35m 6s

0000 RTLT=17h 35m 6s

----- COMMAND MORATORIUM -----

VOYAGER 2

↓ 1318 AAI

1321 |----- MAGROL -----| 1917

FDSL : 11AF

↓ 1910 RAI

↓ 1917 CRU

↓ 1917 GYROS OFF

CCSL : B112
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : BC ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----+----- VGR -----+----- ON CALL -----

NOTES

[1] S/C 32 - D/L AGC VARIATIONS EXPECTED DURING MAGROL (1321-1917)

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/06/01 - 12:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
JUNE 16, 2001
167-168

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 22h 20m 34s

1200 RTLT=22h 20m 42s

0000 RTLT=22h 20m 48s

↓ 2211 SLEW->HELIO-15B

VOYAGER 1

FDSL : 11AF

CCSL : A039
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 ----- 25 [D] ----- | 1210

1920 | ----- 63 [D] ----- | 0005

0205 | ----- 25 [D] ----- | 0555

DSN COVERAGE HPTXR

32 0915 | ----- 34 [D] ----- | 1345

1800 | ----- 43 [o] ----- | 2345

HPTXR

RTLT : 17h 35m 6s

1200 RTLT=17h 35m 8s

0000 RTLT=17h 35m 10s

COMMAND MORATORIUM

| 0141

VOYAGER 2

FDSL : 11AF

CCSL : B112
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/06/01 - 12:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
JUNE 17, 2001
168-169

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 22h 20m 48s
 VOYAGER 1
 FDSL : 11AF
 CCSL : A039
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

1200 RTLT=22h 20m 54s
 0000 RTLT=22h 21m 0s
 ↓ 2211 SLEW->HELIO-14B

FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

31
 1915 |----- 63 [D] -----| 2355 0200 |----- 25 [D] -----|

DSN COVERAGE HPTXR
 32 |----- 43 [o] -----| 0745 - 1700

HPTXR

RTLT : 17h 35m 10s
 VOYAGER 2
 FDSL : 11AF
 CCSL : B112
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

1200 RTLT=17h 35m 12s
 0000 RTLT=17h 35m 12s

FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

VOYAGER COVERAGE ----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/06/01 - 12:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
JUNE 18, 2001
169-170

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 22h 21m 0s

1200 RTLT=22h 21m 8s

0000 RTLT=22h 21m 14s

↓ 2211 SLEW->HELIO-13B

VOYAGER 1

FDSL : 11AF

CCSL : A039
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 ----- 25 [D] ----- | 1215

1735 |----- 63 [D] ----- | 2345

0155 |----- 25 [D] -----

DSN COVERAGE
HPTXR

32 0845 |----- 34 [o] ----- | 1705

HPTXR

RTLT : 17h 35m 12s

1200 RTLT=17h 35m 14s

0000 RTLT=17h 35m 16s

VOYAGER 2

FDSL : 11AF

CCSL : B112
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/06/01 - 12:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
JUNE 19, 2001
170-171

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 22h 21m 14s
VOYAGER 1
FDSL : 11AF
CCSL : A039
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLTL=22h 21m 22s | 0000 RTLTL=22h 21m 28s

1353 | 1354 PWS/RH

↓ 2211 SLEW->HELIO-12B

PLSCAL 0608 | ---
MAGCAL 0608 | ---
PESCAL 0608 | ---

U/L 0600 | - |
TLC (SHORT-FORM) | - |

FDS MODE CR-5T CR-5T
XB DATA RATE (MI) 160(32) 160(32)

31 ----- 25 [D] ----- | 1210 ----- 0525 | - - 14 [T] - -

DSN COVERAGE HPTXR

32 | ----- 43 [D] ----- | 0725 - 1745

HPTXR

RTLTL : 17h 35m 16s
VOYAGER 2
FDSL : 11AF
CCSL : B112
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLTL=17h 35m 18s | 0000 RTLTL=17h 35m 20s

1251 | 1252 PWS/RH

1251 GS-4B | 1252

FDS MODE CR-5T CR-5T
XB DATA RATE (MI) 160(32) 160(32)

VOYAGER COVERAGE ----- ON CALL -----

NOTES
[1] S/C 32=GS-4B @ 1251 XB=2.8K(41) NOT RECOVERABLE
[2] S/C 31=GS-4B @ 1353 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/06/01 - 12:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
JUNE 20, 2001
171-172

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 22h 21m 28s

1200 RTLT=22h 21m 36s

0000 RTLT=22h 21m 42s

↓ 2211 SLEW->HELIO-11B

VOYAGER 1

FDSL : 11AF

---|0751 PLSCAL

--MAGCAL --|0911

▼ 2130 DUMMY CC (19:52)

CCSL : A039

---PESCAL ---|0928

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

----- TLC (SHORT-FORM) -----

| D/L -|0548

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 14 [T] -----|1245

1715 |----- 63 -----|2330

0420 |----- 14 [D] -----

DSN COVERAGE
HPTXR

32

0805 |----- 34 [D] -----|1705

HPTXR

RTLT : 17h 35m 20s

1200 RTLT=17h 35m 20s

0000 RTLT=17h 35m 22s

VOYAGER 2

FDSL : 11AF

CCSL : B112

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

| - VGR - |

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/06/01 - 12:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
JUNE 21, 2001
172-173

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 22h 21m 42s

1200 RTLTL=22h 21m 50s

0000 RTLTL=22h 21m 56s

↓ 2212 SLEW->MIDPNT-B

VOYAGER 1

FDSL : 11AF

CCSL : A039
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 14 [D] ----- | 1250

1915 | ----- 63 [D] ----- | 2315

0200 | ----- 24 [D] -----

DSN COVERAGE HPTXR

32 0830 | ----- 43 [o,B] ----- | 2040

HPTXR

RTLTL : 17h 35m 22s

1200 RTLTL=17h 35m 24s

0000 RTLTL=17h 35m 26s

▼ 1817 DUMMY CC (5 MIN BRACKETED - 11:53)

VOYAGER 2

FDSL : 11AF

CCSL : B112
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL ----- + VGR ----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/06/01 - 12:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
JUNE 22, 2001
173-174

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 22h 21m 56s

1200 RTLT=22h 22m 4s

0000 RTLT=22h 22m 12s

↓ 2212 SLEW->HELIO-10B

VOYAGER 1

FDSL : 11AF

CCSL : A039
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 --- 24 [D] --- | 0915

1705 |----- 63 [D] ----- | 2315

0515 | - 24 [D] - -

DSN COVERAGE
HPTXR

32 0755 |----- 34 [D] ----- | 1710

HPTXR

RTLT : 17h 35m 26s

1200 RTLT=17h 35m 28s

0000 RTLT=17h 35m 30s

VOYAGER 2

FDSL : 11AF

CCSL : B112
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/06/01 - 12:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
JUNE 23, 2001
174-175

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 22h 22m 12s

1200 RTLT=22h 22m 18s

0000 RTLT=22h 22m 26s

↓ 2212 SLEW->HELIO-9B

VOYAGER 1

FDSL : 11AF

CCSL : A039
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 -----| 0755 24 [D] -----| 1430 -----| 0420 |----- 24 [D] -----

1020 |----- 34 [D] -----|

1700 |----- 63 [D] -----| 2305

HPTXR
DSN COVERAGE

32 |----- 43 [o] -----| 0710 - 1700

HPTXR

RTLT : 17h 35m 30s

1200 RTLT=17h 35m 32s

0000 RTLT=17h 35m 36s

VOYAGER 2

FDSL : 11AF

CCSL : B112
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/06/01 - 12:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
JUNE 24, 2001
175-176

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 22h 22m 26s

1200 RTLT=22h 22m 34s

0000 RTLT=22h 22m 40s

↓ 2212 SLEW->HELIO-8B

VOYAGER 1

FDSL : 11AF

CCSL : A039
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 24 [D] ----- | 1135

2230 |----- 65 [D] ----- | 0435 24 [D] 0645 |

DSN COVERAGE
HPTXR

32 |----- 43 [D] ----- | 0705 - 1715

HPTXR

RTLT : 17h 35m 36s

1200 RTLT=17h 35m 38s

0000 RTLT=17h 35m 40s

VOYAGER 2

FDSL : 11AF

CCSL : B112
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7