

VOYAGER

Space Flight Operations Schedule (SFOS)

Issue Date: July 27, 2005

For the Period: 07/28/2005 to 08/15/2005 (05-209 – 05-227)

DSN OPSCHIEF (1) 230-102

DSOT (1) 230-102

*Zsarina.Bulchand@jpl.nasa.gov
 *gdyke@airmail.ftops.jpl.nasa.gov
 *John.M.Grant@jpl.nasa.gov
 *dmcclena@airmail.ftops.jpl.nasa.gov
 *pquach@airmail.ftops.jpl.nasa.gov
 *mrobles@airmail.ftops.jpl.nasa.gov
 *rwilliam@airmail.ftops.jpl.nasa.gov

OTHER

* KMassey@jgld.gdscc.nasa.gov
 * Belinda.Arroyo@jpl.nasa.gov
 * Peter.T.Poon@jpl.nasa.gov
 * DSN-MPSETA@jjpl.jpl.nasa.gov

SCIENCE

CRS *bryant@mail630.gsfc.nasa.gov
 LECP *r.decker@jhuapl.edu
 UVS *holberg@argus.lpl.arizona.edu
 MAG *u2mha@lepvox.gsfc.nasa.gov
 PLS *vgr@space.mit.edu
 PWS *wsk@space.physics.uiowa.edu
 *Leonard.F.Burlaga@nasa.gov
 *Donald-Gurnett@uiowa.edu


FLIGHT TEAM (18) 600-100

Hall, J.
 Hogle, T. (2)
 Howard, S. (3)
 Ludwig, R. (2)
 Massey, Ed
 Matsumoto, S.
 Medina (AACS)
 Poynter, R.
 Presley (3) (DSE)
 Weeks, T.
 Wong, R.
 Zottarelli, L.
 *odivers@san.rr.com


LEGEND:
 ▽ = R/T Command (Last chance or Contingency)
 ▼ = R/T Command (Scheduled)
 * = Result of R/T Command
 n = (where n = 1,2,3 ..) Special Note, see bottom of page
 D = Downlink only pass
 A = Arrayed station
 U = Uplink only pass
 B = BLF
 [o] = Ramp-through
 H = High Power Transmitter
 T = TLC Uplink

*Electronic Copy Only
 (20 – Dist/N: Paper Copies)
 05/13/05

ISSUE DATE: 08/06/05 07:40



ISSUE DATE: 08/06/05 07:40



S/C 31
INITIAL CONDITIONS
RTLT: 26h 32m 22s
CCSL: A056
FDSL: 11AF
TWNC: ON
SB: OFF
XB: HI
PYR: .05/.10/.25
GYROS: OFF

FDS MODE
XB DATA RATE(MI)

31 DSN COVERAGE

32 DSN COVERAGE

S/C 32
INITIAL CONDITIONS
RTLT: 21h 8m 36s
CCSL: B128
FDSL: 11AF
TWNC: ON
SB: OFF
XB: LOW
PYR: .05/.10/.25
GYROS: OFF

FDS MODE
XB DATA RATE(MI)

VGR COVERAGE

NOTES

[1] S/C 31=GS-4B @ 1911 XB=2.8K(41) NOT RECOVERABLE

UTC:

UTC:

ON CALL

VGR

ON CALL

VGR

ON CALL

JUL 29

JUL 30

1200 RTLT 26h 32m 32s

0000 RTLT 26h 32m 42s

1608 | - | 1636 TAPPOS

1911 | 1911 PWS/RH

▼ 1945 DUMMY (22:18)

2118 | | 2132 TAPPOS

U/L 2230 | - | ----- TLC (SHORT-FORM) -----

↓ 1950 PSU INST POWER ON

↓ 0217 GYRO INIT

↓ 0217 GYROS AB ON

0222 | 0223 AACS MRO

↓ 0227 GYRO FAULT TEST

0319 | 0326 CCSTIM(B)

↓ 1911 GS-4B 1911

CR-5T

160(32)

CR-5T

160(32)

14 [D] 0945

10

0020

25 [D]

10

40

40

1920

63 [T]

2320

60

45 [D] 0930

1215

45 [D] 1515

40

0505

45 [D]

40

1200 RTLT 21h 8m 44s

0000 RTLT 21h 8m 50s

CR-5T

160(32)

ON CALL

VGR

ON CALL

VGR

ON CALL

[1] S/C 31=GS-4B @ 1911 XB=2.8K(41) NOT RECOVERABLE


UTC:

UTC:


JUL 29

JUL 30


ISSUE DATE: 08/06/05 07:40




ISSUE DATE: 08/06/05 07:40




ISSUE DATE: 08/06/05 07:40




ISSUE DATE: 08/06/05 07:40




ISSUE DATE: 08/06/05 07:40




ISSUE DATE: 08/06/05 07:40




ISSUE DATE: 08/06/05 07:40




ISSUE DATE: 08/06/05 07:40




ISSUE DATE: 08/06/05 07:40




ISSUE DATE: 08/06/05 07:40




ISSUE DATE: 08/06/05 07:40




ISSUE DATE: 08/06/05 07:40




ISSUE DATE: 08/06/05 07:40



ISSUE DATE: 08/06/05 07:40



ISSUE DATE: 08/06/05 07:40



ISSUE DATE: 08/06/05 07:40

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	
MONDAY AUGUST 15, 2005 227-228																										
S/C 31 INITIAL CONDITIONS RTLT: 26h 38m 36s CCSL: A056 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/.10/.25 GYROS: OFF																										
FDS MODE													CR-5T													
XB DATA RATE(MI)													160(32)													
31 DSN COVERAGE 10 40													
													1525 ----- 63 [D] ----- 2105													
32 DSN COVERAGE	----- 45 [D] ----- 1155											 40													
S/C 32 INITIAL CONDITIONS RTLT: 21h 12m 54s CCSL: B128 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF																										
FDS MODE													CR-5T													
XB DATA RATE(MI)													160(32)													
VGR COVERAGE													ON CALL													
NOTES																										
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	
UTC:	AUG 15														AUG 16											