

VOYAGER

Space Flight Operations Schedule (SFOS)

Issue Date: August 9, 2006

For the Period: 08/10/06 to 08/28/2006 (06-222 – 06-240)

DSN OPSCHIEF (1) 230-102

SCIENCE

FLIGHT TEAM (16) 600-100

DSOT (1) 230-102

*Zsarina.Bulchand@jpl.nasa.gov
 *gdyke@airmail.ftops.jpl.nasa.gov
 *John.M.Grant@jpl.nasa.gov
 *dmcclena@airmail.ftops.jpl.nasa.gov
 *pquach@airmail.ftops.jpl.nasa.gov
 *mrobles@airmail.ftops.jpl.nasa.gov
 *rwilliam@airmail.ftops.jpl.nasa.gov

CRS *bryant@mail630.gsfc.nasa.gov
 LECP *r.decker@jhuapl.edu
 UVS *holberg@argus.lpl.arizona.edu
 MAG *u2mha@lepvox.gsfc.nasa.gov
 PLS *vgr@space.mit.edu
 PWS *wsk@space.physics.uiowa.edu
 *Leonard.F.Burlaga@nasa.gov
 *Donald-Gurnett@uiowa.edu

Hall, J.
 Howard, S. (3)
 Jaeger, J.
 Ludwig, R. (2)
 Massey, Ed
 Matsumoto, S.
 Medina
 Poynter, R.
 Uffelman, H. (2)
 Weeks, T.
 Wong, R.
 Zottarelli, L.
 *odivers@san.rr.com


OTHER

* KMassey@jgld.gdscc.nasa.gov
 * Belinda.Arroyo@jpl.nasa.gov
 * Peter.T.Poon@jpl.nasa.gov
 * DSN-MPSETA@jjpl.jpl.nasa.gov


LEGEND: ∇ = R/T Command (Last chance or Contingency)
 ▼ = R/T Command (Scheduled)
 * = Result of R/T Command
 n = (where n = 1,2,3 ..) Special Note, see bottom of page
 D = Downlink only pass
 A = Arrayed station
 U = Uplink only pass
 B = BLF
 [o] = Ramp-through
 H = High Power Transmitter
 T = TLC Uplink

*Electronic Copy Only
 (18 – Dist/N: Paper Copies)
 03/22/06


ISSUE DATE: 08/10/06 16:11




ISSUE DATE: 08/10/06 16:11




ISSUE DATE: 08/10/06 16:11



ISSUE DATE: 08/10/06 16:11



ISSUE DATE: 08/10/06 16:11



MONDAY
AUGUST 14, 2006
226-227

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

S/C 31
INITIAL CONDITIONS
RTLT: 27h 37m 50s
CCSL: A060
FDSL: 11AF
TWNC: ON
SB: OFF
XB: LOW
PYR: .05/.10/.25
GYROS: OFF

1200 RTLT 27h 38m 0s | 0000 RTLT 27h 38m 12s


▼ 0245 DUMMY (06:23)

U/L 0400 | - |
TLC (SHORT-FORM) | - - - - -

FDS MODE
XB DATA RATE(MI)

CR-5T
160(32)

31 DSN COVERAGE



32 DSN COVERAGE



S/C 32
INITIAL CONDITIONS

1200 RTLT 22h 4m 56s | 0000 RTLT 22h 5m 6s

RTLT: 22h 4m 48s
CCSL:
FDSL: 11AF
TWNC: ON
SB: OFF
XB: LOW
PYR: .05/.10/.25
GYROS: OFF

FDS MODE
XB DATA RATE(MI)

CR-5T
160(32)

VGR COVERAGE


ON CALL | VGR | ON CALL

NOTES


UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

UTC: AUG 14 | AUG 15


ISSUE DATE: 08/10/06 16:11




ISSUE DATE: 08/10/06 16:11




ISSUE DATE: 08/10/06 16:11




ISSUE DATE: 08/10/06 16:11




ISSUE DATE: 08/10/06 16:11



ISSUE DATE: 08/10/06 16:11




ISSUE DATE: 08/10/06 16:11




ISSUE DATE: 08/10/06 16:11

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
TUESDAY AUGUST 22, 2006 234-235	UTC: 7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLT: 27h 40m 54s CCSL: A060 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 27h 41m 6s												0000 RTLT 27h 41m 18s												
	1145 1146 PWS/RH												U/L 0115 - - - - - TLC (SHORT-FORM) - - - -												
	↓ 1145 GS-4B 1146																								
FDS MODE	CR-5T												CR-5T												
XB DATA RATE(MI)	160(32)												160(32)												
31 DSN COVERAGE	14 0840 10 												0045 24 [T] 0345 0325 - 0655 15 [D] 												
	40 												10 												
	1945 65 [D] 2350 60 												40 												
32 DSN COVERAGE	0915 45 [D] 1230 1225 43 [D] 1755 40 												40 												
S/C 32 INITIAL CONDITIONS RTLT: 22h 7m 8s CCSL: B133 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 22h 7m 16s												0000 RTLT 22h 7m 26s												
	1020 1021 PWS/RH																								
	1134 PLSCAL - 1316																								
	1134 - - - MAGCAL - - - 1436																								
	1134 - - - PESCAL - - - 1454																								
	↓ 1020 GS-4B 1021																								
FDS MODE	CR-5T												CR-5T												
XB DATA RATE(MI)	160(32)												160(32)												
VGR COVERAGE	ON CALL																								
NOTES	[1] S/C 31=GS-4B @ 1145 XB=2.8K(41) NOT RECOVERABLE [2] S/C 32=GS-4B @ 1020 XB=2.8K(41) NOT RECOVERABLE																								
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:	AUG 22												AUG 23												


ISSUE DATE: 08/10/06 16:11




ISSUE DATE: 08/10/06 16:11




ISSUE DATE: 08/10/06 16:11



ISSUE DATE: 08/10/06 16:11



ISSUE DATE: 08/10/06 16:11



ISSUE DATE: 08/10/06 16:11

