

VOYAGER

Space Flight Operations Schedule (SFOS)

Issue Date: February 26, 2014

For the Period: 02/27/14 to 03/17/21 (14-058 – 14-076)

DSN OPSCHIEF (1) 230-102

DSOT (1) 230-102

*Zsarina.Bulchand@jpl.nasa.gov
 *gdyke@airmail.ftops.jpl.nasa.gov
 *John.M.Grant@jpl.nasa.gov
 *dmcclena@airmail.ftops.jpl.nasa.gov
 *pquach@airmail.ftops.jpl.nasa.gov
 *mrobles@airmail.ftops.jpl.nasa.gov
 *rwilliam@airmail.ftops.jpl.nasa.gov

OTHER

* KMassey@jgld.gdscc.nasa.gov
 * Belinda.Arroyo@jpl.nasa.gov
 *DL-DSSN-MPSETA@dsn.nasa.gov

SCIENCE

CRS *bryant@mail630.gsfc.nasa.gov
 LECP *r.decker@jhuapl.edu
 UVS *holburg@argus.lpl.arizona.edu
 MAG *u2mha@lepvox.gsfc.nasa.gov
 PLS *vgr@space.mit.edu
 PWS *wsk@space.physics.uiowa.edu
 *Leonard.F.Burlaga@nasa.gov
 *Donald-Gurnett@uiowa.edu

FLIGHT TEAM (14) 600-100

Dodd, S.
 Hall, J.
 Howard, S. (3)
 Ludwig, R. (2)
 Matsumoto, S.
 Medina
 Peralta, F.
 Weeks, T.
 Wong, R.
 Yang, L.
 Zottarelli, L.
 *odivers@san.rr.com


LEGEND:
 ▽ = R/T Command (Last chance or Contingency)
 ▼ = R/T Command (Scheduled)
 * = Result of R/T Command
 n = (where n = 1,2,3 ..) Special Note, see bottom of page
 A = Arrayed station
 B = BLF
 D = Downlink only pass
 H = High Power Transmitter
 R = Array Reference Antenna
 T = TLC Uplink
 U = Uplink only pass
 [o] = Ramp-through

*Electronic Copy Only
 (16 – Dist/N: Paper Copies)
 09/08/10

ISSUE DATE: 02/26/14 20:26


PST:		0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0			
THURSDAY FEBRUARY 27, 2014 058-059																													
UTC:		8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
S/C 31 INITIAL CONDITIONS RTLT: 35h 14m 4s CCSL: A090 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: AC ON		█ 1200 RTLT 35h 14m 2s														█ 0000 RTLT 35h 14m 0s													
FDS MODE		CR-5T														CR-5T													
XB DATA RATE(MI)		160(32)														160(32)													
31 DSN COVERAGE		0850 ----- 14 [D] ----- 1515 ----- 10 ----- ----- 40 ----- ----- 60 -----																											
32 DSN COVERAGE		0825 43 [D] ----- 40 ----- ----- 40 ----- 0015 ----- 43 [D] ----- 0415																											
S/C 32 INITIAL CONDITIONS RTLT: 29h 1m 30s CCSL: B163 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/.10/.25/ GYROS: OFF		█ 1200 RTLT 29h 1m 28s														█ 0000 RTLT 29h 1m 28s													
FDS MODE		CR-5T														CR-5T													
XB DATA RATE(MI)		160(32)														160(32)													
VGR COVERAGE		ON CALL														VGR				ON CALL									
NOTES		[1] S/C 31=GS-4B @ 0207 XB=2.8K(41) NOT RECOVERABLE																											
UTC:		8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
UTC:		FEB 27														FEB 28													

ISSUE DATE: 02/26/14 20:26




ISSUE DATE: 02/26/14 20:26


PST:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
SATURDAY MARCH 1, 2014 060-061	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
S/C 31 INITIAL CONDITIONS RTLTL: 35h 13m 54s CCSL: A090 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: AC ON	1200 RTLTL 35h 13m 52s												0000 RTLTL 35h 13m 50s												
FDS MODE	CR-5T												CR-5T												
XB DATA RATE(MI)	160(32)												160(32)												
31 DSN COVERAGE	14 [D] 0840 - 1240												40												
32 DSN COVERAGE	40												2150 43 [o] 0300												
S/C 32 INITIAL CONDITIONS RTLTL: 29h 1m 26s CCSL: B163 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/.10/.25/ GYROS: AC ON	1200 RTLTL 29h 1m 24s												0000 RTLTL 29h 1m 24s												
FDS MODE	CR-5T												0031 GYRO INIT												
XB DATA RATE(MI)	160(32)																								
VGR COVERAGE													ON CALL												
NOTES	[1] S/C 31=GS-4B @ 0507 XB=2.8K(41) NOT RECOVERABLE																								
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
UTC:	MAR 01												MAR 02												




ISSUE DATE: 02/26/14 20:26



ISSUE DATE: 02/26/14 20:26




ISSUE DATE: 02/26/14 20:26



PST:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
THURSDAY MARCH 6, 2014 065-066																									
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
S/C 31 INITIAL CONDITIONS RTLT: 35h 13m 34s CCSL: A090 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: BC ON	█ 1200 RTLT 35h 13m 30s												█ 0000 RTLT 35h 13m 28s												
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)												CR-5T 160(32)												
31 DSN COVERAGE	14 [D] 0820 - 1350												40												
32 DSN COVERAGE	1800 45 [D] 2025												40 0220 - 0755 43 [D] 												
S/C 32 INITIAL CONDITIONS RTLT: 29h 1m 12s CCSL: B163 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/.10/.25/ GYROS: AC ON	█ 1200 RTLT 29h 1m 12s												█ 0000 RTLT 29h 1m 10s												
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)												CR-5T 160(32)												
VGR COVERAGE	ON CALL												VGR ON CALL												
NOTES	[1] S/C 31=GS-4B @ 0143 XB=2.8K(41) NOT RECOVERABLE																								
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
UTC:	MAR 06												MAR 07												

ISSUE DATE: 02/26/14 20:26



ISSUE DATE: 02/26/14 20:26

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
MARCH 8, 2014
067-068 UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

S/C 31
INITIAL CONDITIONS
RTLT: 35h 13m 24s
CCSL: A090
FDSL: 11AF
TWNC: ON
SB: OFF
XB: LOW
PYR: .05/.10/.25
GYROS: BC ON

1200 RTLT 35h 13m 22s

0000 RTLT 35h 13m 20s

↓ 1827 GYRO INIT


0142 |---| 0236 TAPPOS

0444 || 0445 PWS/RH

0456 |---| 0536 TAPPOS

↓ 0444 GS-4B 0445

FDS MODE CR-5T CR-5T
XB DATA RATE(MI) 160(32) 160(32)



S/C 32
INITIAL CONDITIONS
RTLT: 29h 1m 6s
CCSL: B163
FDSL: 11AF
TWNC: ON
SB: OFF
XB: HI
PYR: .05/.10/.25/
GYROS: BC ON

1200 RTLT 29h 1m 6s

0000 RTLT 29h 1m 4s

FDS MODE CR-5T
XB DATA RATE(MI) 160(32)

VGR COVERAGE ON CALL

NOTES [1] S/C 31=GS-4B @ 0444 XB=2.8K(41) NOT RECOVERABLE

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

UTC: MAR 08 Page 10 of 19 MAR 09

ISSUE DATE: 02/26/14 20:26

PST: 0 1 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2	
SUNDAY MARCH 9, 2014 068-069	
UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8 9	
S/C 31 INITIAL CONDITIONS RTLT: 35h 13m 20s CCSL: A090 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: BC ON	
1200 RTLT 35h 13m 18s 0000 RTLT 35h 13m 16s	
FDS MODE CR-5T XB DATA RATE(MI) 160(32)	
31 DSN COVERAGE 0915 15 [DAR] 1630 0915 25 [DA] 1630 10 40 60 10 ..	
32 DSN COVERAGE 2255 43 [D] 0740 40	
S/C 32 INITIAL CONDITIONS RTLT: 29h 1m 4s CCSL: B163 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/.10/.25/ GYROS: BC ON	
1200 RTLT 29h 1m 2s 0000 RTLT 29h 1m 0s	
FDS MODE CR-5T XB DATA RATE(MI) 160(32)	
VGR COVERAGE ON CALL	
NOTES	
UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8 9	
UTC: MAR 09 Page 11 of 19 MAR 10	

PDT: 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1	
MONDAY MARCH 10, 2014 069-070	
UTC: 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8	
S/C 31 INITIAL CONDITIONS RTLT: 35h 13m 16s CCSL: A090 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: BC ON	1200 RTLT 35h 13m 14s 0000 RTLT 35h 13m 12s 1826 GYRO INIT
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)
31 DSN COVERAGE	1015 ----- 14 [D] ----- 1545104060
32 DSN COVERAGE	1850 ----- 43 [B] ----- 210540 0455 - 0740 ----- 43 [D] -----
S/C 32 INITIAL CONDITIONS RTLT: 29h 1m 0s CCSL: B163 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/.10/.25/ GYROS: BC ON	1200 RTLT 29h 0m 58s 0000 RTLT 29h 0m 56s 1928 ALL DB=.05 ▼ 1932 DUMMY (5 MIN BRACKETED 00:33) ↓ 1944 AAI 1945 --- 2022 ASCAL ↓ 2019 RAI ↓ 2022 CRU ↓ 2030 YAW=.10 ↓ 2030 ROLL=.25 ↓ 2032 GYRO FAULT TEST 1913 ↓ 2025
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)
	EL-40 40(30)
	CR-5T 160(32)
VGR COVERAGE	ON CALL VGR ON CALL
NOTES	[1] S/C 32 - D/L /SNR VARIATIONS EXPECTED DURING ASCAL (1945-2022) [2] S/C 32=EL-40 @ 1913 XB=40(30)
UTC: 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8	
UTC:	MAR 10 Page 12 of 19 MAR 11

ISSUE DATE: 02/26/14 20:26

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1			
TUESDAY MARCH 11, 2014 070-071																												
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
S/C 31 INITIAL CONDITIONS RTLT: 35h 13m 12s CCSL: A090 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: BC ON	<p>1200 RTLT 35h 13m 8s</p> <p>↓ 1020 BAY 1 HTR OFF ↓ 1024 X/B HI POWER ↓ 1044 AAI 1045 ----- MAGROL ----- 1642 ↓ 1635 RAI ↓ 1642 GYROS OFF ↓ 1642 CRU ↓ 1645 X/B LOW POWER ↓ 1649 BAY 1 HTR ON</p> <p>1906 1907 PWS/RH ↓ 1906 GS-4B 1907</p>														<p>0000 RTLT 35h 13m 6s</p>													
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)														CR-5T 160(32)													
31 DSN COVERAGE	<p>0900 ----- 14 [DA] ----- 1815</p> <p>0945 ----- 24 [DAR] ----- 1700</p> <p>0945 ----- 25 [DA] ----- 1700</p> <p>..... 10 ----- 40 ----- 60</p>																											
32 DSN COVERAGE	<p>..... 2150 ----- 43 [D] ----- 0405</p> <p>..... 40</p>																											
S/C 32 INITIAL CONDITIONS RTLT: 29h 0m 56s CCSL: B163 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/.10/.25/ GYROS: BC ON	<p>1200 RTLT 29h 0m 54s</p>														<p>0000 RTLT 29h 0m 52s</p>													
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)																											
VGR COVERAGE	ON CALL								VGR								ON CALL											
NOTES	<p>[1] S/C 31=D/L AGC & SNR VARIATIONS EXPECTED DURING MAGROL (1045-1642)</p> <p>[2] S/C 31=GS-4B @ 1906 XB=2.8K(41) NOT RECOVERABLE</p>																											
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
UTC:	MAR 11														MAR 12													

ISSUE DATE: 02/26/14 20:26

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	
WEDNESDAY MARCH 12, 2014 071-072																										
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
S/C 31 INITIAL CONDITIONS RTLT: 35h 13m 6s CCSL: A090 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF					█ 1200 RTLT 35h 13m 4s																					
FDS MODE														CR-5T												
XB DATA RATE(MI)														160(32)												
31 DSN COVERAGE																										
32 DSN COVERAGE																										
S/C 32 INITIAL CONDITIONS RTLT: 29h 0m 52s CCSL: B163 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/.10/.25/ GYROS: BC ON					█ 1200 RTLT 29h 0m 52s																					
FDS MODE														CR-5T												
XB DATA RATE(MI)														160(32)												
VGR COVERAGE														ON CALL												
NOTES																										
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
UTC:	MAR 12													MAR 13												

ISSUE DATE: 02/26/14 20:26

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	
THURSDAY MARCH 13, 2014 072-073																										
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
S/C 31 INITIAL CONDITIONS RTLTL: 35h 13m 2s CCSL: A090 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	█ 1200 RTLTL 35h 13m 0s												█ 0000 RTLTL 35h 12m 58s													
FDS MODE	CR-5T												CR-5T													
XB DATA RATE(MI)	160(32)												160(32)													
31 DSN COVERAGE	1510 ----- 14 [D] ----- 1920												10 ----- 10													
	----- 40 -----												----- 60 -----													
32 DSN COVERAGE	1845 ----- 43 [D] ----- 0215												----- 40 -----													
S/C 32 INITIAL CONDITIONS RTLTL: 29h 0m 50s CCSL: B163 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/.10/.25/ GYROS: BC ON	█ 1200 RTLTL 29h 0m 48s												█ 0000 RTLTL 29h 0m 46s													
FDS MODE	CR-5T												CR-5T													
XB DATA RATE(MI)	160(32)												160(32)													
VGR COVERAGE	ON CALL												VGR													
NOTES	[1] S/C 31=GS-4B @ 0119 XB=2.8K(41) NOT RECOVERABLE [2] S/C 32=D/L AGC & SNR VARIATIONS EXPECTED DURING MAGROL (1925-0120)																									
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
UTC:	MAR 13												MAR 14													

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
FRIDAY MARCH 14, 2014 073-074																																
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8							
S/C 31 INITIAL CONDITIONS RTLT: 35h 12m 58s CCSL: A090 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	█ 1200 RTLT 35h 12m 56s												█ 0000 RTLT 35h 12m 54s																			
FDS MODE XB DATA RATE(MI)													CR-5T 160(32)																			
31 DSN COVERAGE	<p>1525 ----- 14 [T] ----- 1915</p> <p>..... 10 ----- 40 ----- 10</p> <p>..... 60 ----- 60 ----- 0635 55 [DA]</p> <p>..... ----- 0635 54 [DAR]</p>																															
32 DSN COVERAGE	<p>..... ----- 2025 ----- 43 [D] ----- 0100 0445 - 0725 ----- 43 [D] ----- </p> <p>..... 40</p>																															
S/C 32 INITIAL CONDITIONS RTLT: 29h 0m 46s CCSL: B163 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/.10/.25/ GYROS: OFF	█ 1200 RTLT 29h 0m 44s												█ 0000 RTLT 29h 0m 42s																			
FDS MODE XB DATA RATE(MI)													CR-5T 160(32)																			
VGR COVERAGE	ON CALL												VGR				ON CALL															
NOTES																																
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8							
UTC:	MAR 14																MAR 15															

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1
SATURDAY MARCH 15, 2014 074-075																									
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
S/C 31 INITIAL CONDITIONS	1200 RTLT 35h 12m 52s												0000 RTLT 35h 12m 50s												
RTLT: 35h 12m 54s																									
CCSL: A090																									
FDSL: 11AF																									
TWNC: ON																									
SB: OFF																									
XB: LOW																									
PYR: .05/.10/.25																									
GYROS: OFF																									
FDS MODE	CR-5T												CR-5T												
XB DATA RATE(MI)	160(32)												160(32)												
31 DSN COVERAGE	<p>0935 ----- 15 [DA] ----- 1400 ----- 14 [D] ----- 0740 </p> <p>0935 ----- 24 [DAR] ----- 1400 ----- 14 [D] ----- 1910 ----- 10 ----- </p> <p>0820 55 [DA] ----- 1500 ----- 14 [D] ----- 1910 ----- 10 ----- </p> <p>0820 54 [DAR] ----- 40 ----- 0540 - 0800 ----- 65 [DAR] ----- </p> <p>60 ----- 0540 - 0800 ----- 54 [DA] ----- </p> <p>60 ----- </p>																								
32 DSN COVERAGE	<p>2320 - 0720 ----- 43 [D] ----- </p> <p>40 ----- </p>																								
S/C 32 INITIAL CONDITIONS	1200 RTLT 29h 0m 40s												0000 RTLT 29h 0m 38s												
RTLT: 29h 0m 42s																									
CCSL: B163																									
FDSL: 11AF																									
TWNC: ON																									
SB: OFF																									
XB: HI																									
PYR: .05/.10/.25/																									
GYROS: OFF																									
FDS MODE	CR-5T												CR-5T												
XB DATA RATE(MI)	160(32)												160(32)												
VGR COVERAGE	ON CALL																								
NOTES	[1] S/C 31=GS-4B @ 0419 XB=2.8K(41) NOT RECOVERABLE																								
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
UTC:	MAR 15												MAR 16												

ISSUE DATE: 02/26/14 20:26

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	
SUNDAY MARCH 16, 2014 075-076																										
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
S/C 31 INITIAL CONDITIONS	█ 1200 RTLT 35h 12m 48s												█ 0000 RTLT 35h 12m 46s													
RTLT: 35h 12m 50s																										
CCSL: A090																										
FDSL: 11AF																										
TWNC: ON																										
SB: OFF																										
XB: LOW																										
PYR: .05/.10/.25																										
GYROS: OFF																										
FDS MODE													CR-5T													
XB DATA RATE(MI)													160(32)													
31 DSN COVERAGE	14 [D] 1135												1500 14 [D] 1645												14 [D] 0740	
 10 40 10	
0800 65 [DAR] 60 60													
0800 54 [DA]																										
32 DSN COVERAGE													2025 43 [D] 0705													
												 40													
S/C 32 INITIAL CONDITIONS	█ 1200 RTLT 29h 0m 36s												█ 0000 RTLT 29h 0m 34s													
RTLT: 29h 0m 38s																										
CCSL: B163																										
FDSL: 11AF																										
TWNC: ON																										
SB: OFF																										
XB: HI																										
PYR: .05/.10/.25/																										
GYROS: OFF																										
FDS MODE													CR-5T													
XB DATA RATE(MI)													160(32)													
VGR COVERAGE	ON CALL																									
NOTES																										
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
UTC:	MAR 16													MAR 17												

ISSUE DATE: 02/26/14 20:26

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1		
MONDAY MARCH 17, 2014 076-077																											
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8		
S/C 31 INITIAL CONDITIONS RTLT: 35h 12m 46s CCSL: A090 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	<div style="text-align: center;"> <p>1200 RTLT 35h 12m 44s</p> </div>																										
FDS MODE XB DATA RATE(MI)														CR-5T 160(32)													
31 DSN COVERAGE	<div style="text-align: center;"> <p>14 [D] 1230</p> <p>.....10.....</p> <p>.....60.....</p> </div>																										
32 DSN COVERAGE																											
S/C 32 INITIAL CONDITIONS RTLT: 29h 0m 34s CCSL: B163 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/.10/.25/ GYROS: OFF	<div style="text-align: center;"> <p>1200 RTLT 29h 0m 32s</p> </div>																										
FDS MODE XB DATA RATE(MI)														CR-5T 160(32)													
VGR COVERAGE														ON CALL													
NOTES																											
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8		
UTC:	MAR 17													MAR 18													