


# VOYAGER

## Space Flight Operations Schedule (SFOS)

Issue Date: March 13, 2019

For the Period: 03/14/19 to 04/01/19 (19/073 – 19/091)



Posted at <https://voyager.jpl.nasa.gov/mission/status/>

**LEGEND:**

- ▽ = R/T Command (Last chance or Contingency)
- ▼ = R/T Command (Scheduled)
- \* = Result of R/T Command
- n = (where n = 1,2,3 ..) Special Note, see bottom of page
- A = Arrayed station
- B = BLF
- D = Downlink only pass
- H = High Power Transmitter
- R = Array Reference Antenna
- T = TLC Uplink
- U = Uplink only pass
- [o] = Ramp-through

02/27/19

ISSUE DATE: 03/13/19 10:13

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0			
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7			
THURSDAY MARCH 14, 2019 073-074																												
S/C 31 INITIAL CONDITIONS RTLT: 40h 10m 22s CCSL: A110 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 40h 10m 20s														0000 RTLT 40h 10m 18s													
FDS MODE	CR-5T														CR-5T													
XB DATA RATE(MI)	160(32)														160(32)													
31 DSN COVERAGE	-----10-----														-----40-----													
	63 [D]   0820												0245  -----55 [DA]-----  0605						0245  -----65 [DAR]-----  0605									
	-----60-----												-----60-----															
32 DSN COVERAGE	1510  -----35 [DA]-----  1910														1510  -----36 [DAR]-----  1910													
	-----40-----																											
S/C 32 INITIAL CONDITIONS RTLT: 33h 24m 22s CCSL: B183 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 33h 24m 20s														0000 RTLT 33h 24m 18s													
FDS MODE	CR-5T														CR-5T													
XB DATA RATE(MI)	160(32)														160(32)													
VGR COVERAGE	ON CALL																											
NOTES	[1] S/C 31=GS-4B @ 0100 XB=2.8K(41) NOT RECOVERABLE																											
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7			
UTC:	MAR 14														MAR 15													

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
FRIDAY MARCH 15, 2019 074-075																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLT: 40h 10m 18s CCSL: A110 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	█ 1200 RTLT 40h 10m 16s												█ 0000 RTLT 40h 10m 14s												
FDS MODE XB DATA RATE(MI)													CR-5T 160(32)												
31 DSN COVERAGE	0750	14 [D]										1535													
	.....										.....														
	.....										.....														
	.....										.....														
32 DSN COVERAGE	1340   43 [D]   1440												1505   35 [DA]   2015												
	.....												1505   36 [DAR]   2015												
	.....												.....												
S/C 32 INITIAL CONDITIONS RTLT: 33h 24m 18s CCSL: B183 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	█ 1200 RTLT 33h 24m 16s												█ 0000 RTLT 33h 24m 14s												
FDS MODE XB DATA RATE(MI)													CR-5T 160(32)												
VGR COVERAGE	ON CALL																								
NOTES																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:	MAR 15												MAR 16												

ISSUE DATE: 03/13/19 10:13

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
SATURDAY MARCH 16, 2019 075-076	UTC: 7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLT: 40h 10m 14s CCSL: A110 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 40h 10m 12s												0000 RTLT 40h 10m 10s												
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)												CR-5T 160(32)												
31 DSN COVERAGE	0800  -----14 [T]-----  1410  -----10-----   -----60-----												0010  -----63 [D]-----  0250  -----40-----  0245  -----55 [DA]-----  0245  -----65 [DAR]-----   -----60-----												
32 DSN COVERAGE	1350  -----43 [B]-----  1900  -----40-----																								
S/C 32 INITIAL CONDITIONS RTLT: 33h 24m 14s CCSL: B183 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 33h 24m 12s												0000 RTLT 33h 24m 10s												
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)																								
VGR COVERAGE	VGR	ON CALL						VGR	ON CALL																
NOTES	[1] S/C 31=GS-4B @ 0400 XB=2.8K(41) NOT RECOVERABLE																								
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:	MAR 16												MAR 17												

ISSUE DATE: 03/13/19 10:13

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
SUNDAY MARCH 17, 2019 076-077	UTC: 7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLTL: 40h 10m 10s CCSL: A110 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 40h 10m 8s												0000 RTLT 40h 10m 6s												
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)												D/L - 0233												
31 DSN COVERAGE	14 [D] 0740 - 1340 10												0005 63 [D] 60												
32 DSN COVERAGE	40 1540 43 [D] 2310 40																								
S/C 32 INITIAL CONDITIONS RTLTL: 33h 24m 10s CCSL: B183 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 33h 24m 8s												0000 RTLT 33h 24m 6s												
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)																								
VGR COVERAGE	ON CALL																								
NOTES																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:	MAR 17												MAR 18												

ISSUE DATE: 03/13/19 10:13

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY  
MARCH 18, 2019  
077-078  
UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

S/C 31  
INITIAL CONDITIONS  
RTLTL: 40h 10m 6s  
CCSL: A110  
FDSL: 11AF  
TWNC: ON  
SB: OFF  
XB: LOW  
PYR: .05/.10/.25  
GYROS: OFF

1200 RTLTL 40h 10m 4s


0000 RTLTL 40h 10m 2s

0025 | - | 0057 SHUNT POWER TEST


FDS MODE  
XB DATA RATE(MI)

CR-5T  
160(32)

31 DSN COVERAGE



32 DSN COVERAGE



S/C 32  
INITIAL CONDITIONS  
RTLTL: 33h 24m 6s  
CCSL: B183  
FDSL: 11AF  
TWNC: ON  
SB: OFF  
XB: LOW  
PYR: .05/.10/.25  
GYROS: OFF

1200 RTLTL 33h 24m 4s

0000 RTLTL 33h 24m 2s

↓ 2120 PYR=.05  
2124 | - | 2156 SSB ASCAL  
↓ 2157 YAW=.10 ROLL=.25

↓ 2058 EL-40 2200

FDS MODE  
XB DATA RATE(MI)

CR-5T  
160(32)

EL-40  
40(30)

CR-5T  
160(32)

VGR COVERAGE

ON CALL

VGR


ON CALL

NOTES


- [1] S/C 32=EL-40 @ 2058 XB=40(30)
- [2] S/C 32=CR-5T @ 2200 XB=160(32)

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

UTC: MAR 18 Page 5 of 19 MAR 19



ISSUE DATE: 03/13/19 10:13






ISSUE DATE: 03/13/19 10:13

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0			
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7			
THURSDAY MARCH 21, 2019 080-081																												
S/C 31 INITIAL CONDITIONS RTLT: 40h 9m 54s CCSL: A110 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 40h 9m 52s														0000 RTLT 40h 9m 50s													
FDS MODE	CR-5T														CR-5T													
XB DATA RATE(MI)	160(32)														160(32)													
31 DSN COVERAGE																												
32 DSN COVERAGE																												
S/C 32 INITIAL CONDITIONS RTLT: 33h 23m 54s CCSL: B183 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 33h 23m 52s														0000 RTLT 33h 23m 50s													
FDS MODE	CR-5T														CR-5T													
XB DATA RATE(MI)	160(32)														160(32)													
VGR COVERAGE	ON CALL																											
NOTES	[1] S/C 31=GS-4B @ 0035 XB=2.8K(41) NOT RECOVERABLE																											
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7			
UTC:	MAR 21														MAR 22													

ISSUE DATE: 03/13/19 10:13



ISSUE DATE: 03/13/19 10:13

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0		
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7		
SATURDAY MARCH 23, 2019 082-083																											
S/C 31 INITIAL CONDITIONS RTLTL: 40h 9m 46s CCSL: A110 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 40h 9m 44s												0000 RTLT 40h 9m 42s														
FDS MODE	CR-5T												CR-5T														
XB DATA RATE(MI)	160(32)												160(32)														
31 DSN COVERAGE	<p>14 [D] 0720 - 1120</p> <p>60 2340 63 [D] 0340</p>																										
32 DSN COVERAGE	<p>1305 43 [D] 1405</p> <p>40 0000 43 [D] 0545</p>																										
S/C 32 INITIAL CONDITIONS RTLTL: 33h 23m 46s CCSL: B183 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 33h 23m 44s												0000 RTLT 33h 23m 42s														
FDS MODE	CR-5T												CR-5T														
XB DATA RATE(MI)	160(32)												160(32)														
VGR COVERAGE	ON CALL																										
NOTES	[1] S/C 31=GS-4B @ 0335 XB=2.8K(41) NOT RECOVERABLE																										
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7		
UTC:	MAR 23														MAR 24												

ISSUE DATE: 03/13/19 10:13

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
SUNDAY MARCH 24, 2019 083-084																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLT: 40h 9m 42s CCSL: A110 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 40h 9m 40s												0000 RTLT 40h 9m 38s												
FDS MODE	CR-5T												CR-5T												
XB DATA RATE(MI)	160(32)												160(32)												
31 DSN COVERAGE	----- 14 [D] -----  0715 - 0945												----- 63 [D] -----  0230												
	----- 40 -----												----- 60 -----												
32 DSN COVERAGE	----- 43 [D] -----  1305 - 1705												----- 40 -----												
S/C 32 INITIAL CONDITIONS RTLT: 33h 23m 42s CCSL: B183 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 33h 23m 40s												0000 RTLT 33h 23m 36s												
FDS MODE	CR-5T												CR-5T												
XB DATA RATE(MI)	160(32)												160(32)												
VGR COVERAGE	ON CALL												ON CALL												
NOTES																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:	MAR 24												MAR 25												

ISSUE DATE: 03/13/19 10:13

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
MONDAY MARCH 25, 2019 084-085																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLT: 40h 9m 38s CCSL: A110 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	█ 1200 RTLT 40h 9m 36s												█ 0000 RTLT 40h 9m 34s												
FDS MODE													CR-5T												
XB DATA RATE(MI)													160(32)												
31 DSN COVERAGE	----- 14 [D] -----  0710 - 1110												----- 10 -----												
	----- 60 -----												----- 40 -----												
	----- 60 -----												----- 60 -----												
32 DSN COVERAGE	40												1300  ----- 43 [D] -----  1700												
	----- 40 -----												----- 40 -----												
S/C 32 INITIAL CONDITIONS RTLT: 33h 23m 36s CCSL: B183 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	█ 1200 RTLT 33h 23m 34s												█ 0000 RTLT 33h 23m 32s												
FDS MODE													CR-5T												
XB DATA RATE(MI)													160(32)												
VGR COVERAGE													ON CALL												
NOTES																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:	MAR 25												MAR 26												

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
TUESDAY MARCH 26, 2019 085-086	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLTL: 40h 9m 34s CCSL: A110 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLTL 40h 9m 32s												0000 RTLTL 40h 9m 30s												
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)												CR-5T 160(32)												
31 DSN COVERAGE	14 [D] 0705 - 1105												14 [D] 0700												
32 DSN COVERAGE	1255 43 [D] 2120																								
S/C 32 INITIAL CONDITIONS RTLTL: 33h 23m 32s CCSL: B183 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLTL 33h 23m 30s												0000 RTLTL 33h 23m 28s												
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)																								
VGR COVERAGE													ON CALL												
NOTES	[1] S/C 31=GS-4B @ 1758 XB=2.8K(41) NOT RECOVERABLE																								
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:	MAR 26												MAR 27												

ISSUE DATE: 03/13/19 10:13


PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	
WEDNESDAY MARCH 27, 2019 086-087																										
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	
S/C 31 INITIAL CONDITIONS RTLT: 40h 9m 30s CCSL: A110 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	█ 1200 RTLT 40h 9m 28s												█ 0000 RTLT 40h 9m 26s													
FDS MODE													CR-5T													
XB DATA RATE(MI)													160(32)													
31 DSN COVERAGE	14 [D] —————   0700 - 1440												14 [D] 0700 10													
	..... 10 .....												..... 40 .....													
	..... 60 .....												2325   63 [D]   0215 ..... 60 .....													
32 DSN COVERAGE	140												1455   43 [D]   2135													
	..... 40 .....												0435   43 [D]   0605													
S/C 32 INITIAL CONDITIONS RTLT: 33h 23m 28s CCSL: B183 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	█ 1200 RTLT 33h 23m 26s												█ 0000 RTLT 33h 23m 24s													
FDS MODE													CR-5T													
XB DATA RATE(MI)													160(32)													
VGR COVERAGE													ON CALL													
NOTES																										
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	
UTC:	MAR 27													MAR 28												

ISSUE DATE: 03/13/19 10:13

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0			
THURSDAY MARCH 28, 2019 087-088																												
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7			
S/C 31 INITIAL CONDITIONS RTLTL: 40h 9m 26s CCSL: A110 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLTL 40h 9m 26s												0000 RTLTL 40h 9m 24s															
FDS MODE	CR-5T												CR-5T															
XB DATA RATE(MI)	160(32)												160(32)															
31 DSN COVERAGE	14 [D] -----  0700 - 1530																											
	.....										.....																	
	.....										.....																	
	.....										.....																	
32 DSN COVERAGE													.....															
S/C 32 INITIAL CONDITIONS RTLTL: 33h 23m 24s CCSL: B183 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLTL 33h 23m 20s												0000 RTLTL 33h 23m 18s															
FDS MODE													CR-5T															
XB DATA RATE(MI)													160(32)															
VGR COVERAGE													ON CALL															
NOTES	[1] S/C 31=GS-4B @ 0011 XB=2.8K(41) NOT RECOVERABLE																											
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7			
UTC:	MAR 28														MAR 29													




ISSUE DATE: 03/13/19 10:13



ISSUE DATE: 03/13/19 10:13

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
SATURDAY MARCH 30, 2019 089-090	UTC: 7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLTL: 40h 9m 20s CCSL: A110 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 40h 9m 18s												0000 RTLT 40h 9m 16s												
FDS MODE	CR-5T												CR-5T												
XB DATA RATE(MI)	160(32)												160(32)												
31 DSN COVERAGE	0750 14 [D]												0130 54 [DA] 0245 0130 0245 65 [DAR]												
32 DSN COVERAGE	1410 36 [DAR] 1810 1410 35 [DA] 1810												0200 - 0645 43 [D]												
S/C 32 INITIAL CONDITIONS RTLTL: 33h 23m 14s CCSL: B183 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 33h 23m 12s												0000 RTLT 33h 23m 8s												
FDS MODE	CR-5T												CR-5T												
XB DATA RATE(MI)	160(32)												160(32)												
VGR COVERAGE	ON CALL																								
NOTES	[1] S/C 31=GS-4B @ 0311 XB=2.8K(41) NOT RECOVERABLE																								
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:	MAR 30												MAR 31												

ISSUE DATE: 03/13/19 10:13



PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0		
MONDAY APRIL 1, 2019 091-092																											
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7		
S/C 31 INITIAL CONDITIONS RTLT: 40h 9m 14s CCSL: A110 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	<p>1200 RTLT 40h 9m 12s</p>																										
FDS MODE XB DATA RATE(MI)														CR-5T 160(32)													
31 DSN COVERAGE	<p>14 [T]   1045</p> <p>.....10..... </p> <p> .....40..... </p> <p>.....60..... </p>																										
32 DSN COVERAGE	<p>1240  -----43 [o]-----  2040</p>																										
S/C 32 INITIAL CONDITIONS RTLT: 33h 23m 4s CCSL: B183 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	<p>1200 RTLT 33h 23m 2s</p>																										
FDS MODE XB DATA RATE(MI)														CR-5T 160(32)													
VGR COVERAGE	ON CALL																										
NOTES																											
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7		
UTC:	APR 01													APR 02													