

ISSUE DATE: 09/28/94 - 06:43

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY  
SEPTEMBER 29, 1994  
272-273

VGR STAFF/A148  
VCB/MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 15h 57m 12s

1200 RTLT=15h 57m 24s

0000 RTLT=15h 57m 34s

VOYAGER 1

S/C 31 STATUS

FDSL : 11AF

▼ 2100 DUMMY

CCSL : A019  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS CLOCK DRIFT:  
ADD TO S/C EVENT  
ERT: -2.439 sec  
SCAN PLAT POSITION:  
AZ = 319.959 deg  
EL = 117.035 deg  
ROLLREF = RIGIL  
KENTAURUS

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

31

1145 |----- 63 [D] -----| 1735

1720 |----- 61 [D] -----| 2045

2030 |----- 12 -----| 0520

HPTXR

DSN COVERAGE

32

42 [D] -----| 1245

0410 |----- 42 [D] -----

1230 |----- 43 [o] -----| 1540

0015 |----- 15 [D] -----| 0420

HPTXR

RTLT : 12h 9m 28s

1200 RTLT=12h 9m 42s

0000 RTLT=12h 9m 54s

VOYAGER 2

↓ 0809 SLEW->HELIO-4

S/C 32 STATUS

↓ 2010 SLEW->HELIO-5

FDSL : 11AF

FDS CLOCK DRIFT:  
ADD TO S/C EVENT  
ERT: 3:38.106 min  
SCAN PLAT POSITION:  
AZ = 79.985 deg  
EL = 105.047 deg  
ROLLREF = VEGA

CCSL : B022  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/28/94 - 06:43

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY  
SEPTEMBER 30, 1994  
273-274

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 15h 57m 34s

1200 RTLT=15h 57m 46s

0000 RTLT=15h 57m 56s

VOYAGER 1

U/L 0100 | - | - - - - - TLC (SHORT-FORM) - - - - -

FDSL : 11AF

CCSL : A019  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

31

1045

61 [D]

2125

2110

12

0515

DSN COVERAGE  
HPTXR

32

42 [D]

1145

0445

42 [D]

1225

43 [o]

1535

0020

15 [D]

0415

HPTXR

RTLT : 12h 9m 54s

1200 RTLT=12h 10m 6s

0000 RTLT=12h 10m 18s

VOYAGER 2

↓ 0810 SLEW->HELIO-6

↓ 2010 SLEW->HELIO-7

FDSL : 11AF

CCSL : B022  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

| - - - - - VGR - - - - - |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/28/94 - 06:43

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY  
OCTOBER 1, 1994  
274-275

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 15h 57m 56s

1200 RTLT=15h 58m 8s

0000 RTLT=15h 58m 18s

VOYAGER 1

----- TLC (SHORT-FORM) ----- | D/L -| 1826

FDSL : 11AF

CCSL : A019  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160 (32)

31

1045

61 [D]

2120

2105

12 [D]

0510

DSN COVERAGE  
HPTXR

32

42 [D]

1240

0400

42 [D]

1225

43 [o]

1530

0005

15 [D]

0410

HPTXR

RTLT : 12h 10m 18s

1200 RTLT=12h 10m 30s

0000 RTLT=12h 10m 42s

VOYAGER 2

↓ 0810 SLEW->HELIO-8

↓ 2010 SLEW->HELIO-9

FDSL : 11AF

CCSL : B022  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/28/94 - 06:43

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY  
OCTOBER 2, 1994  
275-276

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 15h 58m 18s

1200 RTLT=15h 58m 30s

0000 RTLT=15h 58m 40s

VOYAGER 1

FDSL : 11AF

CCSL : A019  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

31

1040 |-----| 61 [D]

2030 |-----| 2045

12 [D] |-----| 0505

DSN COVERAGE  
HPTXR

32

42 [D] |-----| 1235

1220 |-----| 43 [o] |-----| 1525

0415 |-----| 42 [D] |-----| 0405

0005 |-----| 15 [D]

HPTXR

RTLT : 12h 10m 42s

1200 RTLT=12h 10m 54s

0000 RTLT=12h 11m 6s

VOYAGER 2

↓ 0810 SLEW->HELIO-10

FDSL : 11AF

CCSL : B022  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/28/94 - 06:43

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY  
OCTOBER 3, 1994  
276-277

MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 15h 58m 40s

1200 RTLT=15h 58m 50s

0000 RTLT=15h 59m 2s

VOYAGER 1

FDSL : 11AF

CCSL : A019

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

31

1035

61 [D]

2015

2330

12 [D]

0505

DSN COVERAGE  
HPTXR

32

42 [D]

1145

0005

15 [D]

0405

1130

43 [o]

1525

42 [D]

0615

HPTXR

RTLT : 12h 11m 6s

1200 RTLT=12h 11m 18s

0000 RTLT=12h 11m 30s

VOYAGER 2

↓ 0810 SLEW->MIDWAY

FDSL : 11AF

CCSL : B022

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

VGR

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/28/94 - 06:43

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY  
OCTOBER 4, 1994  
277-278

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 15h 59m 2s

1200 RTLT=15h 59m 12s

0000 RTLT=15h 59m 24s

0306 | 0307 PWS/RH

VOYAGER 1

FDSL : 11AF

CCSL : A019  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

160(32)

31

1035 |

61 [D] |

1840

1825 |

12 [D] |

0100

0045 |

14 [D] |

0500

HPTXR

DSN COVERAGE

32

42 [D] |

1200

1145 |

43 [o] |

1520

0000 |

15 [D] |

0400

HPTXR

RTLT : 12h 11m 30s

1200 RTLT=12h 11m 42s

0000 RTLT=12h 11m 56s

0239 | 0239 PWS/RH

VOYAGER 2

▼ 1500 DUMMY

FDSL : 11AF

CCSL : B022  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

- [1] S/C 32=GS-4B @ 0239 XB=2.8K(41) NOT RECOVERABLE
- [2] S/C 31=GS-4B @ 0306 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/28/94 - 06:43

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY  
OCTOBER 5, 1994  
278-279

SFOS/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 15h 59m 24s

1200 RTLT=15h 59m 34s

0000 RTLT=15h 59m 44s

VOYAGER 1

FDSL : 11AF

▼ 2200 DUMMY

CCSL : A019  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31

1030

61 [D]

1725

1800

12

0450

DSN COVERAGE  
HPTXR

32

0945

42 [o]

1455

2350

15 [D]

0400

42 [D]

0355

HPTXR

RTLT : 12h 11m 56s

1200 RTLT=12h 12m 8s

0000 RTLT=12h 12m 20s

VOYAGER 2

FDSL : 11AF

CCSL : B022  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

VGR

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/28/94 - 06:43

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY  
OCTOBER 6, 1994  
279-280

VGR STAFF/A148  
VCB/MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 15h 59m 44s

1200 RTLT=15h 59m 56s

0000 RTLT=16h 0m 6s

VOYAGER 1

FDSL : 11AF

CCSL : A019  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31

1345 |----- 61 [D] -----| 2105

2150 |----- 12 [D] -----| 0255

DSN COVERAGE  
HPTXR

32

----- 42 [D] -----| 1200

0355 |----- 42 [D] -----

1145 |----- 43 [o] -----| 1510

2345 |----- 15 [D] -----| 0255

HPTXR

RTLT : 12h 12m 20s

1200 RTLT=12h 12m 32s

0000 RTLT=12h 12m 44s

VOYAGER 2

FDSL : 11AF

CCSL : B022  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7



ISSUE DATE: 09/28/94 - 06:43

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY  
OCTOBER 7, 1994  
280-281

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 0m 6s

1200 RTLT=16h 0m 16s

0000 RTLT=16h 0m 28s

VOYAGER 1

FDSL : 11AF

CCSL : A019  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31

1020

2100

2045

0445

HPTXR

DSN COVERAGE

32

42 [D]

1200

0350

42 [D]

1145

43 [o]

1505

2345

15 [D]

0345

HPTXR

RTLT : 12h 12m 44s

1200 RTLT=12h 12m 56s

0000 RTLT=12h 13m 8s

VOYAGER 2

FDSL : 11AF

CCSL : B022  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

VGR

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/28/94 - 06:43

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY  
OCTOBER 8, 1994  
281-282

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 0m 28s

1200 RTLT=16h 0m 38s

0000 RTLT=16h 0m 48s

VOYAGER 1

U/L 1100 | - | - - - - - TLC (SHORT-FORM) - - - - - | D/L - | 0429

FDSL : 11AF

CCSL : A019  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31

1015 | - - - - - 61 - - - - - | 2010

2000 | - - - - - 12 [D] - - - - - | 0445

HPTXR

DSN COVERAGE

32

42 [D] - - - - - | 1145

0350 | - - - - - 42 [o] - - - - -

1130 | - - - - - 43 [o] - - - - - | 1505

2340 | - - - - - 15 [D] - - - - - | 0345

HPTXR

RTLT : 12h 13m 8s

1200 RTLT=12h 13m 20s

0000 RTLT=12h 13m 32s

VOYAGER 2

FDSL : 11AF

CCSL : B022  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

- - - - - ON CALL - - - - -

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/28/94 - 06:43

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY  
OCTOBER 9, 1994  
282-283

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 0m 48s

1200 RTLT=16h 0m 58s

0000 RTLT=16h 1m 8s

VOYAGER 1

FDSL : 11AF

CCSL : A019  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31

1015 |-----61 [D]-----

|1840

1820 |-----12 [D]-----|0440

DSN COVERAGE  
HPTXR

32

42 [o]-----|1440

2335 |-----15 [D]-----|0340

HPTXR

RTLT : 12h 13m 32s

1200 RTLT=12h 13m 46s

0000 RTLT=12h 13m 58s

VOYAGER 2

FDSL : 11AF

CCSL : B022  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

-----ON CALL-----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/28/94 - 06:43

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY  
OCTOBER 10, 1994  
283-284

MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 1m 8s

1200 RTLTL=16h 1m 20s

0000 RTLTL=16h 1m 30s

VOYAGER 1

FDSL : 11AF

CCSL : A019  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31

1010 |----- 65 [D] -----| 2050

0035 |----- 12 [D] -----| 0435

DSN COVERAGE  
HPTXR

32

1100 |----- 43 [O] -----| 1455

2330 |----- 15 [D] -----| 0335

HPTXR

RTLTL : 12h 13m 58s

1200 RTLTL=12h 14m 10s

0000 RTLTL=12h 14m 22s

VOYAGER 2

FDSL : 11AF

CCSL : B022  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/28/94 - 06:43

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY  
OCTOBER 11, 1994  
284-285

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 1m 30s

VOYAGER 1

FDSL : 11AF

CCSL : A019  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

CR-5T

160(32)

2210 | PLSCAL -| 2353  
2210 | --- MAGCAL ---| 0113  
2210 | --- PESCAL ---| 0130  
▼ 2314 EL-40 0243 | 0244 PWS/RH  
▼ 2328 CCSL A020  
▼ 0000 CCSCAL  
▼ 0014 CR-5T  
▼ 0030 DUMMY

0243  
GS-4B 0244

31

1330 |----- 65 [D] -----| 2045

2020 |--- 15 [D] ---| 2255

2240 |----- 12 -----| 0430

DSN COVERAGE  
HPTXR

32

1100 |----- 43 [o] -----| 1450

2340 |----- 15 [D] -----| 0330

HPTXR

RTLTL : 12h 14m 22s

VOYAGER 2

FDSL : 11AF

CCSL : B022  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

CR-5T

160(32)

0216  
GS-4B 0217

1200 RTLTL=12h 14m 34s

0000 RTLTL=12h 14m 46s

0216 | 0217 PWS/RH

VOYAGER COVERAGE

|----- VGR -----|

NOTES

- [1] S/C 32=GS-4B @ 0216 XB=2.8K(41) NOT RECOVERABLE
- [2] S/C 31=GS-4B @ 0243 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/28/94 - 06:43

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY  
OCTOBER 12, 1994  
285-286

SFOS/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 1m 50s

1200 RTLTL=16h 2m 0s

0000 RTLTL=16h 2m 10s

VOYAGER 1

FDSL : 11AF

1547 || 1551 CCS CHKSUM \*

CCSL : A019  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

\* \*  
1517 1617

FDS MODE  
XB DATA RATE (MI)

CR-5T

EL-40

CR-5T

160(32)

40(30)

160(32)

31

1000

2040

2345

14 [D]

0430

DSN COVERAGE  
HPTXR

32

1010

42 [o]

1410

2325

15 [D]

0330

HPTXR

RTLTL : 12h 14m 46s

1200 RTLTL=12h 14m 58s

0000 RTLTL=12h 15m 10s

VOYAGER 2

FDSL : 11AF

CCSL : B022  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- VGR -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/28/94 - 06:43

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY  
OCTOBER 13, 1994  
286-287

VGR STAFF/A148  
VCB/MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 2m 10s

1200 RTLTL=16h 2m 20s

0000 RTLTL=16h 2m 30s

VOYAGER 1

FDSL : 11AF

CCSL : A019  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

31

0955 |----- 65 [D] -----| 1400

1730 |----- 15 [D] -----| 2235

0215 |--- 12 [D] ---| 0425

DSN COVERAGE  
HPTXR

32

1100 |----- 43 [o] -----| 1445

2320 |----- 15 [D] -----| 0325

HPTXR

RTLTL : 12h 15m 10s

1200 RTLTL=12h 15m 22s

0000 RTLTL=12h 15m 34s

VOYAGER 2

▼ 1400 DUMMY

FDSL : 11AF

CCSL : B022  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/28/94 - 06:43

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY  
OCTOBER 14, 1994  
287-288

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 2m 30s

1200 RTLT=16h 2m 40s

0000 RTLT=16h 2m 50s

VOYAGER 1

U/L 0100 | - | - - - - - TLC (SHORT-FORM) - - - - -

FDSL : 11AF

CCSL : A019  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31

1645 | - - - - - 65 [D] - - - - - | 2030

0020 | - - - - - 12 - - - - - | 0420

DSN COVERAGE  
HPTXR

32

1100 | - - - - - 43 [o] - - - - - | 1440

2315 | - - - - - 15 [D] - - - - - | 0320

HPTXR

RTLT : 12h 15m 34s

1200 RTLT=12h 15m 46s

0000 RTLT=12h 15m 58s

VOYAGER 2

FDSL : 11AF

CCSL : B022  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

| - - - - - VGR - - - - - |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7



ISSUE DATE: 09/28/94 - 06:43

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY  
OCTOBER 15, 1994  
288-289

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 2m 50s

1200 RTLT=16h 3m 0s

0000 RTLT=16h 3m 10s

VOYAGER 1 ----- TLC (SHORT-FORM) -----+ D/L -| 1831

FDSL : 11AF

CCSL : A019  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE CR-5T  
XB DATA RATE (MI) 160(32)

31 0950 |----- 61 [D] -----| 2030  
2030 |----- 12 [D] -----| 0415

DSN COVERAGE HPTXR

32 |----- 42 [D] -----| 0730- 1130  
1110 |----- 43 [o] -----| 1435  
2315 |----- 15 [D] -----| 0315

HPTXR

1200 RTLT=12h 16m 12s

0000 RTLT=12h 16m 24s

RTLT : 12h 15m 58s

VOYAGER 2

FDSL : 11AF

CCSL : B022  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE CR-5T  
XB DATA RATE (MI) 160(32)

VOYAGER COVERAGE ----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/28/94 - 06:43

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY  
OCTOBER 16, 1994  
289-290

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 3m 10s

1200 RTLT=16h 3m 20s

0000 RTLT=16h 3m 30s

VOYAGER 1

FDSL : 11AF

CCSL : A019  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31

0945 |-----| 61 [D] |-----| 2025  
2030 | - 12 [D] - | 2210

HPTXR

DSN COVERAGE

32

|-----| 42 [D] |-----| 0715- 1115  
1100 |-----| 43 [o] |-----| 1435  
2310 |-----| 12 [D] |-----| 0315

HPTXR

RTLT : 12h 16m 24s

1200 RTLT=12h 16m 36s

0000 RTLT=12h 16m 48s

VOYAGER 2

FDSL : 11AF

CCSL : B022  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7