

ISSUE DATE: 01/25/95 - 14:00

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
JANUARY 26, 1995
026-027

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 17m 38s

1200 RTLT=16h 17m 38s

0000 RTLT=16h 17m 36s

VOYAGER 1

S/C 31 STATUS

FDSL : 11AF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -3.640 sec
SCAN PLAT POSITION:
AZ = 61.078 deg
EL = 119.780 deg
ROLLREF = RIGIL
KENTAURUS

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31 ----- 61 [D] ----- | 1050 0555 |--- 65 [D] ---

1110 |----- 12 [D] -----| 1545

0310 |----- 63 [D] -----| 0610

DSN COVERAGE
HPTXR

32

1640 |----- 15 [D] -----| 2125

0555- 0755 |--- 43 [D] ---|

HPTXR

RTLT : 12h 42m 24s

1200 RTLT=12h 42m 24s
↓ 1225 SLEW->HELIO-12

0000 RTLT=12h 42m 26s

VOYAGER 2

S/C 32 STATUS

FDSL : 11AF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: 3:23.715 min
SCAN PLAT POSITION:
AZ = 270.110 deg
EL = 175.053 deg
ROLLREF = VEGA

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

↓ 0025 SLEW->HELIO-13

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/25/95 - 14:00

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
JANUARY 27, 1995
027-028

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 17m 36s

VOYAGER 1

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

- ↓ 1109 GYROS AB ON
- ↓ 1110 GYRO INIT
- ↓ 1119 GYRO FAULT TEST
- 1212 | 1218 CCSTIM(B)

1200 RTLTL=16h 17m 34s

0000 RTLTL=16h 17m 34s

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

65 [D] ----- | 1345

1330 |

12 [D] ----- | 2110

0245 |

65 [D] -----

HPTXR

DSN COVERAGE

32

1635 |

15 [D] ----- | 1945

1945 - 0730 |

42 [D] ----- |

HPTXR

RTLTL : 12h 42m 26s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLTL=12h 42m 26s

↓ 1225 SLEW->HELIO-14

0000 RTLTL=12h 42m 28s

↓ 0025 SLEW->HELIO-15

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

| - VGR - |

| ----- VGR ----- |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/25/95 - 14:00

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
JANUARY 28, 1995
028-029

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 17m 34s

1200 RTLT=16h 17m 32s

0000 RTLT=16h 17m 32s

VOYAGER 1

U/L 1405 | - | - - - - - TLC (SHORT-FORM) - - - - - |
- 0751 | D/L - |

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 | 0820 65 [D] | 1105 | - - - - - 12 - - - - - | 2105 | 0245 | - - - - - 65 [D] - - - - - |

DSN COVERAGE
HPTXR

32 | 0905 | - - - - - 65 [D] - - - - - | 1300 | 1630 | - - - - - 15 [D] - - - - - | 2035 | 2020 | - - - - - 42 [D] - - - - - | 0330 | 0550 - 0750 | - - - 43 [o] - - - |

HPTXR

RTLT : 12h 42m 28s

1200 RTLT=12h 42m 28s

0000 RTLT=12h 42m 28s

VOYAGER 2

↓ 1225 SLEW->HELIO-16

↓ 0025 SLEW->HELIO-17

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

- - - - - ON CALL - - - - -

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/25/95 - 14:00

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
JANUARY 29, 1995
029-030

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 17m 32s

1200 RTLT=16h 17m 30s

0000 RTLT=16h 17m 28s

VOYAGER 1

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

65 [D]

1200

0240

65 [D]

1145

12 [D]

2105

DSN COVERAGE
HPTXR

32

1630

15 [D]

2115

0445 - 0720

42 [D]

HPTXR

RTLT : 12h 42m 28s

1200 RTLT=12h 42m 30s

0000 RTLT=12h 42m 30s

VOYAGER 2

↓ 1225 SLEW->HELIO-18

↓ 0025 SLEW->HELIO-19

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/25/95 - 14:00

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
JANUARY 30, 1995
030-031

MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 17m 28s

1200 RTLTL=16h 17m 28s

0000 RTLTL=16h 17m 26s

↓ 2309 SLEW->DARKPLATE

VOYAGER 1

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31 | 0815 65 [D] | 1000 |----- 15 [D] -----| 2155 | 0235 |----- 65 [D] -----|

DSN COVERAGE
HPTXR

32 | 0900 |----- 65 [D] -----| 1250 | 1810 |----- 42 [D] -----| 0600

HPTXR

RTLTL : 12h 42m 30s

1200 RTLTL=12h 42m 30s

0000 RTLTL=12h 42m 32s

↓ 1225 SLEW->HELIO-20

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/25/95 - 14:00

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
JANUARY 31, 1995
031-032

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 17m 26s

1200 RTLTL=16h 17m 24s

0000 RTLTL=16h 17m 22s

VOYAGER 1

↓ 1209 GYRO INIT

▼ 1620 DUMMY

2027 | 2028 PWS/RH

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

2027
GS-4B

2028

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

CR-5T
160(32)

31 65 [D] - | 0930

1055 |----- 12 ----- | 1730

0655 | 65 [D]

0350 - 0710 |----- 63 [D] ----- |

DSN COVERAGE
HPTXR

1805 - 0715 |----- 42 [D] ----- |

HPTXR

RTLTL : 12h 42m 32s

1200 RTLTL=12h 42m 32s

0000 RTLTL=12h 42m 32s

VOYAGER 2

2005 | 2006 PWS/RH

2017 |----- DTR MAINT ----- | 0143

0145 | 0147 TAPPOS

DUMMY 0610 ▼

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

2005
GS-4B

2006

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

CR-5T
160(32)

VOYAGER COVERAGE

|----- VGR ----- |

| VGR |

NOTES

[1] S/C 32=GS-4B @ 2005 XB=2.8K(41) NOT RECOVERABLE
[2] S/C 31=GS-4B @ 2027 XB=2.8K(41) NOT RECOVERABLE

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/25/95 - 14:00

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
FEBRUARY 1, 1995
032-033

SFOS/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 17m 22s

1200 RTLTL=16h 17m 22s

0000 RTLTL=16h 17m 20s

VOYAGER 1

1242 | PLSCAL - | 1424

1242 | --- MAGCAL --- | 1544

1242 | --- PESCAL --- | 1602

▽ 0420 GYRO DRIFT U/D

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 --- 65 [D] --- | 1000

0950 | ---

15 [D] ---

| 2145

0320 | ---

61 [D] ---

DSN COVERAGE
HPTXR

32

1045 | --- 65 [D] --- | 1245

1800 - 0710 | ---

42 [D] ---

HPTXR

RTLTL : 12h 42m 32s

1200 RTLTL=12h 42m 32s

0000 RTLTL=12h 42m 32s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

| --- VGR --- |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/25/95 - 14:00

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
FEBRUARY 2, 1995
033-034

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 17m 20s

1200 RTLTL=16h 17m 18s

0000 RTLTL=16h 17m 16s

VOYAGER 1

↓ 1500 BAY 1 HTR OFF
↓ 1504 X/B HI POWER

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 0820 61 [D] 0945 |-----| 15 [D] |-----| 2145 0225 |-----| 65 [D]

DSN COVERAGE
HPTXR

32 1725 |-----| 45 [D] |-----| 2045 0530 |-----| 43 [o]

HPTXR

RTLTL : 12h 42m 32s

1200 RTLTL=12h 42m 34s

0000 RTLTL=12h 42m 34s

DUMMY 0610 ▼

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

|-----| VGR |-----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/25/95 - 14:00

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
FEBRUARY 3, 1995
034-035

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 17m 16s

1200 RTLTL=16h 17m 16s

0000 RTLTL=16h 17m 14s

VOYAGER 1

↓ 1219 AAI

1222 |----- MAGROL -----| 1818

↓ 1811 RAI

↓ 1818 CRU

↓ 1818 GYROS OFF

↓ 1820 X/B LOW POWER

↓ 1824 BAY 1 HTR ON

FDSL : 11AF

CCSL : A020

TWNC : ON

SB : OFF XB : HI

PYR : .05/ .10/ .25

GYROS : ON

FDS MODE

CR-5T

XB DATA RATE (MI)

160(32)

31

----- 65 [D] ----- | 1200

1145 |----- 15 [D] -----| 2105

0310 - 0750 |----- 61 [D] -----|

HPTXR

DSN COVERAGE

32

| 0805 43 [o]

1755 |----- 42 [D] -----| 2330

0525 - 0725 |--- 43 [D] ---|

HPTXR

RTLTL : 12h 42m 34s

1200 RTLTL=12h 42m 34s

0000 RTLTL=12h 42m 34s

VOYAGER 2

FDSL : 11AF

CCSL : B023

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE

CR-5T

XB DATA RATE (MI)

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

[1] S/C 31 - D/L AGC VARIATIONS EXPECTED DURING MAGROL (1222-1818)

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/25/95 - 14:00

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
FEBRUARY 4, 1995
035-036

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 17m 14s

1200 RTLTL=16h 17m 12s

0000 RTLTL=16h 17m 10s

VOYAGER 1

U/L 1200 |----- TLC (SHORT-FORM) -----| D/L |0545

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1040 |----- 12 -----| 1630

0215 - 0750 |----- 65 [D] -----|

DSN COVERAGE
HPTXR

32

1750 |----- 42 [D] -----| 2330
2350 |----- 45 [D] -----| 0540
0525 - 0725 |--- 43 [D] ---|

HPTXR

RTLTL : 12h 42m 34s

1200 RTLTL=12h 42m 34s

0000 RTLTL=12h 42m 34s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/25/95 - 14:00

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
FEBRUARY 5, 1995
036-037

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 17m 10s

1200 RTLTL=16h 17m 8s

0000 RTLTL=16h 17m 8s

VOYAGER 1

FDSL : 11AF

CCSL : A020

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

0935 |----- 15 [D] -----| 2130 0215 - 0750 |----- 65 [D] -----|

DSN COVERAGE
HPTXR

32

|----- 65 [D] -----| 0835 - 1230 1645 |----- 45 [D] -----| 2330

HPTXR

RTLTL : 12h 42m 34s

1200 RTLTL=12h 42m 34s

0000 RTLTL=12h 42m 32s

VOYAGER 2

FDSL : 11AF

CCSL : B023

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/25/95 - 14:00

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
FEBRUARY 6, 1995
037-038

MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 17m 8s

1200 RTLTL=16h 17m 6s

0000 RTLTL=16h 17m 4s

VOYAGER 1

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

0930 |----- 15 [D] -----| 2130

0210 |----- 65 [D] -----|

DSN COVERAGE
HPTXR

32

|----- 65 [D] -----| 0835 - 1225

1710 |----- 45 [D] -----|

| 0530

0515 - 0715 |--- 43 [o] ---|

HPTXR

RTLTL : 12h 42m 32s

1200 RTLTL=12h 42m 32s

0000 RTLTL=12h 42m 32s

VOYAGER 2

↓ 1255 SLEW->HELIO-X17

↓ 0055 SLEW->HELIO-X16

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/25/95 - 14:00

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
FEBRUARY 7, 1995
038-039

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 17m 4s

1200 RTLTL=16h 17m 2s

0000 RTLTL=16h 17m 0s

VOYAGER 1

▼ 1730 DUMMY

2003 | 2004 PWS/RH

FDSL : 11AF

CCSL : A020

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

2003
GS-4B 2004

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

CR-5T

160(32)

31

65 [D] -- | 1000

1030 |

----- 12 ----- | 1915

0505 - 0740 | --- 65 [D] --- |

HPTXR

0220 | --- 63 [D] --- | 0520

DSN COVERAGE

32

1705 | --- 45 [D] --- |

0600

0545 - 0710 | - 43 [o] - |

HPTXR

RTLTL : 12h 42m 32s

1200 RTLTL=12h 42m 32s

0000 RTLTL=12h 42m 32s

VOYAGER 2

↓ 1255 SLEW->HELIO-X15

1941 | 1942 PWS/RH

2119 | PLSCAL - | 2301

2119 | --- MAGCAL --- | 0021

2119 | --- PESCAL --- | 0039

↓ 0055 SLEW->HELIO-X14

DUMMY 0615 ▼

FDSL : 11AF

CCSL : B023

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

1941
GS-4B 1942

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

CR-5T

160(32)

VOYAGER COVERAGE

| --- VGR --- |

| VGR |

NOTES

[1] S/C 32=GS-4B @ 1941 XB=2.8K(41) NOT RECOVERABLE

[2] S/C 31=GS-4B @ 2003 XB=2.8K(41) NOT RECOVERABLE

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/25/95 - 14:00

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
FEBRUARY 8, 1995
039-040

SFOS/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 17m 0s

1200 RTLT=16h 16m 58s

0000 RTLT=16h 16m 56s

VOYAGER 1

FDSL : 11AF

CCSL : A020

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

0925 |----- 15 [D] -----| 2120

0230 - 0735 |----- 65 [D] -----|

DSN COVERAGE
HPTXR

32

|----- 65 [D] -----| 0825 - 1215

1700 - 0710 |----- 45 [D] -----|

HPTXR

RTLT : 12h 42m 32s

1200 RTLT=12h 42m 30s

0000 RTLT=12h 42m 30s

VOYAGER 2

↓ 1255 SLEW->HELIO-X13

↓ 0055 SLEW->HELIO-X12

FDSL : 11AF

CCSL : B023

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/25/95 - 14:00

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
FEBRUARY 9, 1995
040-041

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 16m 56s

1200 RTLT=16h 16m 54s

0000 RTLT=16h 16m 52s

VOYAGER 1

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 0920 |----- 15 [D] -----| 2115

0215 |----- 63 [D] -----| 0515
0500 |-- 65 [D] --| 0645

DSN COVERAGE
HPTXR

32 |--- 65 [D] ---| 0820 - 1045

1655 |----- 45 [D] -----| 0520
0505 |-- 43 [D] --| 0705

HPTXR

RTLT : 12h 42m 30s

1200 RTLT=12h 42m 30s

0000 RTLT=12h 42m 30s

VOYAGER 2

↓ 1255 SLEW->HELIO-X11

↓ 0055 SLEW->HELIO-X10

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/25/95 - 14:00

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
FEBRUARY 10, 1995
041-042

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 16m 52s

1200 RTLT=16h 16m 50s

0000 RTLT=16h 16m 50s

VOYAGER 1

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1010 |-----12 [D]-----|

1930

0150 - 0730 |-----65 [D]-----|

DSN COVERAGE
HPTXR

32

1545 |-----15 [D]-----| 1940

1925 |-----45 [D]-----|

0515

0500 |---43 [o]---| 0700

HPTXR

RTLT : 12h 42m 30s

1200 RTLT=12h 42m 28s

0000 RTLT=12h 42m 28s

VOYAGER 2

↓ 1255 SLEW->HELIO-X9

↓ 0055 SLEW->HELIO-X8

SLEW->MIDWAY1 0625 ↓

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|-----VGR-----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/25/95 - 14:00

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
FEBRUARY 11, 1995
042-043

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 16m 50s

1200 RTLT=16h 16m 48s

0000 RTLT=16h 16m 46s

VOYAGER 1

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

0910 |----- 15 [D] -----| 1410

1330 |----- 12 [D] -----| 1930

0150 - 0725 |----- 65 [D] -----|

DSN COVERAGE
HPTXR

32

|----- 65 [D] -----| 0815 - 1205

1540 |----- 15 [D] -----| 2025

2010 |----- 45 [D] -----| 0655

HPTXR

RTLT : 12h 42m 28s

1200 RTLT=12h 42m 26s

0000 RTLT=12h 42m 26s

VOYAGER 2

↓ 1725 SLEW->MIDWAY2

↓ 0055 SLEW->HELIO-X7

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/25/95 - 14:00

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
FEBRUARY 12, 1995
043-044

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 16m 46s

1200 RTLT=16h 16m 44s

0000 RTLT=16h 16m 42s

VOYAGER 1

U/L 1100 |-----| TLC (SHORT-FORM) |-----| D/L -|0445

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1010 |-----| 12

1930

0145 - 0720 |-----| 65 [D] |-----|

DSN COVERAGE
HPTXR

32

----- 65 [D] ----- 0810 - 1200

1535 |-----| 15 [D] -----| 1935

1920 |-----| 42 [D] -----| 2245

HPTXR

RTLT : 12h 42m 26s

1200 RTLT=12h 42m 24s

0000 RTLT=12h 42m 24s

VOYAGER 2

↓ 1255 SLEW->HELIO-X6

↓ 0055 SLEW->HELIO-X5

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8