

ISSUE DATE: 05/24/95 - 13:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
MAY 25, 1995
145-146

VGR STAFF/A148
VCB/MD MTG/A148
SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 16m 0s

1200 RTLTL=16h 16m 6s

0000 RTLTL=16h 16m 10s

VOYAGER 1

S/C 31 STATUS

▼ 2130 DUMMY

FDSL : 11AF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -4.798 sec
SCAN PLAT POSITION:
AZ = 155.005 deg
EL = 29.991 deg
ROLLREF = RIGIL
KENTAURUS

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31 ----- 24 [D] ----- | 1425

1915 |----- 63 -----| 2255

0250 |----- 24 [D] -----

2240 |----- 65 [D] -----| 0305

DSN COVERAGE
HPTXR

32 0900 |----- 12 [D] -----| 1240

1225 |----- 42 [D] -----| 2115

2100 |----- 45 [D] -----| 0050

0355 | 63 [B] | 0505

HPTXR

RTLTL : 12h 31m 42s

1200 RTLTL=12h 31m 40s

0000 RTLTL=12h 31m 38s

VOYAGER 2

S/C 32 STATUS

DUMMY (BRACKETED) 0417 ▼

FDSL : 11AF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: 3:08.950 min
SCAN PLAT POSITION:
AZ = 79.985 deg
EL = 84.994 deg
ROLLREF = VEGA

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

|----- VGR -----|

| VGR |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/24/95 - 13:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
MAY 26, 1995
146-147

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 16m 10s
 VOYAGER 1
 FDSL : 11AF
 CCSL : A021
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

1200 RTLT=16h 16m 14s
 0000 RTLT=16h 16m 18s

FDS MODE CR-5T
 XB DATA RATE (MI) 160 (32)

DSN COVERAGE HPTXR
 31 24 [D] 1345 0535 24 [D]
 1330 42 [D] 1820
 1900 65 [D] 0550
 32 0935 45 [D] 2300
 HPTXR 0220 61 [D] 0420

RTLT : 12h 31m 38s
 VOYAGER 2
 FDSL : 11AF
 CCSL : B023
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

1200 RTLT=12h 31m 38s
 0000 RTLT=12h 31m 36s

FDS MODE CR-5T
 XB DATA RATE (MI) 160 (32)

VOYAGER COVERAGE |----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/24/95 - 13:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
MAY 27, 1995
147-148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 16m 18s

1200 RTLT=16h 16m 22s 0000 RTLT=16h 16m 28s

VOYAGER 1

U/L 1400 | - - - - - TLC (SHORT-FORM) - - - - - | D/L

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31 - - - - - 24 [D] - - - - - | 1100 0530 | - 12 [D] - - - - -

1045 | - - - - - 42 - - - - - | 1815 1855 | - - - - - 65 [D] - - - - - | 0545

DSN COVERAGE
HPTXR

32 0925 | - - - - - 45 [D] - - - - - | 2255

HPTXR

0215 | - - 61 [D] - - | 0415

RTLT : 12h 31m 36s

1200 RTLT=12h 31m 34s 0000 RTLT=12h 31m 34s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/24/95 - 13:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
MAY 28, 1995
148-149

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 16m 28s

1200 RTLT=16h 16m 32s

0000 RTLT=16h 16m 36s

VOYAGER 1 D/L | 0745

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE CR-5T
XB DATA RATE (MI) 160 (32)

31 ----- 12 [D] ----- | 1055 0520 | -- 12 [D] --

1040 | ----- 42 [D] ----- | 1810

1850 | ----- 65 [D] ----- | 0540

DSN COVERAGE HPTXR

32 0925 | ----- 45 [D] ----- | 0035

0210 | -- 61 [D] -- | 0410

HPTXR

RTLT : 12h 31m 34s

1200 RTLT=12h 31m 32s

0000 RTLT=12h 31m 32s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE CR-5T
XB DATA RATE (MI) 160 (32)

VOYAGER COVERAGE ----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/24/95 - 13:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
MAY 29, 1995
149-150

MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 16m 36s

1200 RTLTL=16h 16m 42s

0000 RTLTL=16h 16m 46s

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

HPTXR

DSN COVERAGE

32

HPTXR

RTLTL : 12h 31m 32s

1200 RTLTL=12h 31m 30s

0000 RTLTL=12h 31m 30s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

VGR


NOTES

JPL HOLIDAY

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/24/95 - 13:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0



ISSUE DATE: 05/24/95 - 13:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
JUNE 1, 1995
152-153

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 17m 6s

1200 RTLT=16h 17m 12s 0000 RTLT=16h 17m 16s

VOYAGER 1

↓ 1409 SLEW->HELIO-16A

↓ 0209 SLEW->HELIO-15A

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 ----- 12 [D] ----- | 1040 0510 |-- 12 [D] --

1025 |----- 42 [D] ----- | 1755
1835 |----- 65 [D] ----- | 0525

DSN COVERAGE
HPTXR

32 1015 |-- 14 [D] -- | 1215 0155 |-- 61 [D] -- | 0355

1200 |----- 45 [D] ----- | 2220
2205 |-- 43 [B] -- | 2350

HPTXR

RTLT : 12h 31m 26s

1200 RTLT=12h 31m 24s 0000 RTLT=12h 31m 24s

VOYAGER 2

↓ 1236 SLEW-> SUN +1 EL
↓ 1320 SLEW->2 DELTA EL ACROSS SUN
1320 | | 1337 SUNMON
↓ 1329 SLEW->+2 DELTA EL ACROSS SUN
↓ 1338 SLEW->SAFE
▼ 2247 DUMMY (BRACKETED)

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

1222 1341
CR-5T UV-5A CR-5T
160(32) 600(36) 160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/24/95 - 13:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
JUNE 2, 1995
153-154

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 17m 16s

1200 RTLTL=16h 17m 22s

0000 RTLTL=16h 17m 28s

VOYAGER 1

↓ 1409 SLEW->HELIO-14A

↓ 0209 SLEW->HELIO-13A

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

12 [D]

1255

0245

12 [D]

1240

42 [D]

1750

1830

65 [D]

0300

HPTXR

DSN COVERAGE

32

0900

45 [D]

2220

2205

43 [D]

2345

0150

61 [D]

0350

HPTXR

RTLTL : 12h 31m 24s

1200 RTLTL=12h 31m 24s

0000 RTLTL=12h 31m 24s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

VGR

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/24/95 - 13:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
JUNE 3, 1995
154-155

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 17m 28s

1200 RTLTL=16h 17m 32s 0000 RTLTL=16h 17m 38s

VOYAGER 1

U/L 1400 |-----| TLC (SHORT-FORM) |-----| D/L

FDSL : 11AF

↓ 1409 SLEW->HELIO-12A

↓ 0209 SLEW->HELIO-11A

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 12 [D] ----- | 1030 ----- 0500 |--- 12 [D] |---

1015 |-----| 42 ----- | 1750 ----- 65 [D] ----- | 0515

1825 |-----|

DSN COVERAGE

HPTXR

32

0900 |-----| 45 [D] ----- | 2210 -----

2155 |--- 43 [D] ---| 2345

0150 |--- 61 [D] ---| 0345

HPTXR

RTLTL : 12h 31m 24s

1200 RTLTL=12h 31m 22s 0000 RTLTL=12h 31m 22s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/24/95 - 13:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
JUNE 4, 1995
155-156

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 17m 38s

D/L | 0746

1200 RTLT=16h 17m 44s

0000 RTLT=16h 17m 50s

VOYAGER 1

↓ 0809 SLEW->MIDPOINT

FDSL : 11AF

↓ 1409 SLEW->HELIO-10A

↓ 0210 SLEW->HELIO-9A

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 12 [D] ----- | 1030

0500 | -- 12 [D] ---

1015 |

----- 42 [D] ----- | 1745

1820 |

----- 65 [D] ----- | 0515

DSN COVERAGE

HPTXR

32

0855 | ----- 45 [D] ----- | 2345

0145 | - 61 [D] - - | 0340

HPTXR

RTLT : 12h 31m 22s

1200 RTLT=12h 31m 22s

0000 RTLT=12h 31m 22s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/24/95 - 13:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
JUNE 5, 1995
156-157

MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 17m 50s

1200 RTLTL=16h 17m 54s

0000 RTLTL=16h 18m 0s

VOYAGER 1

↓ 1410 SLEW->HELIO-8A

↓ 0210 SLEW->HELIO-7A

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 12 [D] ----- | 1020 0245 |----- 12 [D] -----

1010 |----- 42 [D] ----- | 1740

1820 |----- 65 [D] ----- | 0300

DSN COVERAGE HPTXR

32 0850 |----- 45 [D] ----- | 2205

2150 |----- 43 [D] ----- | 2335

0140 |----- 61 [D] ----- | 0335

HPTXR

RTLTL : 12h 31m 22s

1200 RTLTL=12h 31m 22s

0000 RTLTL=12h 31m 22s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/24/95 - 13:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
JUNE 6, 1995
157-158

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 18m 0s

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLTL=16h 18m 6s | 0000 RTLTL=16h 18m 12s

1315 | 1316 PWS/RH
↓ 1410 SLEW->HELIO-6A

↓ 0210 SLEW->HELIO-5A

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

CR-5T

160(32)

31

HPTXR

DSN COVERAGE

32

HPTXR

RTLTL : 12h 31m 22s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLTL=12h 31m 22s | 0000 RTLTL=12h 31m 20s

1248 | 1249 PWS/RH

1248
GS-4B | 1249

1521

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

CR-5T

160(32)

UV-5A

600(36)

VOYAGER COVERAGE

----- VGR -----

NOTES

- [1] S/C 32=GS-4B @ 1248 XB=2.8K(41) NOT RECOVERABLE
- [2] S/C 31=GS-4B @ 1315 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/24/95 - 13:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
JUNE 7, 1995
158-159

SFOS/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 18m 12s

1200 RTLT=16h 18m 18s

0000 RTLT=16h 18m 24s

VOYAGER 1

↓ 1410 SLEW->HELIO-4A

↓ 0210 SLEW->HELIO-3A

FDSL : 11AF

▼ 1530 DUMMY

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

12 [D] ----- | 1015

0230 |----- 12 [D] -----

1000 |----- 42 -----

| 1730

1810 |-----

65 [D] ----- | 0245

DSN COVERAGE

HPTXR

32

0840 |----- 45 [D] -----

2155
2140 |----- 43 [B] ----- | 2325

0130 |----- 61 [D] ----- | 0330

HPTXR

RTLT : 12h 31m 20s

1200 RTLT=12h 31m 20s

0000 RTLT=12h 31m 20s

VOYAGER 2

▼ 2247 DUMMY (BRACKETED)

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A

600(36)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/24/95 - 13:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
JUNE 8, 1995
159-160

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 18m 24s
VOYAGER 1
FDSL : 11AF
CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLTL=16h 18m 30s 0000 RTLTL=16h 18m 36s

↓ 1410 SLEW->HELIO-2A
↓ 0210 SLEW->HELIO-1A

FDS MODE CR-5T
XB DATA RATE (MI) 160(32)

31 -- 12 [D] -- | 0840 0125 |----- 24 [D] -----

0955 |----- 42 [D] ----- | 1730
1900 |----- 61 [D] ----- | 0015

DSN COVERAGE HPTXR

32 0840 |----- 45 [D] ----- | 2150

2135 |-- 43 [D] -- | 2325
0130 |-- 61 [D] -- | 0325

HPTXR

RTLTL : 12h 31m 20s
VOYAGER 2
FDSL : 11AF
CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLTL=12h 31m 22s 0000 RTLTL=12h 31m 22s

↓ 1236 SLEW-> SUN +1 EL
↓ 1320 SLEW->-2 DELTA EL ACROSS SUN
1320 | | 1337 SUNMON
↓ 1329 SLEW->+2 DELTA EL ACROSS SUN
↓ 1338 SLEW->SAFE

2315 |----- COMMAND MORATORIUM -----

FDS MODE UV-5A CR-5T
XB DATA RATE (MI) 600(36) 160(32)

1341

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/24/95 - 13:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
JUNE 9, 1995
160-161

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 18m 36s

1200 RTLT=16h 18m 42s

0000 RTLT=16h 18m 48s

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

0715 24 [D]

1900

61 [D]

0030

0845 |-----| 12 [D]

1215 |-----| 1230

0215 |-----| 12 [D]

1215 |-----| 42 [D] |-----| 1725

DSN COVERAGE

HPTXR

32

0835 |-----| 45 [D]

2145

2130 |-----| 43 [D] |-----| 2320

0045 |-----| 65 [D] |-----| 0400

HPTXR

RTLT : 12h 31m 22s

1200 RTLT=12h 31m 22s

0000 RTLT=12h 31m 22s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

----- COMMAND MORATORIUM -----

↓ 1117 GYROS AB ON

↓ 1117 GYRO INIT

↓ 1127 GYRO FAULT TEST

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

| VGR |

|-----| VGR |-----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/24/95 - 13:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
JUNE 10, 1995
161-162

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 18m 48s

1200 RTLTL=16h 18m 54s 0000 RTLTL=16h 19m 0s

VOYAGER 1

U/L 1400 | - - - - - TLC (SHORT-FORM) | - - - - - D/L

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 ----- 12 [D] ----- | 1020 1800 | ----- 65 [D] ----- 0435 | --- 12 [D] ---
1005 | ----- 42 ----- | 1720 ----- | 0450

DSN COVERAGE HPTXR

32 0830 | ----- 45 [D] ----- | 2145
2130 | - 43 [D] - - | 2315

HPTXR

RTLTL : 12h 31m 22s

1200 RTLTL=12h 31m 22s 0000 RTLTL=12h 31m 22s

----- COMMAND MORATORIUM ----- | 2245

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/24/95 - 13:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
JUNE 11, 1995
162-163

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 19m 0s

1200 RTLT=16h 19m 8s

0000 RTLT=16h 19m 14s

VOYAGER 1

D/L | 0747

FDSL : 11AF

CCSL : A021

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

12 [D] ----- | 1000

0205 |----- 12 [D] -----

0945 |-----

42 [D] -----

| 1715

HPTXR

1755 |-----

65 [D] -----

| 2350

DSN COVERAGE

32

0825 |-----

45 [D] -----

| 2310

HPTXR

0035 |-----

65 [D] -----

| 0350

RTLT : 12h 31m 22s

1200 RTLT=12h 31m 24s

0000 RTLT=12h 31m 24s

VOYAGER 2

FDSL : 11AF

CCSL : B023

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/24/95 - 13:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
JUNE 12, 1995
163-164

MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 19m 14s

1200 RTLTL=16h 19m 20s

0000 RTLTL=16h 19m 26s

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 12 [D] ----- | 0955

0940 |----- 42 [D] ----- | 1710

0310 |----- 24 [D] -----

1840 |----- 61 [D] ----- | 0040

DSN COVERAGE
HPTXR

32 ----- 0850 |----- 45 [D] ----- | 2335

0035 |----- 65 [D] ----- | 0350

HPTXR

RTLTL : 12h 31m 24s

1200 RTLTL=12h 31m 24s

0000 RTLTL=12h 31m 24s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/24/95 - 13:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
JUNE 13, 1995
164-165

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 19m 26s
VOYAGER 1
FDSL : 11AF
CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLT=16h 19m 32s
0000 RTLT=16h 19m 40s

1252 | 1253 PWS/RH

1252 GS-4B 1253

FDS MODE CR-5T CR-5T
XB DATA RATE (MI) 160(32) 160(32)

DSN COVERAGE

31 --- 24 [D] --- | 0900 1945 | 65 [D] | 2345 0200 | 12 [D] ---
0935 | 42 [D] --- | 1710 1800 | 63 [D] --- | 2000

HPTXR

32 | 12 [D] --- | 0710 - 1125 2335
1110 | 45 [D] --- | 0030 | 65 [D] --- | 0345

HPTXR

RTLT : 12h 31m 24s
VOYAGER 2
FDSL : 11AF
CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

1200 RTLT=12h 31m 26s
0000 RTLT=12h 31m 26s

↓ 1217 GYRO INIT
1224 | 1225 PWS/RH

1224 GS-4B 1225

FDS MODE CR-5T CR-5T
XB DATA RATE (MI) 160(32) 160(32)

VOYAGER COVERAGE |----- VGR -----|

NOTES
[1] S/C 32=GS-4B @ 1224 XB=2.8K(41) NOT RECOVERABLE
[2] S/C 31=GS-4B @ 1252 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/24/95 - 13:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
JUNE 14, 1995
165-166

SFOS/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 19m 40s

1200 RTLTL=16h 19m 46s

0000 RTLTL=16h 19m 52s

VOYAGER 1

▼ 1630 DUMMY

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 12 [D] ----- | 0950 ----- 0235 |----- 12 [D] -----

0935 |----- 42 ----- | 1705 ----- | 0250 -----

HPTXR

DSN COVERAGE

32 0815 |----- 45 [D] ----- | 2330 -----

0115 | - 61 [D] - | 0300

HPTXR

RTLTL : 12h 31m 26s

1200 RTLTL=12h 31m 28s

0000 RTLTL=12h 31m 28s

COMMAND MORATORIUM 0502 |-----

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/24/95 - 13:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
JUNE 15, 1995
166-167

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 19m 52s

1200 RTLT=16h 20m 0s

0000 RTLT=16h 20m 6s

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 ----- 12 [D] ----- | 1020 0345 |----- 12 [D] -----

1005 |----- 42 [D] ----- | 1700

1825 |----- 61 [D] ----- | 0400

DSN COVERAGE HPTXR

32 0810 |----- 45 [D] ----- | 2115

2100 |----- 43 [D] ----- | 2255

0020 |----- 65 [D] ----- | 0335

HPTXR

RTLT : 12h 31m 28s

1200 RTLT=12h 31m 30s

0000 RTLT=12h 31m 30s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

----- COMMAND MORATORIUM -----
↓ 1704 BAY 1 HTR OFF
↓ 1708 X/B HI POWER

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/24/95 - 13:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
JUNE 16, 1995
167-168

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 20m 6s

1200 RTLT=16h 20m 14s

0000 RTLT=16h 20m 20s

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

12 [D] ---|0940

0925 |

42 [D] ---

|1655

0345 |

12 [D] ---

HPTXR

1735 |

65 [D] ---

|0400

DSN COVERAGE

32

0805 |

45 [D] ---

|2115

2100 | 43 [D] --|2250

0055 |

61 [D] --|0250

HPTXR

1200 RTLT=12h 31m 32s

0000 RTLT=12h 31m 32s

RTLT : 12h 31m 30s

COMMAND MORATORIUM

VOYAGER 2

↓ 1227 AAI

1230 |

MAGROL

|1825

FDSL : 11AF

1243 |

UVS MAGROL RIDER

|1851

CCSL : B023

↓ 1530 SLEW->+20 DEG EL

TWNC : ON

↓ 1818 RAI

SB : OFF XB : HI

↓ 1825 CRU

PYR : .05/ .10/ .25

↓ 1825 GYROS OFF

GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

[1] S/C 32 - D/L AGC VARIATIONS EXPECTED DURING MAGROL (1230-1825)

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/24/95 - 13:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
JUNE 17, 1995
168-169

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 20m 20s

1200 RTLTL=16h 20m 28s 0000 RTLTL=16h 20m 34s

VOYAGER 1

U/L 1400 |----- TLC (SHORT-FORM) -----| D/L

FDSL : 11AF

↓ 1411 SLEW->HELIO-1B

↓ 0211 SLEW->HELIO-2B

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 -- 12 [D] -- | 0835 0825 |----- 14 [D] -----| 1125 1730 |----- 65 [D] -----| 0345 |----- 12 [D] -----| 0400

HPTXR

1110 |----- 42 -----| 1650

DSN COVERAGE

32 0800 |----- 45 [D] -----| 2245 0055 |-- 61 [D] --| 0245

HPTXR

1200 RTLTL=12h 31m 34s 0000 RTLTL=12h 31m 36s

RTLTL : 12h 31m 32s

----- COMMAND MORATORIUM -----

↓ 1704 X/B LOW POWER

↓ 1708 BAY 1 HTR ON

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL ----- | VGR | ----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/24/95 - 13:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
JUNE 18, 1995
169-170

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 20m 34s

1200 RTLT=16h 20m 42s

0000 RTLT=16h 20m 48s

VOYAGER 1

↓ 1411 SLEW->HELIO-3B

↓ 0211 SLEW->HELIO-4B

D/L | 0749

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

12 [D] ----- | 1105

0335 | ----- 12 [D] -----

1050 |

42 [D] ----- | 1650

1815 |

61 [D] ----- | 0350

DSN COVERAGE

HPTXR

32

0755 | ----- 45 [D] -----

2105

2050 | - 43 [D] - - | 2245

0010 | ----- 65 [D] ----- | 0325

HPTXR

RTLT : 12h 31m 36s

1200 RTLT=12h 31m 36s

0000 RTLT=12h 31m 38s

VOYAGER 2

----- COMMAND MORATORIUM -----

----- | 0436

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7