

ISSUE DATE: 08/23/95 - 13:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY  
AUGUST 24, 1995  
236-237

VGR STAFF/A148  
VCB/MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 43m 6s

1200 RTLT=16h 43m 18s

0000 RTLT=16h 43m 30s

VOYAGER 1

FDSL : 11AF

CCSL : A021

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

S/C 31 STATUS

FDS CLOCK DRIFT:

ADD TO S/C EVENT

ERT: -5.568 sec

SCAN PLAT POSITION:

AZ = 176.097 deg

EL = 69.671 deg

ROLLREF = RIGIL

KENTAURUS

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

31 0700 24 [D] 42 [D] 1130 1300 65 [D] 2340 - 0640 12 [D] 42 [D] 0630

HPTXR

DSN COVERAGE

32 45 [D] 1615 1555 43 [D] 1845 2025 61 [D] 2205 0320 45 [D]

HPTXR

RTLT : 12h 44m 36s

1200 RTLT=12h 44m 46s

0000 RTLT=12h 44m 56s

↓ 1026 SLEW->HELIO-20

VOYAGER 2

FDSL : 11AF

CCSL : B024

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

S/C 32 STATUS

FDS CLOCK DRIFT:

ADD TO S/C EVENT

ERT:2:57.787 min

SCAN PLAT POSITION:

AZ = 270.025 deg

EL = 54.976 deg

ROLLREF = VEGA

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

VGR

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/23/95 - 13:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY  
AUGUST 25, 1995  
237-238

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 43m 30s

1200 RTLTL=16h 43m 42s

0000 RTLTL=16h 43m 54s

VOYAGER 1

FDSL : 11AF

CCSL : A021  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160 (32)

31 ----- 42 [D] ----- | 1125 1255 | ----- 65 [D] ----- | 2350 2335 - 0635 | ----- 12 [D] ----- | 0625 | 42

HPTXR

DSN COVERAGE

32 ----- 45 [D] ----- | 1610 1550 | ----- 43 [D] ----- | 1840 2025 | - 61 [D] - | 2200 0215 | ----- 24 [D] ----- | 45 [D] 0655 |

HPTXR

RTLTL : 12h 44m 56s

1200 RTLTL=12h 45m 6s

0000 RTLTL=12h 45m 16s

VOYAGER 2

FDSL : 11AF

CCSL : B024  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160 (32)

VOYAGER COVERAGE

| ----- VGR ----- |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/23/95 - 13:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY  
AUGUST 26, 1995  
238-239

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 43m 54s

1200 RTLT=16h 44m 4s

0000 RTLT=16h 44m 16s

VOYAGER 1

U/L 0900 |-----| TLC (SHORT-FORM) |-----| D/L |0312

FDSL : 11AF

CCSL : A021  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

31

-----42-----|1120

1425 |-----| 61 [D] |-----| 2230

42 [D] 0620 |-----|

2215 - 0635 |-----| 12 [D] |-----|

DSN COVERAGE

HPTXR

32

|0710 24 [D]

-----45 [D]-----|1605

1940 |-----| 65 [D] |-----| 2240

0315 |-----| 45 [D] |-----|

1550 |-----| 43 [D] |-----| 1835

HPTXR

RTLT : 12h 45m 16s

1200 RTLT=12h 45m 26s

0000 RTLT=12h 45m 36s

VOYAGER 2

FDSL : 11AF

CCSL : B024  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/23/95 - 13:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY  
AUGUST 27, 1995  
239-240

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 44m 16s

1200 RTLT=16h 44m 28s

0000 RTLT=16h 44m 40s

VOYAGER 1

FDSL : 11AF

CCSL : A021  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

31 -----42 [D] ----- | 1115 -----1250 |-----65 [D] ----- | 2340 -----42 [D] 0620 |---

HPTXR

2320 - 0630 |-----12 [D] ----- |

DSN COVERAGE

32 -----45 [D] ----- | 1605 -----1545 |-----43 [D] ----- | 1835 -----0310 |-----45 [D] ----- |

HPTXR

2015 | - 61 [D] - | 2155

RTLT : 12h 45m 36s

1200 RTLT=12h 45m 46s

0000 RTLT=12h 45m 56s

VOYAGER 2

FDSL : 11AF

CCSL : B024  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

----- ON CALL ----- |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/23/95 - 13:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY  
AUGUST 28, 1995  
240-241

MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 44m 40s

1200 RTLTL=16h 44m 52s

0000 RTLTL=16h 45m 4s

VOYAGER 1

▼ 1630 DUMMY

FDSL : 11AF

CCSL : A021  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

31 -----42 [D] ----- | 1115  
1415 |----- 61 ----- | 2210 |----- 24 [D] -----  
2225 |----- 42 [D] 0700

DSN COVERAGE  
HPTXR

32 -----45 [D] ----- | 1600  
1540 |--- 43 [D] --- | 1800  
1935 |--- 65 [D] --- | 2230

HPTXR

RTLTL : 12h 45m 56s

1200 RTLTL=12h 46m 6s

0000 RTLTL=12h 46m 16s

VOYAGER 2

FDSL : 11AF

CCSL : B024  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE


|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/23/95 - 13:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0



ISSUE DATE: 08/23/95 - 13:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY  
AUGUST 30, 1995  
242-243

SFOS/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 45m 28s

1200 RTLT=16h 45m 40s

0000 RTLT=16h 45m 52s

VOYAGER 1

FDSL : 11AF

CCSL : A021  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31 | 0720 24 [D] | 0705 - 1105 | 2330 | 24 [D] | 0520 | 42 [D] |

| 42 [D] | 1235 | 65 [D] | 2345 | 0535 |

HPTXR

DSN COVERAGE

32 | 45 [D] | 1820 | 0255 | 45 [D] |

2005 | 61 [D] | 2140

HPTXR

RTLT : 12h 46m 38s

1200 RTLT=12h 46m 48s

0000 RTLT=12h 46m 58s

VOYAGER 2

FDSL : 11AF

CCSL : B024  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

| VGR |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/23/95 - 13:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY  
AUGUST 31, 1995  
243-244

VGR STAFF/A148  
VCB/MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 45m 52s

1200 RTLT=16h 46m 4s

0000 RTLT=16h 46m 16s

VOYAGER 1

FDSL : 11AF

CCSL : A021  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

31 ----- 42 [D] ----- | 1100 1230 | ----- 65 [D] ----- | 1845 2155 | ----- 24 [D] ----- | 0600

HPTXR

1830 | ----- 61 [D] ----- | 2210

DSN COVERAGE

32 ----- 45 [D] ----- | 1820 0255 | ----- 45 [D] -----

HPTXR

RTLT : 12h 46m 58s

1200 RTLT=12h 47m 10s

0000 RTLT=12h 47m 20s

VOYAGER 2

FDSL : 11AF

CCSL : B024  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

VOYAGER COVERAGE

| ----- VGR ----- |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7



ISSUE DATE: 08/23/95 - 13:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY  
SEPTEMBER 1, 1995  
244-245

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 46m 16s

1200 RTLT=16h 46m 28s

0000 RTLT=16h 46m 40s

VOYAGER 1

FDSL : 11AF

CCSL : A021  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 42 [D] ----- | 1055

1420 | ----- 61 [D] ----- | 1855

2130 | ----- 24 [D] ----- 42 0700

HPTXR

DSN COVERAGE

32

----- 45 [D] ----- | 1230

1215 | ----- 42 [D] ----- | 1705

1955 | - 61 [D] - | 2135

0315 | ----- 45 [D] -----

HPTXR

RTLT : 12h 47m 20s

1200 RTLT=12h 47m 30s

0000 RTLT=12h 47m 42s

VOYAGER 2

FDSL : 11AF

CCSL : B024  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

| ----- VGR ----- |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/23/95 - 13:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY  
SEPTEMBER 2, 1995  
245-246

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 46m 40s

1200 RTLT=16h 46m 52s

0000 RTLT=16h 47m 4s

VOYAGER 1

U/L 0900 |-----| TLC (SHORT-FORM) -----| D/L | 0315

FDSL : 11AF

CCSL : A021  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31 | 0715 24 [D] -----| 0700 - 1055 -----| 2150 |-----| 12 [D] -----| 0535 | 42 [D] -  
-----| 42 -----| 1355 |-----| 61 [D] -----| 2205 -----| 0550

DSN COVERAGE  
HPTXR

32 -----| 45 [D] -----| 1810 -----| 0245 |-----| 45 [D] -----  
-----| 1910 |-----| 65 [D] -----| 2210

HPTXR

RTLT : 12h 47m 42s

1200 RTLT=12h 47m 52s

0000 RTLT=12h 48m 2s

VOYAGER 2

FDSL : 11AF

CCSL : B024  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

-----| ON CALL -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/23/95 - 13:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY  
SEPTEMBER 3, 1995  
246-247

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 47m 4s

1200 RTLT=16h 47m 16s

0000 RTLT=16h 47m 28s

VOYAGER 1

FDSL : 11AF

CCSL : A021  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31 -----42 [D] ----- | 1050 1220 |-----65 [D] -----| 2315 2300 |-----24 [D] -----| 0515 0500 |--42 [D] --

DSN COVERAGE  
HPTXR

32 -----45 [D] ----- | 1110 1150 |-----42 [D] -----| 1655 0205 |-----12 [D] -----| 0520 0530 |--45 [D] --

HPTXR

RTLT : 12h 48m 2s

1200 RTLT=12h 48m 14s

0000 RTLT=12h 48m 24s

VOYAGER 2

FDSL : 11AF

CCSL : B024  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/23/95 - 13:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY  
SEPTEMBER 4, 1995  
247-248

MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 47m 28s

1200 RTLT=16h 47m 40s

0000 RTLT=16h 47m 52s

VOYAGER 1

FDSL : 11AF

CCSL : A021  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 42 [D] ----- | 1045

1445 |----- 63 [D] -----| 1845

2140 |----- 12 [D] -----| 0545 | 42 [D] |

0600

1830 |----- 61 [D] -----| 2155

HPTXR  
DSN COVERAGE

32 ----- 45 [D] ----- | 1505

1445 |----- 42 [D] -----| 1650

0520 |----- 45 [D] -----|

0600

1905 |----- 65 [D] -----| 2200

HPTXR

RTLT : 12h 48m 24s

1200 RTLT=12h 48m 36s

0000 RTLT=12h 48m 46s

VOYAGER 2

FDSL : 11AF

CCSL : B024  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

**JPL HOLIDAY**

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/23/95 - 13:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY  
SEPTEMBER 5, 1995  
248-249

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 47m 52s  
VOYAGER 1  
FDSL : 11AF  
CCSL : A021  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

1200 RTLT=16h 48m 4s | 0000 RTLT=16h 48m 16s

0818 | 0819 PWS/RH ▼ 2010 DUMMY

0818 GS-4B 0819

FDS MODE	CR-5T	CR-5T
XB DATA RATE (MI)	160(32)	160(32)

DSN COVERAGE

31	42 [D] -----   1040	1215  ----- 65 [D] -----   1800	2220  ----- 12 [D] -----   0540   42 [D] -
HPTXR		1745  ----- 63 -----   2235	
32	45 [D] -----   1800	1900  ----- 65 [D] -----   2200	0235  ----- 45 [D] -----
HPTXR			

RTLT : 12h 48m 46s  
VOYAGER 2  
FDSL : 11AF  
CCSL : B024  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

1200 RTLT=12h 48m 56s | 0000 RTLT=12h 49m 8s

| 0744 - 0745 PWS/RH 1649 |----- COMMAND MORATORIUM -----

0324 |----- | 0434 TAPPOS  
BAY 1 HTR OFF 0508 ↓  
X/B HI POWER 0512 ↓  
YAW=.05 0608 ↓  
PLAYBACK 0616 |-----

0744 GS-4B 0745 0616 PB-5

FDS MODE	CR-5T
XB DATA RATE (MI)	160(32)

VOYAGER COVERAGE |----- VGR ----- |----- VGR -----

NOTES

[1] S/C 32=GS-4B @ 0744 XB=2.8K(41) NOT RECOVERABLE  
[2] S/C 31=GS-4B @ 0818 XB=2.8K(41) NOT RECOVERABLE  
[3] S/C 32=PB-5 @ 0616 XB=7.2K(41)

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/23/95 - 13:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY  
SEPTEMBER 6, 1995  
249-250

SFOS/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 48m 16s

1200 RTLT=16h 48m 28s

0000 RTLT=16h 48m 40s

VOYAGER 1

FDSL : 11AF

CCSL : A021  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 42 [D] ----- | 1040 ----- 65 [D] ----- | 1830 ----- 0035 |----- 12 [D] ----- | 0540 | 42 [D] -

1205 |-----

1815 |-----

63 [D] ----- | 2230

0550

DSN COVERAGE  
HPTXR

32 ----- 45 [D] ----- | 1755 ----- 65 [D] ----- | 2155 ----- 0125 |----- 14 [D] ----- | 0500

45 [D]

1915 |-----

65 [D] ----- | 2155

0125 |-----

14 [D] ----- | 0500

HPTXR

RTLT : 12h 49m 8s

1200 RTLT=12h 49m 18s

0000 RTLT=12h 49m 30s

VOYAGER 2

FDSL : 11AF

CCSL : B024  
TWNC : ON  
SB : OFF XB : HI  
PYR : .05/ .05 / .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

PB-5

7.2K(41)

CR-5T

160(32)

COMMAND MORATORIUM

1252

↓ 1306 YAW=.10

0440 - 0651 | - TAPPOS - - |

PLAYBACK ----- | 1252

VOYAGER COVERAGE

----- VGR ----- | ----- VGR ----- |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/23/95 - 13:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY  
SEPTEMBER 7, 1995  
250-251

VGR STAFF/A148  
VCB/MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 48m 40s

1200 RTLT=16h 48m 52s

0000 RTLT=16h 49m 4s

VOYAGER 1

FDSL : 11AF

CCSL : A021  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

31 ----- 42 [D] ----- | 1035  
1335 |----- 61 [D] -----| 2145  
2130 |----- 12 [D] -----| 0545

DSN COVERAGE  
HPTXR

32 ----- 45 [D] ----- | 1750  
1850 |----- 65 [D] -----| 2150  
0225 |----- 45 [D] -----

HPTXR

RTLT : 12h 49m 30s

1200 RTLT=12h 49m 42s

0000 RTLT=12h 49m 52s

COMMAND MORATORIUM

1622  
1706

COMMAND MORATORIUM

GYRO INIT 0526 ↓  
GYROS BC ON 0526 ↓  
GYRO FAULT TEST 0536 ↓  
CCSTIM(B) 0631 - 0637 ||

VOYAGER 2

FDSL : 11AF

CCSL : B024  
TWNC : ON  
SB : OFF XB : HI  
PYR : .05/ .10 / .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

0659  
UV-5A

VOYAGER COVERAGE

|----- VGR -----| |----- VGR -----|

NOTES

[1] S/C 32=UV-5A @ 0659 XB=600(36)

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/23/95 - 13:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY  
SEPTEMBER 8, 1995  
251-252

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 49m 4s

1200 RTLT=16h 49m 16s

0000 RTLT=16h 49m 28s

VOYAGER 1

FDSL : 11AF

CCSL : A021  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 42 [D] ----- | 1030 0525 | --- 42 ---

1200 |----- 65 [D] ----- | 1800

2055 |----- 12 [D] ----- | 0540

DSN COVERAGE  
HPTXR

32 ----- 45 [D] ----- | 1715 0250 |----- 45 [D] -----

1845 |----- 65 [D] ----- | 2145

HPTXR

RTLT : 12h 49m 52s

1200 RTLT=12h 50m 4s

0000 RTLT=12h 50m 14s

VOYAGER 2

↓ 0729 SLEW->Eta Uma

COMMAND MORATORIUM

FDSL : 11AF

CCSL : B024  
TWNC : ON  
SB : OFF XB : HI  
PYR : .05/ .10 / .25  
GYROS : ON

FDS MODE  
XB DATA RATE (MI)

UV-5A

600(36)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7



ISSUE DATE: 08/23/95 - 13:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY  
SEPTEMBER 9, 1995  
252-253

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 49m 28s

1200 RTLT=16h 49m 40s

0000 RTLT=16h 49m 52s

VOYAGER 1

U/L 0900 |----- TLC (SHORT-FORM) -----| D/L |0318

FDSL : 11AF

CCSL : A021  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31

-----42-----|1025  
1155 |-----65 [D]-----|1800  
2230 |-----12 [D]-----|0620 |---  
-----|0540

HPTXR

1745 |-----63 [D]-----|2250

DSN COVERAGE

32

-----45 [D]-----|1740  
0215 |-----45 [D]-----|

HPTXR

1845 |-----65 [D]-----|2140

RTLT : 12h 50m 14s

1200 RTLT=12h 50m 26s

0000 RTLT=12h 50m 36s

VOYAGER 2

----- COMMAND MORATORIUM -----|1635

↓ 0729 SLEW->Eta Uma BKGD

FDSL : 11AF

CCSL : B024  
TWNC : ON  
SB : OFF XB : HI  
PYR : .05/ .10 / .25  
GYROS : ON

FDS MODE  
XB DATA RATE (MI)

UV-5A

600(36)

VOYAGER COVERAGE

----- ON CALL -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/23/95 - 13:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY  
SEPTEMBER 10, 1995  
253-254

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 49m 52s  
 VOYAGER 1  
 FDSL : 11AF  
 CCSL : A021  
 TWNC : ON  
 SB : OFF XB : LOW  
 PYR : .05/ .10/ .25  
 GYROS : OFF

FDS MODE CR-5T  
 XB DATA RATE (MI) 160(32)

1200 RTLT=16h 50m 4s  
 0000 RTLT=16h 50m 16s

DSN COVERAGE

HPTXR 31  
 42 [D] 1020 1155 65 [D] 1755 2050 12 [D] 0535 0520 42 [D]

HPTXR 32  
 45 [D] 1740 1840 65 [D] 2140 0440 45 [D] 0255 14 [D] 0455

RTLT : 12h 50m 36s  
 VOYAGER 2  
 FDSL : 11AF  
 CCSL : B024  
 TWNC : ON  
 SB : OFF XB : HI  
 PYR : .05/ .10 / .25  
 GYROS : ON

1200 RTLT=12h 50m 48s  
 0000 RTLT=12h 51m 0s

↓ 0729 SLEW->Alpha Vir

FDS MODE UV-5A  
 XB DATA RATE (MI) 600(36)

VOYAGER COVERAGE ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7