

ISSUE DATE: 12/06/95 - 09:20

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
DECEMBER 7, 1995
341-342

VCB/MD MTG/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 15m 46s

1200 RTLTL=17h 15m 50s
↓ 1139 SLEW->HELIO-4A

0000 RTLTL=17h 15m 54s

VOYAGER 1

S/C 31 STATUS

↓ 2339 SLEW->HELIO-3A

FDSL : 11AF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -6.316 sec

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

ROLLREF = RIGIL
KENTAURUS

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31

61 [D] ----- 1415
1400 |----- 15 [D] ----- 0015

61 [D] 0740 |-----

DSN COVERAGE
HPTXR

32

45 [D] ----- 1155

2030 |----- 45 [D] -----

HPTXR

RTLTL : 13h 23m 16s

1001 |----- 1200 RTLTL=13h 23m 24s

COMMAND MORATORIUM

0000 RTLTL=13h 23m 32s

VOYAGER 2

S/C 32 STATUS

↓ 2254 GYROS AB ON
↓ 2255 GYRO INIT
↓ 2304 GYRO FAULT TEST
2359 | 0006 CCSTIM(B)

FDSL : 11AF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: 2:44.751 min

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

ROLLREF = VEGA

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 12/06/95 - 09:20

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
DECEMBER 8, 1995
342-343

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 15m 54s

1200 RTLT=17h 15m 58s

0000 RTLT=17h 16m 2s

VOYAGER 1

↓ 1139 SLEW->HELIO-2A

↓ 2339 SLEW->HELIO-1A

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31 ----- 61 [D] ----- | 1345 ----- 61 0740 |

1330 |----- 15 [D] -----| 1945

DSN COVERAGE
HPTXR

32 ----- 45 [D] ----- | 1150 ----- 2040 |----- 45 [D] -----

1250 |----- 65 [D] -----| 1555

HPTXR

RTLT : 13h 23m 32s

1200 RTLT=13h 23m 40s

0000 RTLT=13h 23m 48s

----- COMMAND MORATORIUM -----

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 12/06/95 - 09:20

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
DECEMBER 9, 1995
343-344

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 16m 2s

1200 RTLT=17h 16m 6s

0000 RTLT=17h 16m 10s

VOYAGER 1

U/L 0930 | - | - - - - - TLC (SHORT-FORM) - - - - - | D/L - | 0414

FDSL : 11AF

↓ 1439 SLEW->HELIO-1B

↓ 0239 SLEW->HELIO-2B

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

61

1355

1410

15 [D]

0015

61 [D] 0735 | - -

DSN COVERAGE
HPTXR

32

45 [D]

1145

1245

65 [D]

1550

2050

45 [D]

HPTXR

RTLT : 13h 23m 48s

1200 RTLT=13h 23m 56s

0000 RTLT=13h 24m 4s

0931 COMMAND MORATORIUM

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 12/06/95 - 09:20

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
DECEMBER 10, 1995
344-345

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 16m 10s

1200 RTLT=17h 16m 14s

0000 RTLT=17h 16m 18s

VOYAGER 1

↓ 1439 SLEW->HELIO-3B

↓ 0239 SLEW->HELIO-4B

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

-----61 [D]-----

1350 |-----| 1405

-----15 [D]-----| 0045

0600 |-----65 [D]-----

DSN COVERAGE
HPTXR

32

---45 [D]---| 1000

0945 | 43 [D] - | 1115

2025 |-----45 [D]-----

HPTXR

1245 |-----65 [D]-----| 1545

RTLT : 13h 24m 4s

1200 RTLT=13h 24m 12s

0000 RTLT=13h 24m 20s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

-----ON CALL-----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 12/06/95 - 09:20

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
DECEMBER 11, 1995
345-346

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 16m 18s

1200 RTLTL=17h 16m 20s

0000 RTLTL=17h 16m 24s

VOYAGER 1

↓ 1439 SLEW->HELIO-5B

↓ 0239 SLEW->HELIO-6B

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 ----- 65 [D] ----- | 1400 2320 |----- 42 [D] ----- | 04250555 |----- 65 [D] -----

1345 |----- 15 [D] ----- | 1915

2045 |----- 12 [D] ----- | 2335

DSN COVERAGE HPTXR

32 ----- 45 [D] ----- | 1140 2000 |----- 15 [D] ----- | 0010 0330 |----- 45 [D] -----

HPTXR

RTLTL : 13h 24m 20s

1200 RTLTL=13h 24m 28s

0000 RTLTL=13h 24m 36s

VOYAGER 2

↓ 2355 GYRO INIT

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 12/06/95 - 09:20

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
DECEMBER 12, 1995
346-347

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 16m 24s | 1200 RTLT=17h 16m 28s | 0000 RTLT=17h 16m 32s

VOYAGER 1
↓ 1439 SLEW->HELIO-7B
2320 | 2321 PWS/RH

FDSL : 11AF
▼ 0055 DUMMY
↓ 0239 SLEW->HELIO-8B

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)
CR-5T 160 (32)
2320 GS-4B 2321
CR-5T 160(32)

DSN COVERAGE
HPTXR
31 |----- 65 [D] -----| 1400
1345 |----- 15 [D] -----| 0035
0020 |----- 42 -----| 0415

HPTXR
32 |----- 45 [D] -----| 1135
2010 |----- 45 [D] -----|

RTLT : 13h 24m 36s | 1200 RTLT=13h 24m 42s | 0000 RTLT=13h 24m 50s

VOYAGER 2
2250 | 2251 PWS/RH
0004 | PLSCAL -| 0146
0004 | --- MAGCAL ---| 0306
0004 | --- PESCAL ---| 0324

FDSL : 11AF
CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)
CR-5T 160 (32)
2250 GS-4B 2251
CR-5T 160(32)

VOYAGER COVERAGE
|----- VGR -----|

NOTES
[1] S/C 32=GS-4B @ 2250 XB=2.8K(41) NOT RECOVERABLE
[2] S/C 31=GS-4B @ 2320 XB=2.8K(41) NOT RECOVERABLE

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 12/06/95 - 09:20

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
DECEMBER 13, 1995
347-348

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 16m 32s

1200 RTLT=17h 16m 34s

0000 RTLT=17h 16m 38s

VOYAGER 1

↓ 1439 SLEW->HELIO-9B

↓ 0239 SLEW->HELIO-10B

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 65 [D] ----- | 1145
1310 |----- 15 [D] -----| 1815
2230 |----- 42 [D] -----| 0415
0545 |--- 65 [D] ---

HPTXR

DSN COVERAGE

32 -- 45 [D] -- | 0945
0930 |--- 43 [B] --- | 1130
1230 |----- 65 [D] -----| 1535
2010 |----- 45 [D] -----

HPTXR

RTLT : 13h 24m 50s

1200 RTLT=13h 24m 58s

0000 RTLT=13h 25m 4s

VOYAGER 2

▼ 1027 DUMMY (BRACKETED)

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

| VGR | |----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 12/06/95 - 09:20

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
DECEMBER 14, 1995
348-349

VCB/MD MTG/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 16m 38s

1200 RTLT=17h 16m 42s

0000 RTLT=17h 16m 44s

VOYAGER 1

↓ 1439 SLEW->MIDPOINT

U/L 0800

↓ 0239 SLEW->HELIO-11B

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 65 [D] ----- | 1145

2100 | ----- 15 [D] ----- | 0015

0715 | 61

0000 | ----- 42 [D] ----- | 0410

DSN COVERAGE
HPTXR

32 ----- 45 [D] ----- | 1130

2005 | ----- 45 [D] -----

1230 | ----- 65 [D] ----- | 1530

HPTXR

RTLT : 13h 25m 4s

1200 RTLT=13h 25m 12s

0000 RTLT=13h 25m 20s

VOYAGER 2

COMMAND MORATORIUM

↓ 2104 BAY 1 HTR OFF

BAY 1 HTR ON 0650 ↓

↓ 2108 X/B HI POWER

↓ 0005 AAI

0008 | ----- MAGROL ----- | 0604

↓ 0557 RAI

↓ 0604 CRU

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

GYROS OFF 0604 ↓

X/B LOW POWER 0646 ↓

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

| ----- VGR ----- |

NOTES

[1] S/C 32 - D/L AGC VARIATIONS EXPECTED DURING MAGROL (0008-0604)

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 12/06/95 - 09:20

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
DECEMBER 15, 1995
349-350

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 16m 44s
U/L
VOYAGER 1
FDSL : 11AF
CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLTL=17h 16m 48s

0000 RTLTL=17h 16m 52s

0800-

TLC (SHORT-FORM) D/L 0245

1439 SLEW->HELIO-12B

0239 SLEW->HELIO-13B

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 61 1515 0115 42 [D] 0410 61 [D] 0710

DSN COVERAGE
HPTXR

32 45 [D] 1125 1330 65 [D] 1525 2000 45 [D]

HPTXR

RTLTL : 13h 25m 20s
VOYAGER 2
FDSL : 11AF
CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLTL=13h 25m 26s

0000 RTLTL=13h 25m 34s

COMMAND MORATORIUM

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

VGR

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 12/06/95 - 09:20

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
DECEMBER 16, 1995
350-351

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 16m 52s

1200 RTLTL=17h 16m 54s

0000 RTLTL=17h 16m 58s

VOYAGER 1

↓ 1439 SLEW->HELIO-14B

↓ 0239 SLEW->HELIO-15B

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 ----- 61 [D] ----- | 1340 ----- 61 [D] 0705 | -----

1325 |

15 [D] -----

0000 | ----- 0015

42 [D] ----- | 0405

DSN COVERAGE

HPTXR

32

45 [D] | 0905

0920 | 43 [D] - | 1050

1955 |

45 [D] -----

HPTXR

1220 | ----- 65 [D] ----- | 1525

RTLTL : 13h 25m 34s

1200 RTLTL=13h 25m 40s

0000 RTLTL=13h 25m 48s

----- COMMAND MORATORIUM ----- | 1724

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL ----- |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 12/06/95 - 09:20

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
DECEMBER 17, 1995
351-352

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 16m 58s

1200 RTLT=17h 17m 0s

0000 RTLT=17h 17m 2s

VOYAGER 1

↓ 1439 SLEW->HELIO-16B

↓ 0239 SLEW->HELIO-17B

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

61 [D]

1445

1430

15 [D]

0050

0530

65 [D]

DSN COVERAGE
HPTXR

32

45 [D] 0900

1955

45 [D]

43 [D] 0845 - 1045

HPTXR

RTLT : 13h 25m 48s

1200 RTLT=13h 25m 54s

0000 RTLT=13h 26m 0s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 12/06/95 - 09:20

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
DECEMBER 18, 1995
352-353

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 17m 2s

1200 RTLT=17h 17m 6s

0000 RTLT=17h 17m 8s

VOYAGER 1

↓ 1439 SLEW->HELIO-18B

↓ 0239 SLEW->HELIO-19B

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 65 [D] ----- | 1130 0545 | --- 65 [D] ---

1250 |----- 15 [D] -----| 1850

2210 |----- 42 [D] -----| 0355

DSN COVERAGE HPTXR

32 45 [D] | 0900 0330 |----- 45 [D] -----

0900 | 43 [D] | 1030

1215 |----- 65 [D] -----| 1515

1935 |----- 15 [D] -----| 2345

HPTXR

RTLT : 13h 26m 0s

1200 RTLT=13h 26m 8s

0000 RTLT=13h 26m 14s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE


|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 12/06/95 - 09:20

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0



ISSUE DATE: 12/06/95 - 09:20

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
DECEMBER 20, 1995
354-355

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8


RTLTL : 17h 17m 14s
VOYAGER 1
FDSL : 11AF
CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLTL=17h 17m 16s 0000 RTLTL=17h 17m 18s

↓ 0809 SLEW->-2 DELTA EL ACROSS SUN
| 0809 - 0826 SUNMON
↓ 0818 SLEW->+2 DELTA EL ACROSS SUN
↓ 0827 SLEW->SAFE

FDS MODE
XB DATA RATE (MI)

0830 CR-5T 160(32)



RTLTL : 13h 26m 28s
VOYAGER 2
FDSL : 11AF
CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLTL=13h 26m 34s 0000 RTLTL=13h 26m 40s

▼ 2027 DUMMY (BRACKETED)
2059 | 2119 AACS MRO
2119 | 2130 CCS MRO
2130 | 2143 FDS MRO

FDS MODE
XB DATA RATE (MI)

2045 2143 CR-5T EH-12 CR-5T 160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

- [1] S/C 31=UV-5A @ 0710 XB=600(36)
- [2] S/C 32=EH-12 @ 2045 XB=1.2K(39)

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 12/06/95 - 09:20

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
DECEMBER 21, 1995
355-356

VCB/MD MTG/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 17m 18s

1200 RTLTL=17h 17m 22s

0000 RTLTL=17h 17m 24s

VOYAGER 1

FDSL : 11AF

CCSL : A022

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

-----61 [D]-----

1445 |-----1500

0645 | 63 [D] |

-----15 [D]-----

2345 |-----0000

-----42 [D]-----| 0345

DSN COVERAGE

HPTXR

32

---43 [B]---| 1020

1200 |-----65 [D]-----| 1505

2005 |-----45 [D]-----

HPTXR

RTLTL : 13h 26m 40s

1200 RTLTL=13h 26m 46s

0000 RTLTL=13h 26m 52s

VOYAGER 2

FDSL : 11AF

CCSL : B024

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|-----VGR-----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 12/06/95 - 09:20

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
DECEMBER 22, 1995
356-357

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 17m 24s

1200 RTLT=17h 17m 26s

0000 RTLT=17h 17m 28s

VOYAGER 1

0800 U/L

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

63 [D] 1245

1240

24 [D]

2340 2355

0645 - 61

HPTXR

DSN COVERAGE

32

45 [D] 1055

1330 65 [D] 1500

1935

45 [D]

HPTXR

RTLT : 13h 26m 52s

1200 RTLT=13h 26m 58s

0000 RTLT=13h 27m 4s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

HOLIDAY

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 12/06/95 - 09:20

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
DECEMBER 23, 1995
357-358

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 17m 28s

1200 RTLT=17h 17m 30s

0000 RTLT=17h 17m 32s

VOYAGER 1

0800 - 0827 U/L

TLC (SHORT-FORM)

D/L - 0246

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31

61

1300

1315

24 [D]

2340

2355

42 [D]

0335

0640

61 [D]

DSN COVERAGE

HPTXR

32

45 [D]

1055

1200

65 [D]

1455

1930 - 0745

45 [D]

HPTXR

RTLT : 13h 27m 4s

1200 RTLT=13h 27m 12s

0000 RTLT=13h 27m 16s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 12/06/95 - 09:20

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
DECEMBER 24, 1995
358-359

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 17m 32s

1200 RTLTL=17h 17m 34s

0000 RTLTL=17h 17m 36s

VOYAGER 1

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31

-----61 [D] ----- | 1310

1255

15 [D]

2350

DSN COVERAGE HPTXR

32

1150 | ---- 65 [D] ---- | 1450

HPTXR

RTLTL : 13h 27m 16s

1200 RTLTL=13h 27m 22s

0000 RTLTL=13h 27m 28s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8