

ISSUE DATE: 01/10/96 - 12:25

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
JANUARY 11, 1996
011-012

VCB/MD MTG/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 18m 14s

1200 RTLTL=17h 18m 14s

0000 RTLTL=17h 18m 14s

VOYAGER 1

S/C 31 STATUS

FDSL : 11AF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -7.375 sec

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

ROLLREF = RIGIL
KENTAURUS

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 --- 65 [D] --- | 1015
1125 |----- 15 [D] ----- | 1545
1530 |----- 12 [D] ----- | 2050
2035 |----- 42 [D] ----- | 0225
0340 |--- 63 [D] --- | 0610

DSN COVERAGE
HPTXR

32 0800 45 [D] 1815 |--- 43 [D] --- | 2115 43 [D] 0740 |
43 [o] | 0915 2100- 0755 |----- 45 [D] ----- |
1100 |--- 65 [D] --- | 1335

HPTXR

RTLTL : 13h 30m 6s

1200 RTLTL=13h 30m 8s

0000 RTLTL=13h 30m 12s

VOYAGER 2

S/C 32 STATUS

FDSL : 11AF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: 2:39.307 min

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

ROLLREF = VEGA

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/10/96 - 12:25

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
JANUARY 12, 1996
012-013

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 18m 14s

1200 RTLTL=17h 18m 14s

0000 RTLTL=17h 18m 14s

VOYAGER 1

U/L 0030 | - | ----- TLC (SHORT-FORM) -----

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

1125 |----- 15 [D] -----| 1545

1530 |----- 12 [D] -----| 1950

2255 |----- 42 -----| 0220

0355 |----- 65 [D] -----

1935 |----- 14 [D] -----| 2310

DSN COVERAGE
HPTXR

32

43 [D] - | 0940

1825 |----- 45 [D] -----

HPTXR

RTLTL : 13h 30m 12s

1200 RTLTL=13h 30m 16s

0000 RTLTL=13h 30m 18s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/10/96 - 12:25

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
JANUARY 13, 1996
013-014

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 18m 14s

1200 RTLTL=17h 18m 16s

0000 RTLTL=17h 18m 14s

VOYAGER 1

----- TLC (SHORT-FORM) -----| D/L -| 1916

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31 --- 65 [D] --- | 1010
1120 |----- 15 [D] -----| 2250
2330 |--- 42 [D] ----| 0215
0355 |----- 65 [D] -----

DSN COVERAGE
HPTXR

32 45 [D] -| 0925
1055 |--- 65 [D] ---| 1325
1820 |----- 45 [D] -----

HPTXR

RTLTL : 13h 30m 18s

1200 RTLTL=13h 30m 22s

0000 RTLTL=13h 30m 24s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

----- ON CALL -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/10/96 - 12:25

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
JANUARY 14, 1996
014-015

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 18m 14s

1200 RTLT=17h 18m 14s

0000 RTLT=17h 18m 14s

VOYAGER 1

FDSL : 11AF

CCSL : A022

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

HPTXR

DSN COVERAGE

32

HPTXR

RTLT : 13h 30m 24s

1200 RTLT=13h 30m 28s

0000 RTLT=13h 30m 30s

VOYAGER 2

FDSL : 11AF

CCSL : B024

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/10/96 - 12:25

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
JANUARY 15, 1996
015-016

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 18m 14s

1200 RTLT=17h 18m 14s

0000 RTLT=17h 18m 14s

VOYAGER 1

FDSL : 11AF

CCSL : A022

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

1445 |----- 12 [D] -----| 2120

65 [D] 0730 |-----

HPTXR

DSN COVERAGE

32

| 0810 42 [D]

| 43 [o] | 0815 - 0925

1915 - 0745 |-----

42 [D] -----|

43 [o] 0750 |-----

HPTXR

RTLT : 13h 30m 30s

1200 RTLT=13h 30m 34s

0000 RTLT=13h 30m 36s

VOYAGER 2

↓ 1630 BEGIN SEQUENCE B025

FDSL : 11AF

CCSL : B024

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/10/96 - 12:25

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
JANUARY 16, 1996
016-017

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 18m 14s

1200 RTLT=17h 18m 14s

0000 RTLT=17h 18m 14s

VOYAGER 1

2121 | 2122 PWS/RH

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

2121
GS-4B 2122

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

CR-5T
160(32)

31 --- 65 [D] --- | 1000
1105 |----- 15 [D] ----- | 2030
0345 - 0745 |----- 63 [D] ----- |

2015 |----- 42 [D] ----- | 0045

DSN COVERAGE
HPTXR

32 43 [o] - | 0920
1045 |--- 65 [D] --- | 1315
1810 |----- 45 [D] ----- |

HPTXR

RTLT : 13h 30m 36s

1200 RTLT=13h 30m 38s

0000 RTLT=13h 30m 42s

VOYAGER 2

2053 | 2054 PWS/RH

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

2053
GS-4B 2054

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

CR-5T
160(32)

VOYAGER COVERAGE

|----- VGR ----- |

NOTES

[1] S/C 32=GS-4B @ 2053 XB=2.8K(41) NOT RECOVERABLE
[2] S/C 31=GS-4B @ 2121 XB=2.8K(41) NOT RECOVERABLE

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/10/96 - 12:25

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
JANUARY 17, 1996
017-018

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 18m 14s

1200 RTLT=17h 18m 14s

0000 RTLT=17h 18m 14s

VOYAGER 1

FDSL : 11AF

▼ 2100 DUMMY (14:18:14)

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 --- 65 [D] --- | 0955 0340 | ----- 65 [D] -----

1100 |----- 15 [D] ----- | 1645

2030 |----- 42 ----- | 0045

DSN COVERAGE
HPTXR

32 45 [D] | 0910 1805 |----- 45 [D] -----

1040 |--- 65 [D] --- | 1310

HPTXR

RTLT : 13h 30m 42s

1200 RTLT=13h 30m 44s

0000 RTLT=13h 30m 46s

VOYAGER 2

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/10/96 - 12:25

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
JANUARY 18, 1996
018-019

VCB/MD MTG/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 18m 14s

1200 RTLT=17h 18m 12s

0000 RTLT=17h 18m 12s

VOYAGER 1

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 -- 65 [D] -- | 0950

1055 |----- 15 [D] -----| 2100

0310 |--- 63 [D] ---| 0535

0520 |--- 65 [D] ---|

HPTXR

2045 |----- 42 [D] -----| 0155

DSN COVERAGE

32 45 [D] | 0905

1035 |--- 65 [D] ---| 1305

1800 - 0755 |----- 45 [D] -----|

HPTXR

RTLT : 13h 30m 46s

1200 RTLT=13h 30m 48s

0000 RTLT=13h 30m 50s

VOYAGER 2

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

VGR

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/10/96 - 12:25

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
JANUARY 19, 1996
019-020

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 18m 12s

1200 RTLTL=17h 18m 12s

0000 RTLTL=17h 18m 12s

VOYAGER 1

U/L 0030 | - | ----- TLC (SHORT-FORM) -----

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 65 [D] - | 0925 1055 | ----- 15 [D] ----- | 1545 2225 | ----- 42 ----- | 0150 0330 | ----- 65 [D] -----

HPTXR

1530 | ----- 12 [D] ----- | 2105

DSN COVERAGE

32 - 43 - | 0910 1755 - 0735 | ----- 45 [D] ----- 43 [D] 0740 | -

HPTXR

RTLTL : 13h 30m 50s

1200 RTLTL=13h 30m 54s

0000 RTLTL=13h 30m 56s

VOYAGER 2

▼ 0810 DUMMY (21:40:54)

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

VGR - | ----- VGR ----- |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/10/96 - 12:25

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
JANUARY 20, 1996
020-021

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 18m 12s

1200 RTLT=17h 18m 10s

0000 RTLT=17h 18m 10s

VOYAGER 1

----- TLC (SHORT-FORM) ----- D/L -| 1916

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

HPTXR

DSN COVERAGE

32

HPTXR

RTLT : 13h 30m 56s

1200 RTLT=13h 30m 58s

0000 RTLT=13h 31m 0s

VOYAGER 2

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/10/96 - 12:25

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
JANUARY 21, 1996
021-022

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 18m 10s

1200 RTLT=17h 18m 10s

0000 RTLT=17h 18m 8s

VOYAGER 1

FDSL : 11AF

CCSL : A022

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 -- 65 [D] -- | 0940 0325 |----- 65 [D] -----

1050 |----- 15 [D] -----| 1640

1625 |----- 12 [D] -----| 2055

HPTXR

DSN COVERAGE

32 43 [D] | 0905 43 [D] 0735 |--

1025 |--- 65 [D] ---| 1255

0530 - 0750 |--- 45 [D] ---|

1725 |----- 15 [D] -----| 2125

HPTXR

RTLT : 13h 31m 0s

1200 RTLT=13h 31m 2s

0000 RTLT=13h 31m 4s

VOYAGER 2

FDSL : 11AF

CCSL : B025

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/10/96 - 12:25

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
JANUARY 22, 1996
022-023

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 18m 8s

1200 RTLT=17h 18m 8s

0000 RTLT=17h 18m 8s

VOYAGER 1

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 -- 65 [D] -- | 0935 1040 |----- 15 [D] -----| 2010 1955 |----- 42 [D] -----| 0140 0320 |--- 63 [D] ---| 0520 0500 |----- 65 [D] -----|

HPTXR

DSN COVERAGE

32 43 [D] | 0900 1020 |--- 65 [D] ---| 1250 1745- 0710 |----- 45 [D] -----| 0655 | 43 [o] |

HPTXR

RTLT : 13h 31m 4s

1200 RTLT=13h 31m 6s

0000 RTLT=13h 31m 8s

COMMAND MORATORIUM 0747 |

VOYAGER 2

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/10/96 - 12:25

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
JANUARY 23, 1996
023-024

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 18m 8s

VOYAGER 1

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

2057 | 2058 PWS/RH

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

CR-5T
160(32)

2057
GS-4B

2058

31

65 [D] - | 0930

1035 |

15 [D] - - - - -

1945

1950 |

42 [D] - - - - -

| 0135

0315 | - - - - - 65 [D] - - - - -

DSN COVERAGE

HPTXR

32

0825 43 [o]

1015 |

65 [D] - - - - | 1245

1740 |

45 [D] - - - - -

HPTXR

RTLTL : 13h 31m 8s

VOYAGER 2

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

COMMAND MORATORIUM

2029 | 2030 PWS/RH

↓ 2048 ISS NA VID REPL HTR OFF

↓ 2118 ISS WA VID REPL HTR OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

CR-5T
160(32)

2029
GS-4B

2030

VOYAGER COVERAGE

| - - - - - VGR - - - - - |

NOTES

[1] S/C 32=GS-4B @ 2029 XB=2.8K(41) NOT RECOVERABLE
[2] S/C 31=GS-4B @ 2057 XB=2.8K(41) NOT RECOVERABLE

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/10/96 - 12:25

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
JANUARY 24, 1996
024-025

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 18m 6s

1200 RTLT=17h 18m 4s

0000 RTLT=17h 18m 4s

VOYAGER 1

FDSL : 11AF

▼ 2200 DUMMY (15:18:04)

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 65 [D] - | 0930 1030 |----- 15 [D] -----| 2000 0310 |----- 65 [D] -----|

HPTXR

2000 |----- 42 -----| 0135

DSN COVERAGE

32 --| 0840 45 [D] 1735 |----- 45 [D] -----|

HPTXR

1015 |--- 65 [D] ---| 1245

RTLT : 13h 31m 10s

1200 RTLT=13h 31m 12s

0000 RTLT=13h 31m 14s

COMMAND MORATORIUM

0747 |

VOYAGER 2

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/10/96 - 12:25

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
JANUARY 25, 1996
025-026

VCB/MD MTG/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 18m 4s

1200 RTLT=17h 18m 2s

0000 RTLT=17h 18m 2s

VOYAGER 1

FDSL : 11AF

CCSL : A022

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 65 [D] | 0925 0445 |----- 65 [D] -----

1030 |----- 15 [D] ----- | 2205

0245 |--- 63 [D] ---| 0500

DSN COVERAGE
HPTXR

32 ---| 0840 45 [D] 43 [o] 0725 |---

1010 |--- 65 [D] ---| 1240

1930 - 0735 |----- 42 [o] -----|

HPTXR

RTLT : 13h 31m 14s

1200 RTLT=13h 31m 14s

0000 RTLT=13h 31m 16s

VOYAGER 2

FDSL : 11AF

CCSL : B025

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/10/96 - 12:25

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
JANUARY 26, 1996
026-027

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 18m 2s

1200 RTLTL=17h 18m 0s

0000 RTLTL=17h 18m 0s

VOYAGER 1

- ↓ 1116 GYRO INIT
- ↓ 1116 GYROS AB ON
- ↓ 1126 GYRO FAULT TEST
- 1220 || 1226 CCSTIM(B)

FDSL : 11AF

U/L 0035 | - | - - - - - TLC (SHORT-FORM) - - - - -

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 --- 65 [D] --- | 1040 0305 | - - - - - 65 [D] - - - - -

1025 | - - - - -

15 [D] - - - - -

1945

1940 | - - - - -

42 - - - - -

| 0125

DSN COVERAGE HPTXR

32 --- | 0840 43 [o] 1730 - 0715 | - - - - - 45 [D] - - - - - 43 [o] 0705 | - - - - -

HPTXR

RTLTL : 13h 31m 16s

1200 RTLTL=13h 31m 18s

0000 RTLTL=13h 31m 18s

VOYAGER 2

- ↓ 0149 SLEW->HELIO-1

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

| - - VGR - - |

| - - - - - VGR - - - - - |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/10/96 - 12:25

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
JANUARY 27, 1996
027-028

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 18m 0s

1200 RTLTL=17h 17m 58s

0000 RTLTL=17h 17m 58s

VOYAGER 1

FDSL : 11AF

TLC (SHORT-FORM) -----| D/L | 1921

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

65 [D] | 0915

1020 |-----|

15 [D] |-----|

| 2005

0300 |-----|

65 [D] |-----|

HPTXR

1950 |-----|

42 [D] |-----|

| 0120

DSN COVERAGE

32

0835 43 [o]

1000 |-----|

65 [D] |-----|

| 1230

1725 |-----|

45 [D] |-----|

HPTXR

1200 RTLTL=13h 31m 20s

0000 RTLTL=13h 31m 22s

RTLTL : 13h 31m 18s

VOYAGER 2

↓ 0149 SLEW->HELIO-2

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

-----| ON CALL |-----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/10/96 - 12:25

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
JANUARY 28, 1996
028-029

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 17m 58s

1200 RTLT=17h 17m 56s

0000 RTLT=17h 17m 56s

VOYAGER 1

FDSL : 11AF

CCSL : A022

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 65 [D] | 0915 1015 |----- 15 [D] |----- 2155 0255 |----- 65 [D] |-----

DSN COVERAGE
HPTXR

32 | 0825 45 [D] 1000 |---- 65 [D] ---- | 1225 1825 - 0720 |----- 42 [o] ----- | 43 [o] 0715 |---

HPTXR

RTLT : 13h 31m 22s

1200 RTLT=13h 31m 22s

0000 RTLT=13h 31m 24s

VOYAGER 2

↓ 0149 SLEW->HELIO-3

FDSL : 11AF

CCSL : B025

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8