

ISSUE DATE: 02/29/96 - 07:30

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
FEBRUARY 29, 1996
060-061

VCB/MD MTG/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 16m 0s

1200 RTLT=17h 15m 56s

0000 RTLT=17h 15m 54s

VOYAGER 1

↓ 1739 SLEW->MIDPOINT

FDSSL : 11AF

S/C 31 STATUS

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -7.532 sec

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

ROLLREF = RIGIL
KENTAURUS

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 --- 61 [D] --- | 1025

1015 |----- DELETED -----| 1825

0535 |--- 61 [D] ---|

0030 |--- 63 [D] ---| 0310

DSN COVERAGE
HPTXR

32

1625 |----- 42 [o] -----| 0510

0515 | 43 [o] | 0625

HPTXR

RTLT : 13h 30m 30s

1200 RTLT=13h 30m 28s

0000 RTLT=13h 30m 24s

VOYAGER 2

↓ 2249 SLEW->HELIO-X5

FDSSL : 11AF

S/C 32 STATUS

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: 2:33.477 min

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

ROLLREF = VEGA

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/29/96 - 07:30

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
MARCH 1, 1996
061-062

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 15m 54s

1200 RTLTL=17h 15m 52s

0000 RTLTL=17h 15m 50s

U/L 0800

VOYAGER 1

- ↓ 1411 GYRO INIT
- ↓ 1411 GYROS BC ON
- ↓ 1421 GYRO FAULT TEST
- ↓ 1739 SLEW->HELIO-10A

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31 --- 61 [D] --- | 1025 0525 | --- 61 ---

1010 | --- 12 [D] --- | 1820

0025 | --- 63 [D] --- | 0305

DSN COVERAGE
HPTXR

32

1620 | --- 42 [D] --- | 0320

0310 | --- 45 [D] --- | 0615

HPTXR

RTLTL : 13h 30m 24s

1200 RTLTL=13h 30m 22s

0000 RTLTL=13h 30m 20s

VOYAGER 2

- ↓ 2249 SLEW->HLEIO-X4

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

| --- VGR --- |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/29/96 - 07:30

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
MARCH 2, 1996
062-063

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 15m 50s

U/L

0800-

1200 RTLT=17h 15m 48s

0000 RTLT=17h 15m 46s

VOYAGER 1

----- TLC (SHORT-FORM) ----- + D/L -| 0244

FDSL : 11AF

↓ 1738 SLEW->HELIO-9A

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

61 -----| 1020

0515 |----- 61 [D] -----

1005 |----- 12 [D] -----| 1820

0025 |----- 63 [D] -----| 0305

DSN COVERAGE

HPTXR

32

1615 |----- 42 [D] -----| 0325

0310 |----- 45 [D] -----| 0610

HPTXR

RTLT : 13h 30m 20s

1200 RTLT=13h 30m 16s

0000 RTLT=13h 30m 14s

VOYAGER 2

↓ 2249 SLEW->HELIO-X3

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/29/96 - 07:30

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
MARCH 3, 1996
063-064

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 15m 46s

1200 RTLT=17h 15m 44s

0000 RTLT=17h 15m 42s

VOYAGER 1

↓ 1738 SLEW->HELIO-8A

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31 --- 61 [D] --- | 1015
1000 |----- 12 [D] ----- | 1815
0020 |----- 63 [D] ----- | 0325
0505 |----- 61 [D] -----

HPTXR
DSN COVERAGE

32
1610 |----- 42 [o] ----- | 0320
0310 |----- 45 [D] ----- | 0610

HPTXR

RTLT : 13h 30m 14s

1200 RTLT=13h 30m 12s

0000 RTLT=13h 30m 8s

VOYAGER 2

↓ 2249 SLEW->HELIO-X2

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/29/96 - 07:30

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
MARCH 4, 1996
064-065

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 15m 42s

1200 RTLTL=17h 15m 40s

0000 RTLTL=17h 15m 36s

VOYAGER 1

↓ 1710 GYRO INIT
↓ 1738 SLEW->HELIO-7A

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31 -- 61 [D] - | 0940 0500 |----- 61 [D] -----
0925 |----- 12 [D] ----- | 1810

DSN COVERAGE
HPTXR

32 1605 |----- 42 [o] ----- | 0345
0445 |-- 43 -- | 0615

HPTXR

RTLTL : 13h 30m 8s

1200 RTLTL=13h 30m 6s

0000 RTLTL=13h 30m 4s

VOYAGER 2

↓ 2248 SLEW->HELIO-X1

FDSL : 11AF

DUMMY (19:00:04) 0530 ▼

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

|----- VGR ----- | | VGR |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/29/96 - 07:30

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
MARCH 5, 1996
065-066

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 15m 36s

1200 RTLTL=17h 15m 34s

0000 RTLTL=17h 15m 32s

VOYAGER 1

↓ 1738 SLEW->HELIO-6A
1832 | 1833 PWS/RH

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

1832
GS-4B 1833

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

CR-5T
160(32)

31

61 [D] -- | 1005
0950 |-----|

12 [D] -----| 1645

0005 |-----| 63 [D] -----| 0315

0450 |-----| 61 [D] -----|

DSN COVERAGE
HPTXR

32

1605 |-----| 42 [o] -----| 0455
0500 | 43 [o] | 0610

HPTXR

RTLTL : 13h 30m 4s

1200 RTLTL=13h 30m 0s

0000 RTLTL=13h 29m 58s

0404 | COMMAND MORATORIUM

VOYAGER 2

1804 | 1805 PWS/RH
1811 | 1812 PWS/RH
1816 | TAPPOS | 1940
1918 | PLSCAL | 2100
1918 |---| MAGCAL ---| 2220
1918 |-----| PESCAL -----| 2238

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1804 1805 1811
GS-4B CR-5T GS-4B 1812

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

CR-5T
160(32)

VOYAGER COVERAGE

|-----| VGR -----|

NOTES

- [1] S/C 32=GS-4B @ 1804 XB=2.8K(41) NOT RECOVERABLE
- [2] S/C 32=GS-4B @ 1811 XB=2.8K(41) NOT RECOVERABLE
- [3] S/C 32=CR-5T @ 1805 XB=160(32) NOT RECOVERABLE
- [4] S/C 31=GS-4B @ 1832 XB=2.8K(41) NOT RECOVERABLE

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/29/96 - 07:30

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
MARCH 6, 1996
066-067

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 15m 32s

1200 RTLT=17h 15m 30s

0000 RTLT=17h 15m 28s

VOYAGER 1

↓ 1738 SLEW->HELIO-5A

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 --- 61 [D] --- | 1005 0950 |----- 12 [D] -----| 1545 0520 |---- 61 [D] ----

DSN COVERAGE
HPTXR

32

1600 |--- 42 [D] ---| 1800

1745 |----- 43 [D,A] -----| 0105

1745 |----- 45 [D,A] -----| 0105

HPTXR

RTLT : 13h 29m 58s

1200 RTLT=13h 29m 54s

0000 RTLT=13h 29m 52s

VOYAGER 2

----- COMMAND MORATORIUM -----

↓ 1704 BAY 1 HTR OFF

↓ 1708 X/B HI POWER

↓ 1804 YAW=.05

1812 |----- PLAYBACK -----| 0048

↓ 0102 YAW=.10

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

1812

PB-5

7.2K(41)

0048

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/29/96 - 07:30

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
MARCH 7, 1996
067-068

VCB/MD MTG/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 15m 28s

1200 RTLTL=17h 15m 26s

0000 RTLTL=17h 15m 24s

VOYAGER 1

- ↓ 1510 BAY 1 HTR OFF
- ↓ 1514 X/B HI POWER
- ▼ 1600 DUMMY (09:15:24)
- ▽ 1605 GYRO DRIFT U/D (09:20:24)
- ↓ 1738 SLEW->HELIO-4A

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 --- 61 [D] --- | 1000
0945 |-----| 1800

0430 |----- 61 [D] -----|

0000 |----- 63 [D] -----| 0310

DSN COVERAGE
HPTXR

32

1555 |----- 42 [o] -----|

0245
0235 |----- 45 [D] -----| 0555

HPTXR

RTLTL : 13h 29m 52s

1200 RTLTL=13h 29m 48s

0000 RTLTL=13h 29m 46s

VOYAGER 2

- 1636 | 1643 TAPPOS
- ↓ 1657 GYROS BC ON
- ↓ 1658 GYRO INIT
- ↓ 1707 GYRO FAULT TEST
- 1800 | 1806 CCSTIM(B)

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE


|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/29/96 - 07:30

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0



U/L 0800

ISSUE DATE: 02/29/96 - 07:30

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
MARCH 9, 1996
069-070

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 15m 20s

U/L

0800-

1200 RTLTL=17h 15m 18s

0000 RTLTL=17h 15m 16s

VOYAGER 1

----- TLC (SHORT-FORM) ----- | D/L | 0243

FDSL : 11AF

↓ 1738 SLEW->HELIO-2A

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

61 ---|0950

0410 |-----61 [D] -----

0935 |-----12 [D] -----| 1750

2350 |-----63 [D] -----| 0305

DSN COVERAGE
HPTXR

32

1550 |-----42 [o] -----| 0440

0425 | - 43 [o] - | 0555

HPTXR

RTLTL : 13h 29m 40s

1200 RTLTL=13h 29m 36s

0000 RTLTL=13h 29m 34s

VOYAGER 2

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10 / .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/29/96 - 07:30

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
MARCH 10, 1996
070-071

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 15m 16s

1200 RTLT=17h 15m 14s

0000 RTLT=17h 15m 12s

VOYAGER 1

↓ 1738 SLEW->HELIO-1A

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 -- 61 [D] -- | 0945

0400 | -- 61 [D] -- | 0545

0930 | ----- 12 [D] ----- | 1745

2345 | ----- 63 [D] ----- | 0255

DSN COVERAGE
HPTXR

32

1545 | ----- 42 [o] ----- | 2345

0425 | -- 43 [o] -- | 0555

HPTXR

RTLT : 13h 29m 34s

1200 RTLT=13h 29m 30s

0000 RTLT=13h 29m 26s

VOYAGER 2

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10 / .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE


----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8


ISSUE DATE: 02/29/96 - 07:30

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0



ISSUE DATE: 02/29/96 - 07:30

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0



ISSUE DATE: 02/29/96 - 07:30

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
MARCH 13, 1996
073-074

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 15m 4s

1200 RTLT=17h 15m 2s

0000 RTLT=17h 15m 0s

VOYAGER 1

▼ 1800 DUMMY (11:15:00)

FDSL : 11AF

↓ 1838 SLEW->HELIO-3B

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 -- 61 [D] -- | 0935 2335 | --- 63 [D] --- | 0245 0430 | --- 61 [D] ---

0920 | --- 12 [D] --- | 1645

1635 | --- 42 --- | 2220

DSN COVERAGE
HPTXR

32

1410 | --- 15 [D] --- | 1800

2320 | --- 42 [D] --- | 0210 0415 | - 43 - - | 0540

0155 | - 45 [D] - - | 0400

HPTXR

RTLT : 13h 29m 14s

1200 RTLT=13h 29m 10s

0000 RTLT=13h 29m 6s

VOYAGER 2

DUMMY (18:14:06) 0445 ▼

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : HI
PYR : .05 / .10 / .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

| --- VGR --- |

| VGR |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/29/96 - 07:30

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
MARCH 14, 1996
074-075

VCB/MD MTG/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 15m 0s

1200 RTLT=17h 14m 58s

0000 RTLT=17h 14m 56s

VOYAGER 1

↓ 1838 SLEW->HELIO-4B

U/L 0800

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 61 [D] - | 0930
0915 |----- 12 [D] ----- | 1645
1630 |----- 42 [D] ----- | 2215
2330 |----- 63 [D] ----- | 0245
0415 |----- 61 -----

DSN COVERAGE
HPTXR

32 1405 |----- 15 [D] ----- | 1745
1730 |----- 45 [D] ----- | 0530

HPTXR

RTLT : 13h 29m 6s

1200 RTLT=13h 29m 4s

0000 RTLT=13h 29m 0s

VOYAGER 2

COMMAND MORATORIUM

↓ 1807 AAI
1810 |----- MAGROL ----- | 0005

↓ 2358 RAI
↓ 0005 CRU
↓ 0005 GYROS OFF

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : HI
PYR : .05 / .10 / .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR ----- |

NOTES

[1] S/C 32 - D/L AGC VARIATIONS EXPECTED DURING MAGROL (1810-0005)

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/29/96 - 07:30

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
MARCH 15, 1996
075-076

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 14m 56s

1200 RTLT=17h 14m 54s

0000 RTLT=17h 14m 52s

VOYAGER 1

U/L

0800-

FDSL : 11AF

TLC (SHORT-FORM)

D/L 0243

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1838 SLEW->HELIO-5B

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

61 0925

0915 12 [D]

1645

2325 63 [D] 0355

61 [D]

HPTXR

1630

42 [D] 2110

DSN COVERAGE

32

1405 15 [D] 1750

2210 42 [o] 0215

0210 45 [D] 0525

HPTXR

RTLT : 13h 29m 0s

1200 RTLT=13h 28m 56s

0000 RTLT=13h 28m 52s

VOYAGER 2

COMMAND MORATORIUM

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : HI
PYR : .05 / .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

VGR

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/29/96 - 07:30

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
MARCH 16, 1996
076-077

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 14m 52s

1200 RTLT=17h 14m 50s

0000 RTLT=17h 14m 48s

VOYAGER 1

↓ 1838 SLEW->HELIO-6B

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 61 [D] - 0925 0305 |----- 61 [D] -----

0915 |----- 12 [D] ----- | 1640
1625 |----- 42 [D] ----- | 1915

DSN COVERAGE
HPTXR

32 1405 |----- 15 [D] ----- | 1750 0400 | 43 [D] - | 0530

2015 |----- 42 [o] ----- | 0415

HPTXR

RTLT : 13h 28m 52s

1200 RTLT=13h 28m 50s

0000 RTLT=13h 28m 46s

| 1036 COMMAND MORATORIUM

VOYAGER 2

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : HI
PYR : .05 / .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/29/96 - 07:30

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
MARCH 17, 1996
077-078

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 14m 48s

1200 RTLTL=17h 14m 46s

0000 RTLTL=17h 14m 44s

VOYAGER 1

↓ 1838 SLEW->HELIO-7B

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 61 [D] -| 0920 0440 |----- 61 [D] -----

0910 |----- 12 [D] -----| 1645
1635 |---- 42 [D] ----| 1915

DSN COVERAGE
HPTXR

32 1355 |----- 15 [D] -----| 1745
2015 |----- 42 [o] -----| 0410

HPTXR

RTLTL : 13h 28m 46s

1200 RTLTL=13h 28m 42s

0000 RTLTL=13h 28m 38s

VOYAGER 2

↓ 1448 SLEW->BD+28 4211

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : HI
PYR : .05 / .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

1403

CR-5T

160(32)

UV-5A

600(36)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8