

ISSUE DATE: 03/06/96 - 09:55

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
MARCH 7, 1996
067-068

VCB/MD MTG/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 15m 28s

1200 RTLTL=17h 15m 26s

0000 RTLTL=17h 15m 24s

VOYAGER 1

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

S/C 31 STATUS
FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -7.494 sec
ROLLREF = RIGIL
KENTAURUS

- ↓ 1510 BAY 1 HTR OFF
- ↓ 1514 X/B HI POWER
- ▼ 1600 DUMMY (09:15:24)
- ▽ 1605 GYRO DRIFT U/D (09:20:24)
- ↓ 1738 SLEW->HELIO-4A

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31 --- 61 [D] --- | 1000

0945 |-----| 12 -----| 1800

0430 |----- 61 [D] -----|

0000 |----- 63 [D] -----| 0310

DSN COVERAGE
HPTXR

32

1555 |----- 42 [o] -----| 0245

0235 |----- 45 [D] -----| 0555

HPTXR

RTLTL : 13h 29m 52s

1200 RTLTL=13h 29m 48s

0000 RTLTL=13h 29m 46s

VOYAGER 2

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10 / .25
GYROS : OFF

S/C 32 STATUS
FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: 2:32.637 min
ROLLREF = VEGA

- 1636 | 1643 TAPPOS
- ↓ 1657 GYROS BC ON
- ↓ 1658 GYRO INIT
- ↓ 1707 GYRO FAULT TEST
- 1800 | 1806 CCSTIM(B)

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/06/96 - 09:55

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
MARCH 8, 1996
068-069

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 15m 24s

1200 RTLTL=17h 15m 22s

0000 RTLTL=17h 15m 20s

U/L 0800

VOYAGER 1

↓ 1111 AAI

1114 |----- MAGROL -----| 1709

↓ 1702 RAI

↓ 1709 CRU

↓ 1709 GYROS OFF

↓ 1738 SLEW->HELIO-3A

↓ 1810 X/B LOW POWER

↓ 1814 BAY 1 HTR ON

FDSL : 11AF

CCSL : A022

TWNC : ON

SB : OFF XB : HI

PYR : .05/ .10/ .25

GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

61 [D] -- | 0955

1100 |----- 15 [D] -----| 1820

2355 |----- 63 [D] -----| 0300

0445 |----- 61 -----

DSN COVERAGE
HPTXR

32

1550 |----- 42 [o] -----| 0250

0235 |----- 45 [D] -----| 0550

HPTXR

RTLTL : 13h 29m 46s

1200 RTLTL=13h 29m 42s

0000 RTLTL=13h 29m 40s

----- COMMAND MORATORIUM ----- | 0327

VOYAGER 2

FDSL : 11AF

CCSL : B025

TWNC : ON

SB : OFF XB : HI

PYR : .05/ .10 / .25

GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

[1] S/C 31 - D/L AGC VARIATIONS EXPECTED DURING MAGROL (1114-1709)

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/06/96 - 09:55

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
MARCH 9, 1996
069-070

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 15m 20s

U/L

0800-

1200 RTLT=17h 15m 18s

0000 RTLT=17h 15m 16s

VOYAGER 1

----- TLC (SHORT-FORM) ----- | D/L | 0243

FDSL : 11AF

↓ 1738 SLEW->HELIO-2A

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

61 ---|0950

0410 |-----61 [D] -----

0935 |-----12 [D] -----| 1750

2350 |-----63 [D] -----| 0305

DSN COVERAGE

HPTXR

32

1550 |-----42 [o] -----| 0440

0425 | - 43 [o] - | 0555

HPTXR

1200 RTLT=13h 29m 36s

0000 RTLT=13h 29m 34s

RTLT : 13h 29m 40s

VOYAGER 2

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10 / .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/06/96 - 09:55

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
MARCH 10, 1996
070-071

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 15m 16s

1200 RTLTL=17h 15m 14s

0000 RTLTL=17h 15m 12s

VOYAGER 1

↓ 1738 SLEW->HELIO-1A

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31 -- 61 [D] -- | 0945
0930 |-----| 1745

0400 |-- 61 [D] -- | 0545

2345 |----- 63 [D] -----| 0255

DSN COVERAGE
HPTXR

32

1545 |----- 42 [o] -----| 2345

0425 |-- 43 [o] --| 0555

HPTXR

RTLTL : 13h 29m 34s

1200 RTLTL=13h 29m 30s

0000 RTLTL=13h 29m 26s

VOYAGER 2

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10 / .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/06/96 - 09:55

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
MARCH 11, 1996
071-072

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 15m 12s

1200 RTLT=17h 15m 10s

0000 RTLT=17h 15m 8s

VOYAGER 1

↓ 1838 SLEW->HELIO-1B

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 0855 |-----12 [D]-----| 1700

1645 |-----42 [D]-----| 2230

0500 - 0730 |-----61 [D]-----|

2345 |-----63 [D]-----| 0255

DSN COVERAGE
HPTXR

32 1435 |-----45 [D]-----| 0540

HPTXR

RTLT : 13h 29m 26s

1200 RTLT=13h 29m 24s

0000 RTLT=13h 29m 20s

VOYAGER 2

- ↓ 1813 ALL DB=.05
- ↓ 1829 AAI
- 1830 |---| 1907 ASCAL
- ↓ 1904 RAI
- ↓ 1907 CRU
- ↓ 1915 ROLL=.25
- ↓ 1915 YAW=.10
- ↓ 1917 GYRO FAULT TEST

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10 / .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

1758 1910

EL-40

40(30)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

[1] S/C 32 - D/L AGC/SNR VARIATIONS EXPECTED DURING ASCAL (1830-1907)

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/06/96 - 09:55

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
MARCH 12, 1996
072-073

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 15m 8s

1200 RTLTL=17h 15m 6s

0000 RTLTL=17h 15m 4s

VOYAGER 1

1808 | 1809 PWS/RH
↓ 1838 SLEW->HELIO-2B

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1808
GS-4B 1809

FDS MODE
XB DATA RATE (MI)

CR-5T

CR-5T

160 (32)

160(32)

31

0855 |----- 12 [D] -----| 1650 |----- 42 [D] -----| 2225 |----- 61 [D] -----| 0600

1640 |----- 42 [D] -----| 2225

2340 |----- 63 [D] -----| 0250

DSN COVERAGE
HPTXR

32

1415 |----- 15 [D] -----| 1805

2325 |----- 42 [o] -----| 0220

0210 |----- 45 [D] -----| 0535

HPTXR

RTLTL : 13h 29m 20s

1200 RTLTL=13h 29m 16s

0000 RTLTL=13h 29m 14s

VOYAGER 2

1740 | 1741 PWS/RH

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : HI
PYR : .05 / .10 / .25
GYROS : ON

1740
GS-4B 1741

FDS MODE
XB DATA RATE (MI)

CR-5T

CR-5T

160(32)

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

- [1] S/C 32=GS-4B @ 1740 XB=2.8K(41) NOT RECOVERABLE
- [2] S/C 31=GS-4B @ 1808 XB=2.8K(41) NOT RECOVERABLE

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/06/96 - 09:55

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
MARCH 13, 1996
073-074

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 15m 4s

1200 RTLT=17h 15m 2s

0000 RTLT=17h 15m 0s

VOYAGER 1

▼ 1800 DUMMY (11:15:00)

FDSL : 11AF

↓ 1838 SLEW->HELIO-3B

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 -- 61 [D] -- | 0935 2335 |----- 63 [D] -----| 0245 0430 |----- 61 [D] -----|

0920 |----- 12 [D] -----| 1645

1635 |----- 42 -----| 2220

DSN COVERAGE
HPTXR

32

1410 |----- 15 [D] -----| 1800

2320 |----- 42 [o] -----| 0210 0415 |-- 43 --| 0540

0155 |-- 45 [D] --| 0400

HPTXR

RTLT : 13h 29m 14s

1200 RTLT=13h 29m 10s

0000 RTLT=13h 29m 6s

VOYAGER 2

DUMMY (18:14:06) 0445 ▼

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : HI
PYR : .05 / .10 / .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

| VGR |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/06/96 - 09:55

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
MARCH 14, 1996
074-075

VCB/MD MTG/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 15m 0s

1200 RTLT=17h 14m 58s

0000 RTLT=17h 14m 56s

VOYAGER 1

↓ 1838 SLEW->HELIO-4B

U/L 0800

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 61 [D] - | 0930
0915 |----- 12 [D] ----- | 1645
1630 |----- 42 [D] ----- | 2215
2330 |----- 63 [D] ----- | 0245
0415 |----- 61 -----

DSN COVERAGE
HPTXR

32 1405 |----- 15 [D] ----- | 1745
1730 |----- 45 [D] ----- | 0530

HPTXR

RTLT : 13h 29m 6s

1200 RTLT=13h 29m 4s

0000 RTLT=13h 29m 0s

VOYAGER 2

COMMAND MORATORIUM

↓ 1807 AAI
1810 |----- MAGROL ----- | 0005

↓ 2358 RAI
↓ 0005 CRU
↓ 0005 GYROS OFF

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : HI
PYR : .05 / .10 / .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR ----- |

NOTES

[1] S/C 32 - D/L AGC VARIATIONS EXPECTED DURING MAGROL (1810-0005)

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/06/96 - 09:55

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
MARCH 15, 1996
075-076

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 14m 56s

1200 RTLT=17h 14m 54s

0000 RTLT=17h 14m 52s

VOYAGER 1

U/L

0800-

FDSL : 11AF

TLC (SHORT-FORM)

D/L 0243

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1838 SLEW->HELIO-5B

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

61 0925

0915 12 [D]

1645

1630 42 [D] 2110

2325

63 [D] 0245

0355 61 [D]

DSN COVERAGE

HPTXR

32

1405 15 [D] 1750

2210 42 [o] 0215

0210 45 [D] 0525

HPTXR

RTLT : 13h 29m 0s

1200 RTLT=13h 28m 56s

0000 RTLT=13h 28m 52s

VOYAGER 2

COMMAND MORATORIUM

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : HI
PYR : .05 / .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

VGR

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/06/96 - 09:55

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
MARCH 16, 1996
076-077

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 14m 52s

1200 RTLT=17h 14m 50s

0000 RTLT=17h 14m 48s

VOYAGER 1

↓ 1838 SLEW->HELIO-6B

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 61 [D] - | 0925 0305 |----- 61 [D] -----

0915 |----- 12 [D] ----- | 1640
1625 |----- 42 [D] ----- | 1915

DSN COVERAGE
HPTXR

32 1405 |----- 15 [D] ----- | 1750 0400 | 43 [D] - | 0530

2015 |----- 42 [o] ----- | 0415

HPTXR

RTLT : 13h 28m 52s

1200 RTLT=13h 28m 50s

0000 RTLT=13h 28m 46s

1036 COMMAND MORATORIUM

VOYAGER 2

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : HI
PYR : .05 / .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/06/96 - 09:55

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
MARCH 17, 1996
077-078

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 14m 48s

1200 RTLTL=17h 14m 46s

0000 RTLTL=17h 14m 44s

VOYAGER 1

↓ 1838 SLEW->HELIO-7B

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 61 [D] -| 0920

0440 |----- 61 [D] -----

0910 |----- 12 [D] -----| 1645

1635 |---- 42 [D] ----| 1915

DSN COVERAGE
HPTXR

32

1355 |----- 15 [D] -----| 1745

2015 |----- 42 [o] -----| 0410

HPTXR

RTLTL : 13h 28m 46s

1200 RTLTL=13h 28m 42s

0000 RTLTL=13h 28m 38s

VOYAGER 2

↓ 1448 SLEW->BD+28 4211

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : HI
PYR : .05 / .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

1403

CR-5T

160(32)

UV-5A

600(36)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/06/96 - 09:55

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
MARCH 18, 1996
078-079

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 14m 44s

1200 RTLT=17h 14m 42s

0000 RTLT=17h 14m 40s

VOYAGER 1

↓ 1838 SLEW->HELIO-8B

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 --- | 0845 61 [D]

|-----| 12 [D] -----|

| 0830 - 1715

1615 |-----| 42 [D] -----| 2200

DSN COVERAGE
HPTXR

32

1410 |-----| 45 [D,A] -----| 0510

0330 |-----| 43 [A] -----| 0510

HPTXR

RTLT : 13h 28m 38s

1200 RTLT=13h 28m 36s

0000 RTLT=13h 28m 32s

VOYAGER 2

0048 |---| 0130 TAPPOS

↓ 0339 YAW=.05

0349 |-----| 0513 PLAYBACK

DUMMY (17:58:32) 0430 ▼ ↓ 0522 YAW=.10

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : HI
PYR : .05 / .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A
600(36)

0349 0513

PB-5
7.2K(41)

CR-5T
160(32)

VOYAGER COVERAGE

|-----| VGR -----|


|-----| VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/06/96 - 09:55

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0



ISSUE DATE: 03/06/96 - 09:55

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
MARCH 20, 1996
080-081

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 14m 36s

VOYAGER 1

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

1200 RTLT=17h 14m 34s

0000 RTLT=17h 14m 32s

-----DTR MAINT-----|0832- 1356

1400 || 1403 TAPPOS

▼ 1700 DUMMY (10:14:32)

↓ 1838 SLEW->HELIO-10B

31

-----12 [D]-----|0820- 1445

1610 |-----42-----|2045

0250 |-----61 [D]-----

DSN COVERAGE
HPTXR

32

1400 |-----45 [D]-----|0145

HPTXR

RTLT : 13h 28m 24s

VOYAGER 2

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : HI
PYR : .05 / .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

1200 RTLT=13h 28m 20s

0000 RTLT=13h 28m 16s

1204 |-----COMMAND MORATORIUM-----

↓ 0103 X/B LOW POWER

↓ 0107 BAY 1 HTR ON

VOYAGER COVERAGE

-----VGR-----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/06/96 - 09:55

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
MARCH 21, 1996
081-082

VCB/MD MTG/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 14m 32s

1200 RTLTL=17h 14m 30s

0000 RTLTL=17h 14m 30s

VOYAGER 1

↓ 1838 SLEW->MIDPOINT

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 61 [D] | 0905

0850 |-----

12 [D]

1610

1605 |-----

42 [D]

2150

2305 |-----

63 [D]

0215

0235 |-----

61 [D]

0645

DSN COVERAGE
HPTXR

32

1355 |-----

45 [D]

0145

HPTXR

RTLTL : 13h 28m 16s

1200 RTLTL=13h 28m 14s

0000 RTLTL=13h 28m 10s

----- COMMAND MORATORIUM -----

VOYAGER 2

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05 / .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/06/96 - 09:55

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
MARCH 22, 1996
082-083

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 14m 30s

1200 RTLT=17h 14m 28s

0000 RTLT=17h 14m 26s

VOYAGER 1

↓ 1838 SLEW->HELIO-11B

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

-----12 [D]-----

|0815- 1610

1600

-----42 [D]-----

|2145

2335

-----63 [D]-----

|0215

DSN COVERAGE
HPTXR

32

1350

-----45 [D]-----

|0340

0325 - 43 [o] - |0455

HPTXR

RTLT : 13h 28m 10s

1200 RTLT=13h 28m 6s

0000 RTLT=13h 28m 2s

VOYAGER 2

-----1139 COMMAND MORATORIUM

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05 / .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

-----VGR-----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/06/96 - 09:55

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
MARCH 23, 1996
083-084

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 14m 26s

1200 RTLT=17h 14m 24s

0000 RTLT=17h 14m 22s

VOYAGER 1

U/L 1700 | - | ----- TLC (SHORT-FORM) -----

FDSL : 11AF

↓ 1838 SLEW->HELIO-12B

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 12 [D] -----

| 0810 - 1610

0045

----- 61 [D] -----

1555

----- 42 -----

1955

DSN COVERAGE
HPTXR

32

1350

----- 45 [D] -----

0450

HPTXR

RTLT : 13h 28m 2s

1200 RTLT=13h 27m 58s

0000 RTLT=13h 27m 54s

VOYAGER 2

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05 / .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/06/96 - 09:55

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
MARCH 24, 1996
084-085

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 14m 22s

1200 RTLTL=17h 14m 22s

0000 RTLTL=17h 14m 20s

VOYAGER 1

TLC (SHORT-FORM)
D/L - 1142

↓ 1838 SLEW->HELIO-13B

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 | 0810 61 [D] |-----| 12 [D] |-----| 0805 - 1610 |-----| 2250 |-----| 63 [D] |-----| 0205 |-----| 12 [D] 0800

|-----| 1555 |-----| 42 [D] |-----| 2135 |-----| 0150 |-----| 65 [D] |-----| 0540

HPTXR

DSN COVERAGE

32 |-----| 1345 |-----| 45 [D] |-----| 2345 |-----| 0625 |-----| 65 [D] |-----|

HPTXR

RTLTL : 13h 27m 54s

1200 RTLTL=13h 27m 50s

0000 RTLTL=13h 27m 46s

VOYAGER 2

↓ 1647 SLEW->BD+28 BKGD

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05 / .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8