

ISSUE DATE: 03/13/96 - 10:46

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
MARCH 14, 1996
074-075

VCB/MD MTG/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 15m 0s

1200 RTLT=17h 14m 58s

0000 RTLT=17h 14m 56s

VOYAGER 1

↓ 1838 SLEW->HELIO-4B

FDSL : 11AF

S/C 31 STATUS

U/L 0800

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -7.504 sec

ROLLREF = RIGIL
KENTAURUS

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 61 [D] - | 0930
0915 |----- 12 [D] ----- | 1645
1630 |----- 42 [D] ----- | 2215
2330 |----- 63 [D] ----- | 0245
0415 |----- 61 -----

DSN COVERAGE
HPTXR

32 1405 |----- 15 [D] ----- | 1745
1730 |----- 45 [D] ----- | 0530

HPTXR

RTLT : 13h 29m 6s

1200 RTLT=13h 29m 4s

0000 RTLT=13h 29m 0s

VOYAGER 2

COMMAND MORATORIUM

FDSL : 11AF

↓ 1807 AAI

S/C 32 STATUS

1810 |----- MAGROL ----- | 0005

CCSL : B025
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : ON

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: 2:31.739 min

ROLLREF = VEGA

↓ 2358 RAI
↓ 0005 CRU
↓ 0005 GYROS OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

|----- VGR ----- |

NOTES

[1] S/C 32 - D/L AGC VARIATIONS EXPECTED DURING MAGROL (1810-0005)

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/13/96 - 10:46

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
MARCH 15, 1996
075-076

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 14m 56s

1200 RTLTL=17h 14m 54s

0000 RTLTL=17h 14m 52s

VOYAGER 1

U/L

0800-

FDSL : 11AF

TLC (SHORT-FORM)

D/L 0243

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1838 SLEW->HELIO-5B

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

61 0925

0915 12 [D]

1645

1630 42 [D] 2110

2325

63 [D]

0355

0245 61 [D]

HPTXR

DSN COVERAGE

32

1405 15 [D] 1750

2210 42 [o]

0215

0210 45 [D] 0525

HPTXR

RTLTL : 13h 29m 0s

1200 RTLTL=13h 28m 56s

0000 RTLTL=13h 28m 52s

VOYAGER 2

COMMAND MORATORIUM

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

VGR

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/13/96 - 10:46

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
MARCH 16, 1996
076-077

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 14m 52s

1200 RTLT=17h 14m 50s

0000 RTLT=17h 14m 48s

VOYAGER 1

↓ 1838 SLEW->HELIO-6B

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

61 [D] - 0925

0305 - 61 [D]

0915 - 12 [D]

1640

1625 - 42 [D] - 1915

DSN COVERAGE

HPTXR

32

1405 - 15 [D] - 1750

0400 - 43 [D] - 0530

2015 - 42 [o] - 0415

HPTXR

RTLT : 13h 28m 52s

1200 RTLT=13h 28m 50s

0000 RTLT=13h 28m 46s

1036 COMMAND MORATORIUM

VOYAGER 2

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/13/96 - 10:46

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
MARCH 17, 1996
077-078

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 14m 48s

1200 RTLTL=17h 14m 46s

0000 RTLTL=17h 14m 44s

VOYAGER 1

↓ 1838 SLEW->HELIO-7B

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 61 [D] -| 0920 0440 |----- 61 [D] -----

0910 |----- 12 [D] -----| 1645
1635 |---- 42 [D] ----| 1915

DSN COVERAGE
HPTXR

32 1355 |----- 15 [D] -----| 1745
2015 |----- 42 [o] -----| 0410

HPTXR

RTLTL : 13h 28m 46s

1200 RTLTL=13h 28m 42s

0000 RTLTL=13h 28m 38s

VOYAGER 2

↓ 1448 SLEW->BD+28 4211

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

1403

CR-5T

160 (32)

UV-5A

600(36)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/13/96 - 10:46

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
MARCH 18, 1996
078-079

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 14m 44s

1200 RTLT=17h 14m 42s

0000 RTLT=17h 14m 40s

VOYAGER 1

↓ 1838 SLEW->HELIO-8B

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31

0845 61 [D]

----- 12 [D] -----

0830 - 1715

1615 |----- 42 [D] -----| 2200

DSN COVERAGE

HPTXR

32

1410 |----- 45 [D,A] -----| 0510

0330 |----- 43 [A] -----| 0510

HPTXR

RTLT : 13h 28m 38s

1200 RTLT=13h 28m 36s

0000 RTLT=13h 28m 32s

VOYAGER 2

0048 |----- 0130 TAPPOS

↓ 0327 YAW=.05

0337 |----- 0501 PLAYBACK

DUMMY (17:58:32) 0430 ▼

↓ 0510 YAW=.10

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A
600(36)

0337 0501

PB-5
7.2K(41)

CR-5T
160(32)

VOYAGER COVERAGE

|----- VGR -----|

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/13/96 - 10:46

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

<p>TUESDAY MARCH 19, 1996 079-080</p>	
<p>UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8</p> <p>RTLTL : 17h 14m 40s</p> <p>VOYAGER 1</p> <p>FDSL : 11AF</p> <p>CCSL : A022 TWNC : ON SB : OFF XB : LOW PYR : .05/ .10/ .25 GYROS : OFF</p> <p>FDS MODE XB DATA RATE (MI)</p>	<p>1200 RTLTL=17h 14m 38s</p> <p>0000 RTLTL=17h 14m 36s</p> <p>1743 1744 PWS/RH ↓ 1838 SLEW->HELIO-9B</p> <p>1744 GS-4B 1744</p> <p>CR-5T CR-5T</p> <p>160 (32) 160(32)</p> <p>31 ----- 12 [D] ----- 0825- 1615 ----- 2155 ----- 0220</p> <p>1610 ----- 42 [D] ----- 2310 ----- 63 [D] ----- </p> <p>HPTXR</p> <p>DSN COVERAGE</p> <p>32 ----- 1405 ----- 45 [D] ----- 0510</p> <p>HPTXR</p>
<p>RTLTL : 13h 28m 32s</p> <p>VOYAGER 2</p> <p>FDSL : 11AF</p> <p>CCSL : B025 TWNC : ON SB : OFF XB : HI PYR : .05/ .10 / .25 GYROS : OFF</p> <p>FDS MODE XB DATA RATE (MI)</p>	<p>1200 RTLTL=13h 28m 28s</p> <p>0000 RTLTL=13h 28m 24s</p> <p>1400 - - 1442 TAPPOS</p> <p>1716 1716 PWS/RH</p> <p>1716 GS-4B 1716</p> <p>CR-5T CR-5T</p> <p>160(32) 160(32)</p> <p>VOYAGER COVERAGE</p> <p> ----- VGR ----- </p>
<p>NOTES</p>	<p>[1] S/C 32=GS-4B @ 1716 XB=2.8K(41) NOT RECOVERABLE [2] S/C 31=GS-4B @ 1744 XB=2.8K(41) NOT RECOVERABLE</p>

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/13/96 - 10:46

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
MARCH 20, 1996
080-081

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 14m 36s

1200 RTLT=17h 14m 34s

0000 RTLT=17h 14m 32s

VOYAGER 1

-----DTR MAINT-----|0832-1356
1400 || 1403 TAPPOS

▼ 1700 DUMMY (10:14:32)

↓ 1838 SLEW->HELIO-10B

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

-----12 [D]-----|0820-1445
1610 |-----42-----|2045
0250 |-----61 [D]-----

DSN COVERAGE
HPTXR

32

1400 |-----45 [D]-----|0145

HPTXR

RTLT : 13h 28m 24s

1204 |-----1200 RTLT=13h 28m 20s

-----COMMAND MORATORIUM-----

0000 RTLT=13h 28m 16s

↓ 0103 X/B LOW POWER

↓ 0107 BAY 1 HTR ON

VOYAGER 2

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

-----VGR-----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/13/96 - 10:46

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
MARCH 21, 1996
081-082

VCB/MD MTG/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 14m 32s

1200 RTLTL=17h 14m 30s

0000 RTLTL=17h 14m 30s

VOYAGER 1

↓ 1838 SLEW->MIDPOINT

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 61 [D] | 0905 2305 |----- 63 [D] -----| 0215
0850 |----- 12 [D] -----| 1610 0235 |----- 61 [D] -----| 0645
1605 |----- 42 [D] -----| 2150

HPTXR
DSN COVERAGE

32 1355 |----- 45 [D] -----| 0145

HPTXR

RTLTL : 13h 28m 16s

1200 RTLTL=13h 28m 14s

0000 RTLTL=13h 28m 10s

----- COMMAND MORATORIUM -----

VOYAGER 2

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/13/96 - 10:46

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
MARCH 22, 1996
082-083

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 14m 30s

1200 RTLT=17h 14m 28s

0000 RTLT=17h 14m 26s

VOYAGER 1

↓ 1838 SLEW->HELIO-11B

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

-----12 [D]-----

|0815- 1610

1600

-----42 [D]-----

|2145

2335

-----63 [D]-----

|0215

DSN COVERAGE

HPTXR

32

1350

-----45 [D]-----

|0340

0325 - 43 [o] - |0455

HPTXR

RTLT : 13h 28m 10s

1200 RTLT=13h 28m 6s

0000 RTLT=13h 28m 2s

VOYAGER 2

-----1139 COMMAND MORATORIUM

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

-----VGR-----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/13/96 - 10:46

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
MARCH 23, 1996
083-084

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 14m 26s

1200 RTLT=17h 14m 24s

0000 RTLT=17h 14m 22s

VOYAGER 1

U/L 1700 | - | ----- TLC (SHORT-FORM) -----

FDSL : 11AF

↓ 1838 SLEW->HELIO-12B

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 12 [D] -----

| 0810 - 1610

0045

----- 61 [D] -----

1555

| 42

| 1955

DSN COVERAGE
HPTXR

32

1350

| 45 [D]

----- 0450

HPTXR

RTLT : 13h 28m 2s

1200 RTLT=13h 27m 58s

0000 RTLT=13h 27m 54s

VOYAGER 2

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/13/96 - 10:46

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
MARCH 24, 1996
084-085

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 14m 22s

1200 RTLTL=17h 14m 22s

0000 RTLTL=17h 14m 20s

VOYAGER 1

TLC (SHORT-FORM)
D/L - 1142

↓ 1838 SLEW->HELIO-13B

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 | 0810 61 [D] |-----| 12 [D] |-----| 0805 - 1610 |-----| 2250 |-----| 63 [D] |-----| 0205 |-----| 12 [D] 0800

HPTXR

1555 |-----| 42 [D] |-----| 2135

DSN COVERAGE

32

1345 |-----| 45 [D] |-----| 2345

0625 |-----| 65 [D] |-----|

HPTXR

RTLTL : 13h 27m 54s

1200 RTLTL=13h 27m 50s

0000 RTLTL=13h 27m 46s

VOYAGER 2

↓ 1647 SLEW->BD+28 BKGD

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/13/96 - 10:46

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
MARCH 25, 1996
085-086

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 14m 20s

1200 RTLT=17h 14m 18s

0000 RTLT=17h 14m 16s

VOYAGER 1

↓ 1838 SLEW->HELIO-14B

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 ----- 12 [D] ----- | 0800 - 1430 |----- 12 [D] 0800
0305 - 0720 |----- 61 [D] ----- |

DSN COVERAGE
HPTXR

32 ---| 0840 65 [D] |----- 1445 |----- 42 [o] ----- | 2205 |----- 0325 | - 43 [o] - | 0455

HPTXR

RTLT : 13h 27m 46s

1200 RTLT=13h 27m 42s

0000 RTLT=13h 27m 38s

VOYAGER 2

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/13/96 - 10:46

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
MARCH 26, 1996
086-087

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 14m 16s

1200 RTLTL=17h 14m 16s

0000 RTLTL=17h 14m 14s

VOYAGER 1

1719 | 1720 PWS/RH

↓ 1838 SLEW->HELIO-15B

FDSL : 11AF

CCSL : A022

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

1719
GS-4B 1720

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

CR-5T

160(32)

31

----- 12 [D] ----- | 0800 - 1545

2245 |----- 63 [D] ----- | 0245

12 [D] 0755 |

DSN COVERAGE
HPTXR

32

1440 |----- 42 [o] ----- | 0100

0045 |----- 45 [D] ----- | 0440

HPTXR

RTLTL : 13h 27m 38s

1200 RTLTL=13h 27m 34s

0000 RTLTL=13h 27m 30s

VOYAGER 2

1651 | 1652 PWS/RH

FDSL : 11AF

CCSL : B025

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10 / .25

GYROS : OFF

1651
GS-4B 1652

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

[1] S/C 32=GS-4B @ 1651 XB=2.8K(41) NOT RECOVERABLE

[2] S/C 31=GS-4B @ 1719 XB=2.8K(41) NOT RECOVERABLE

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/13/96 - 10:46

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
MARCH 27, 1996
087-088

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 14m 14s

1200 RTLTL=17h 14m 12s

0000 RTLTL=17h 14m 10s

VOYAGER 1

0911 | PLSCAL - | 1053

0911 | --- MAGCAL --- | 1213

0911 | --- PESCAL --- | 1231

FDSL : 11AF

▼ 1615 DUMMY (09:29:10)

↓ 1838 SLEW->HELIO-16B

CCSL : A022

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

-----12 [D] -----

-----1600

-----12 [D] 0750 |

1545 | - - 42 - - | 1715

2240 | - - - - - 63 [D] - - - - - | 0200

DSN COVERAGE
HPTXR

32

1330 | - - - - - 45 [D] - - - - - | 1815

1815 | - - - - - 42 [o] - - - - - | 0335

HPTXR

RTLTL : 13h 27m 30s

1200 RTLTL=13h 27m 28s

0000 RTLTL=13h 27m 24s

VOYAGER 2

↓ 1447 SLEW->HELIO-1

FDSL : 11AF

CCSL : B025

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10 / .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

| - - - - - VGR - - - - - |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/13/96 - 10:46

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
MARCH 28, 1996
088-089

VCB/MD MTG/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 14m 10s

1200 RTLTL=17h 14m 10s

0000 RTLTL=17h 14m 8s

VOYAGER 1

↓ 1838 SLEW->HELIO-17B

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 12 [D] ----- | 1415

2235 |----- 63 [D] ----- | 0155

12 [D] 0745 |

DSN COVERAGE
HPTXR

32 ----- 1435 |----- 42 [o] ----- | 2115

2100 |----- 45 [D] ----- | 0435

HPTXR

RTLTL : 13h 27m 24s

1200 RTLTL=13h 27m 20s

0000 RTLTL=13h 27m 16s

VOYAGER 2

↓ 1447 SLEW->HELIO-2

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/13/96 - 10:46

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
MARCH 29, 1996
089-090

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 14m 8s

1200 RTLTL=17h 14m 6s

0000 RTLTL=17h 14m 6s

VOYAGER 1

U/L 1700 | - | ----- TLC (SHORT-FORM) -----

FDSL : 11AF

↓ 1838 SLEW->HELIO-18B

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 ----- 12 [D] ----- 1415 ----- 12 [D] 0740 | - |

1535 | - | ----- 42 ----- | 2115

2335 | - | 63 [D] | - | 0150

DSN COVERAGE
HPTXR

32 ----- 1325 | - | ----- 45 [D] ----- | 0310

0310 | - | 43 | - | 0440

HPTXR

RTLTL : 13h 27m 16s

1200 RTLTL=13h 27m 12s

0000 RTLTL=13h 27m 8s

VOYAGER 2

↓ 1447 SLEW->HELIO-3

▼ 0340 DUMMY (17:07:08)

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

| - | ----- VGR ----- |

| VGR |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/13/96 - 10:46

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
MARCH 30, 1996
090-091

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 14m 6s

1200 RTLTL=17h 14m 4s

0000 RTLTL=17h 14m 4s

VOYAGER 1

TLC (SHORT-FORM)
D/L - 1142

↓ 1838 SLEW->HELIO-19B

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31

HPTXR

DSN COVERAGE

32

HPTXR

RTLTL : 13h 27m 8s

1200 RTLTL=13h 27m 4s

0000 RTLTL=13h 27m 0s

VOYAGER 2

↓ 1447 SLEW->HELIO-4

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/13/96 - 10:46

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
MARCH 31, 1996
091-092

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 14m 4s

1200 RTLTL=17h 14m 2s

0000 RTLTL=17h 14m 0s

VOYAGER 1

↓ 1838 SLEW->HELIO-20B

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

12 [D]

1435

1525

42 [D]

2110

12 [D]

0735

0305 - 0745

61 [D]

DSN COVERAGE

HPTXR

32

1315

45 [D]

2345

HPTXR

RTLTL : 13h 27m 0s

1200 RTLTL=13h 26m 56s

0000 RTLTL=13h 26m 52s

VOYAGER 2

↓ 1447 SLEW->HELIO-5

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8