

ISSUE DATE: 03/26/97 - 08:25

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
MARCH 27, 1997
086-087

VCB/MD MTG/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 18h 14m 34s

1200 RTLTL=18h 14m 32s

0000 RTLTL=18h 14m 30s

VOYAGER 1

S/C 31 STATUS

FDSL : 11AF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -9.736 sec

CCSL : A024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

ROLLREF = RIGIL
KENTAURUS

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 65 [D] 1025

0340 65 [D]

1010 25 [D] 1805

0015 63 [D] 0355

DSN COVERAGE
HPTXR

32

1400 43 [B] 1545

1655 45 [D] 0455

HPTXR

RTLTL : 14h 17m 22s

1200 RTLTL=14h 17m 18s

0000 RTLTL=14h 17m 14s

COMMAND MORATORIUM

VOYAGER 2

S/C 32 STATUS

FDSL : 11AF

1419 DUMMY (BRACKETED 04:36)

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: 1:45.943 min

CCSL : B027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

ROLLREF = VEGA

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

VGR

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/26/97 - 08:25

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
MARCH 28, 1997
087-088

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 18h 14m 30s

1200 RTLTL=18h 14m 30s

0000 RTLTL=18h 14m 28s

VOYAGER 1

FDSL : 11AF

CCSL : A024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31 65 [D] --- | 1025 0335 |----- 65 [D] -----

1010 |----- 25 [D] ----- | 1745

0000 |----- 63 [D] ----- | 0350

DSN COVERAGE
HPTXR

32 1715 |----- 45 [D] ----- | 0445

HPTXR

RTLTL : 14h 17m 14s

1200 RTLTL=14h 17m 10s

0000 RTLTL=14h 17m 6s

1137 COMMAND MORATORIUM

VOYAGER 2

FDSL : 11AF

CCSL : B027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/26/97 - 08:25

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
MARCH 29, 1997
088-089

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 18h 14m 28s

1200 RTLT=18h 14m 26s

0000 RTLT=18h 14m 26s

VOYAGER 1

FDSL : 11AF

CCSL : A024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 --- 65 [D] --- | 1020 0225 | --- 65 [D] ---

1005 | --- 25 [D] --- | 1755

DSN COVERAGE
HPTXR

32

1315 | --- 15 [D] --- | 1625

1625 | --- 45 [D] --- | 0445

HPTXR

RTLT : 14h 17m 6s

1200 RTLT=14h 17m 2s

0000 RTLT=14h 16m 58s

VOYAGER 2

FDSL : 11AF

CCSL : B027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/26/97 - 08:25

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
MARCH 30, 1997
089-090

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 18h 14m 26s

1200 RTLTL=18h 14m 24s

0000 RTLTL=18h 14m 22s

VOYAGER 1

FDSL : 11AF

CCSL : A024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 --- 65 [D] --- | 1015
1000 |----- 25 [D] ----- | 1750
0005 |----- 63 [D] ----- | 0305
0250 |----- 65 [D] -----

DSN COVERAGE
HPTXR

32 1315 |----- 45 [D] ----- | 2145
HPTXR

RTLTL : 14h 16m 58s

1200 RTLTL=14h 16m 54s

0000 RTLTL=14h 16m 50s

VOYAGER 2

FDSL : 11AF

CCSL : B027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/26/97 - 08:25

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
MARCH 31, 1997
090-091

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 18h 14m 22s

1200 RTLT=18h 14m 22s

0000 RTLT=18h 14m 20s

VOYAGER 1

FDSL : 11AF

CCSL : A024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 --- 65 [D] --- | 1010 0245 | ----- 65 [D] -----

1005 |----- 25 [D] -----| 1750

DSN COVERAGE
HPTXR

32

2030 |----- 45 [D] -----| 0435

HPTXR

RTLT : 14h 16m 50s

1200 RTLT=14h 16m 46s

0000 RTLT=14h 16m 44s

VOYAGER 2

FDSL : 11AF

CCSL : B027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE


|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/26/97 - 08:25

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0



ISSUE DATE: 03/26/97 - 08:25

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
APRIL 2, 1997
092-093

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 18h 14m 18s

VOYAGER 1

FDSL : 11AF

CCSL : A024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1029 | PLSCAL - | 1211
1029 | ---- MAGCAL ---- | 1331
1029 | ----- PESCAL ----- | 1349

1200 RTLTL=18h 14m 16s

0000 RTLTL=18h 14m 16s

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 25 [D] ----- | 1740

0625 | -- 24 [T] --

DSN COVERAGE
HPTXR

32

1255 | -- 43 [B] -- | 1515

1500 | ----- 45 [D] ----- | 0430

HPTXR

RTLTL : 14h 16m 36s

VOYAGER 2

FDSL : 11AF

CCSL : B027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLTL=14h 16m 32s

0000 RTLTL=14h 16m 28s

▼ 1323 DUMMY (BRACKETED 03:39)

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

| ----- VGR ----- |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/26/97 - 08:25

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
APRIL 3, 1997
093-094

VCB/MD MTG/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 18h 14m 16s

1200 RTLTL=18h 14m 14s

0000 RTLTL=18h 14m 14s

VOYAGER 1

▼ 1130 DUMMY (05:44)

FDSL : 11AF

U/L 1200 |-----| TLC (SHORT-FORM) |-----| D/L -|

- 0742 | D/L -|

CCSL : A024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 24 [T] ----- | 1415 |----- 0605 |--- 25 [D] ---

1400 |----- 25 [D] ----- | 1735

2215 |----- 63 [D] ----- | 0305

DSN COVERAGE
HPTXR

32

1620 |----- 45 [D] ----- | 0425

HPTXR

RTLTL : 14h 16m 28s

1200 RTLTL=14h 16m 24s

0000 RTLTL=14h 16m 20s

VOYAGER 2

FDSL : 11AF

CCSL : B027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|--- VGR ---| |----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/26/97 - 08:25

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
APRIL 4, 1997
094-095

☐ SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 18h 14m 14s

█ 1200 RTLTL=18h 14m 12s

█ 0000 RTLTL=18h 14m 12s

VOYAGER 1

FDSL : 11AF

CCSL : A024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 25 [D] ----- | 1545

2330 |----- 63 [D] ----- | 0250

0600 |-- 25 [D] |---

DSN COVERAGE
HPTXR

32

1255 |----- 45 [D] ----- | 0420

HPTXR

RTLTL : 14h 16m 20s

█ 1200 RTLTL=14h 16m 16s

█ 0000 RTLTL=14h 16m 12s

VOYAGER 2

↓ 2211 SLEW->HELIO-1A

FDSL : 11AF

CCSL : B027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/26/97 - 08:25

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
APRIL 5, 1997
095-096

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 18h 14m 12s

1200 RTLT=18h 14m 10s

0000 RTLT=18h 14m 10s

VOYAGER 1

FDSL : 11AF

CCSL : A024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 25 [D] ----- | 1730

0555 | --- 25 [D] ---

DSN COVERAGE
HPTXR

32

1220 | ----- 24 [D] ----- | 1555

2245 | ----- 45 [D] ----- | 0415

HPTXR

RTLT : 14h 16m 12s

1200 RTLT=14h 16m 8s

0000 RTLT=14h 16m 4s

VOYAGER 2

↓ 1011 SLEW->HELIO-2A

↓ 2211 SLEW->HELIO-3A

FDSL : 11AF

CCSL : B027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/26/97 - 08:25

PST: 0 1 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
APRIL 6, 1997
096-097

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 18h 14m 10s

VOYAGER 1

FDSL : 11AF

CCSL : A024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 ----- 25 [D] ----- | 1725 2205 | ----- 63 [D] ----- | 0250 0550 | 25 [D] |

DSN COVERAGE
HPTXR

32 1615 | ----- 45 [D] ----- | 2345

HPTXR

RTLT : 14h 16m 4s

VOYAGER 2

FDSL : 11AF

CCSL : B027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

1200 RTLT=14h 16m 0s 0000 RTLT=14h 15m 56s

↓ 1011 SLEW->HELIO-4A

↓ 2211 SLEW->HELIO-5A

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 03/26/97 - 08:25

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
APRIL 7, 1997
097-098

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 18h 14m 8s

1200 RTLT=18h 14m 8s

0000 RTLT=18h 14m 6s

EL-40 (00:48) 0634 ▼
DUMMY (01:03) 0649 ▼
CCSL A025 (01:06) 0652 ▼

VOYAGER 1

FDSL : 11AF

CCSL : A024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 25 [D] ----- | 1720

0605 | 24 [T]

DSN COVERAGE
HPTXR

32

1615 | ----- 45 [D] ----- | 0410

HPTXR

RTLT : 14h 15m 56s

1200 RTLT=14h 15m 52s

0000 RTLT=14h 15m 48s

VOYAGER 2

↓ 1011 SLEW->HELIO-6A

↓ 2211 SLEW->HELIO-7A

FDSL : 11AF

CCSL : B027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

| ----- VGR ----- |

| VGR |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 03/26/97 - 08:25

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
APRIL 8, 1997
098-099

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 18h 14m 6s

▼ 0809 CR-5T (02:24)

1200 RTLTL=18h 14m 6s

0000 RTLTL=18h 14m 6s

VOYAGER 1

U/L 1000 |---| TLC (SHORT-FORM) |---| D/L |0542

FDSL : 11AF

1749 | 1750 PWS/RH

CCSL : A024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1749
GS-4B 1750

* 0049 * 0225

FDS MODE
XB DATA RATE (MI)

CR-5T

CR-5T

EL-40

CR-5T

160(32)

160(32)

40(30)

160(32)

31

24 [T]

1200

1145 |

25 [D]

1715

0235 |

61 [D]

0550 | 25 [D]

0605

2330 |

63 [D]

0250

DSN COVERAGE
HPTXR

1620 |

45 [D]

0405

32

HPTXR

1200 RTLTL=14h 15m 44s

0000 RTLTL=14h 15m 42s

RTLTL : 14h 15m 48s

VOYAGER 2

↓ 1011 SLEW->HELIO-8A

1715 | 1715 PWS/RH

1852 | PLSCAL - | 2035

1852 | --- MAGCAL --- | 2155

1852 | --- PESCAL --- | 2212

↓ 2211 SLEW->HELIO-9A

FDSL : 11AF

1715
GS-4B 1715

CCSL : B027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

CR-5T

160(32)

160(32)

VOYAGER COVERAGE

--- VGR --- |

|----- VGR -----|

|--- VGR ---|

NOTES

[1] S/C 32=GS-4B @ 1715 XB=2.8K(41) NOT RECOVERABLE

[2] S/C 31=GS-4B @ 1749 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 03/26/97 - 08:25

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
APRIL 9, 1997
099-100

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 18h 14m 6s

1200 RTLT=18h 14m 4s

0000 RTLT=18h 14m 4s

VOYAGER 1

FDSL : 11AF

CCSL : A024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 25 [D] ----- | 1710

2325 |----- 63 [D] ----- | 0245

0545 | 25 [D] |

0230 |----- 61 [D] ----- | 0600

HPTXR

DSN COVERAGE

32

1225 |---- 43 [B] ---- | 1450

1435 |----- 45 [D] ----- | 0400

HPTXR

RTLT : 14h 15m 42s

1200 RTLT=14h 15m 38s

0000 RTLT=14h 15m 34s

VOYAGER 2

↓ 1011 SLEW->HELIO-10A

▼ 1253 DUMMY (BRACKETED 03:08)

↓ 2210 SLEW->MIDPNT-A

FDSL : 11AF

CCSL : B027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|-- VGR --| |----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 03/26/97 - 08:25

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
APRIL 10, 1997
100-101

VCB/MD MTG/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 18h 14m 4s

1200 RTLTL=18h 14m 4s

0000 RTLTL=18h 14m 4s

VOYAGER 1

FDSL : 11AF

CCSL : A024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

-----25 [D] -----| 1555

2325 |----- 63 [D] -----| 0245

0540 | 25 [D] -

0230 |----- 61 [D] -----| 0555

HPTXR

DSN COVERAGE

32

1220 |---- 43 [D] ----| 1445

1615 |----- 45 [D] -----| 0355

HPTXR

RTLTL : 14h 15m 34s

1200 RTLTL=14h 15m 30s

0000 RTLTL=14h 15m 26s

VOYAGER 2

↓ 2210 SLEW->HELIO-11A

FDSL : 11AF

CCSL : B027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 03/26/97 - 08:25

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
APRIL 11, 1997
101-102

☐ SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 18h 14m 4s

█ 1200 RTLT=18h 14m 2s

█ 0000 RTLT=18h 14m 2s

VOYAGER 1

FDSL : 11AF

CCSL : A024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 25 [D] ----- | 1420

0540 | 25 [D] -
0210 | ----- 61 [D] ----- | 0555

DSN COVERAGE
HPTXR

32 1200 | ----- 24 [D] ----- | 1550

1535 | ----- 45 [D] ----- | 0355

HPTXR

RTLT : 14h 15m 26s

█ 1200 RTLT=14h 15m 22s

█ 0000 RTLT=14h 15m 18s

VOYAGER 2

↓ 1010 SLEW->HELIO-12A

↓ 2210 SLEW->HELIO-13A

FDSL : 11AF

CCSL : B027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

| ----- VGR ----- |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 03/26/97 - 08:25

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
APRIL 12, 1997
102-103

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 18h 14m 2s

1200 RTLT=18h 14m 2s

0000 RTLT=18h 14m 2s

VOYAGER 1

FDSL : 11AF

CCSL : A024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 25 [D] ----- | 1700 0110 |----- 61 [D] ----- | 0535 | 25 [D] | 0550

DSN COVERAGE HPTXR

32 1455 |----- 45 [D] ----- | 0350

HPTXR

RTLT : 14h 15m 18s

1200 RTLT=14h 15m 14s

0000 RTLT=14h 15m 10s

VOYAGER 2

↓ 1010 SLEW->HELIO-14A

↓ 2210 SLEW->HELIO-15A

FDSL : 11AF

CCSL : B027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 03/26/97 - 08:25

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
APRIL 13, 1997
103-104

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 18h 14m 2s
 VOYAGER 1
 FDSL : 11AF
 CCSL : A024
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

1200 RTLT=18h 14m 2s 0000 RTLT=18h 14m 2s

31 ----- 25 [D] ----- 1655 0105 |----- 61 [D] -----| 0540

DSN COVERAGE HPTXR

32 1215 |----- 15 [D] -----| 1525 1525 |----- 45 [D] -----| 2345

HPTXR

RTLT : 14h 15m 10s
 VOYAGER 2
 FDSL : 11AF
 CCSL : B027
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

1200 RTLT=14h 15m 6s 0000 RTLT=14h 15m 2s

↓ 1010 SLEW->HELIO-16A ↓ 2210 SLEW->HELIO-17A

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7