

ISSUE DATE: 12/19/00 - 16:51

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
DECEMBER 21, 2000
356-357

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 22h 17m 54s

1200 RTLT=22h 17m 56s

0000 RTLT=22h 18m 0s

VOYAGER 1

FDSSL : 11AF

CCSL : A037
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

S/C 31 STATUS
FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -20.181 sec
ROLLREF = RIGIL
KENTAURUS

↓ 2010 SLEW->HELIO-9A

▼ 1630 DUMMY (14:48)

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31

1120 | 54 [D] | 1315

1255 |-----14-----| 1720

1925 |-----24 [D]-----| 2325

DSN COVERAGE
HPTXR

32

-----34 [o]-----| 1110

2015 |-----34 [o]-----| 0340

HPTXR

RTLT : 17h 38m 10s

1200 RTLT=17h 38m 18s

0000 RTLT=17h 38m 24s

VOYAGER 2

FDSSL : 11AF

CCSL : B110
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

S/C 32 STATUS
FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -52.713 sec
ROLLREF = VEGA

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

-----ON CALL-----| -VGR- |-----ON CALL-----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 12/19/00 - 16:51

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
DECEMBER 22, 2000
357-358

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 22h 18m 0s

1200 RTLT=22h 18m 2s

0000 RTLT=22h 18m 4s

VOYAGER 1

↓ 2010 SLEW->HELIO-8A

FDSL : 11AF

CCSL : A037
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

1225 |-----63 [D]-----| 1640

1620 |-----25 [D]-----| 2340

0650 | 54 [T] |

DSN COVERAGE
HPTXR

32

2015 |-----45 [D]-----

HPTXR

RTLT : 17h 38m 24s

1200 RTLT=17h 38m 30s

0000 RTLT=17h 38m 36s

VOYAGER 2

FDSL : 11AF

CCSL : B110
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

CHRISTMAS HOLIDAY

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 12/19/00 - 16:51

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
DECEMBER 23, 2000
358-359

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 22h 18m 4s

1200 RTLT=22h 18m 6s

0000 RTLT=22h 18m 10s

VOYAGER 1

↓ 2010 SLEW->HELIO-7A

FDSL : 11AF

U/L 1430 | - - - - - TLC (SHORT-FORM) - - - - -

CCSL : A037
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

54 [T]

1525

1635 |

15 [D]

2350

0515 |

63 [D]

DSN COVERAGE
HPTXR

32

45 [D] | 1015

1950 |

34 [D]

0155

0415 |

45 [D]

HPTXR

RTLT : 17h 38m 36s

1200 RTLT=17h 38m 42s

0000 RTLT=17h 38m 48s

VOYAGER 2

FDSL : 11AF

CCSL : B110
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 12/19/00 - 16:51

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
DECEMBER 24, 2000
359-360

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 22h 18m 10s

1200 RTLT=22h 18m 12s

0000 RTLT=22h 18m 14s

VOYAGER 1

↓ 2010 SLEW->HELIO-6A

FDSL : 11AF

----- TLC (SHORT-FORM) -----| D/L -| 1416

CCSL : A037
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31

----- 63 [D] -----| 1105

1250 |----- 14 [D] -----| 2210

DSN COVERAGE
HPTXR

32

----- 45 [D] -----| 1100

2035 - 0715 |----- 34 [o] -----|

HPTXR

RTLT : 17h 38m 48s

1200 RTLT=17h 38m 56s

0000 RTLT=17h 39m 2s

VOYAGER 2

FDSL : 11AF

CCSL : B110
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

----- ON CALL -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 12/19/00 - 16:51

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
DECEMBER 25, 2000
360-361

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 22h 18m 14s

1200 RTLT=22h 18m 16s

0000 RTLT=22h 18m 18s

VOYAGER 1

↓ 2010 SLEW->HELIO-5A

FDSL : 11AF

CCSL : A037
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

1345

25 [D]

2325

0510

63 [D]

DSN COVERAGE
HPTXR

32

2000

34 [o]

0315

HPTXR

RTLT : 17h 39m 2s

1200 RTLT=17h 39m 8s

0000 RTLT=17h 39m 12s

VOYAGER 2

FDSL : 11AF

CCSL : B110
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

ON CALL

NOTES

CHRISTMAS HOLIDAY

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 12/19/00 - 16:51

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
DECEMBER 26, 2000
361-362

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 22h 18m 18s

1200 RTLTL=22h 18m 20s

0000 RTLTL=22h 18m 22s

VOYAGER 1

↓ 2010 SLEW->HELIO-4A

FDSL : 11AF

2351 | 2352 PWS/RH

CCSL : A037
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

2351
GS-4B 2352

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

CR-5T
160(32)

31 ---|0835 63 [D]

1300 |----- 14 [D] -----| 1715

1700 |----- 25 [D] -----| 2335

DSN COVERAGE
HPTXR

1940 |----- 34 [D] -----| 0300 0515 |--- 43 [D] ---

32

HPTXR

RTLTL : 17h 39m 12s

1200 RTLTL=17h 39m 18s

0000 RTLTL=17h 39m 24s

VOYAGER 2

2254 | 2254 PWS/RH

FDSL : 11AF

CCSL : B110
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

2254
GS-4B 2254

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

[1] S/C 32=GS-4B @ 2254 XB=2.8K(41) NOT RECOVERABLE
[2] S/C 31=GS-4B @ 2351 XB=2.8K(41) NOT RECOVERABLE

CHRISTMAS HOLIDAY

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 12/19/00 - 16:51

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
DECEMBER 27, 2000
362-363

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 22h 18m 22s

1200 RTLT=22h 18m 24s

0000 RTLT=22h 18m 26s

VOYAGER 1

↓ 2010 SLEW->HELIO-3A

FDSL : 11AF

▼ 1630 DUMMY (14:48)

CCSL : A037
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31

1240 |-----| 14 |-----| 1710

DSN COVERAGE
HPTXR

32

--- 43 [D] --- | 1000

0530 |--- 45 [D] ---

HPTXR

RTLT : 17h 39m 24s

1200 RTLT=17h 39m 30s

0000 RTLT=17h 39m 36s

VOYAGER 2

FDSL : 11AF

CCSL : B110
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL ----- | - VGR - | ----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 12/19/00 - 16:51

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
DECEMBER 28, 2000
363-364

S/C STATUS MEETING AT 9:00

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 22h 18m 26s

1200 RTLT=22h 18m 28s

0000 RTLT=22h 18m 30s

VOYAGER 1

↓ 2010 SLEW->HELIO-2A

FDSL : 11AF

CCSL : A037
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31

1145 |----- 65 [D] -----| 1600

0440 |-- 63 [D] --| 0645

DSN COVERAGE
HPTXR

32

----- 45 [D] -----| 1100

0330 - 0730 |----- 34 [D] -----|

HPTXR

RTLT : 17h 39m 36s

1200 RTLT=17h 39m 42s

0000 RTLT=17h 39m 48s

VOYAGER 2

FDSL : 11AF

CCSL : B110
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 12/19/00 - 16:51

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
DECEMBER 29, 2000
364-365

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 22h 18m 30s

1200 RTLT=22h 18m 32s

0000 RTLT=22h 18m 34s

VOYAGER 1

↓ 2010 SLEW->HELIO-1A

FDSL : 11AF

CCSL : A037
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1330 |----- 24 [D] -----| 1955

0450 |----- 63 [D] -----|

DSN COVERAGE
HPTXR

32

0405 |----- 45 [D] -----|

HPTXR

RTLT : 17h 39m 48s

1200 RTLT=17h 39m 52s

0000 RTLT=17h 39m 58s

VOYAGER 2

FDSL : 11AF

CCSL : B110
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 12/19/00 - 16:51

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
DECEMBER 30, 2000
365-366

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 22h 18m 34s

1200 RTLTL=22h 18m 36s

0000 RTLTL=22h 18m 36s

VOYAGER 1

FDSL : 11AF

CCSL : A037
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

U/L 0615 |---|-----|
TLC (SHORT-FORM)

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 -----63 [D] -----|1245 0500 |-----63 [T]-----

1225 |-----14 [D]-----|1715

1805 |-----25 [D]-----|2205

HPTXR
DSN COVERAGE

32 -----45 [D] -----|1050

HPTXR

RTLTL : 17h 39m 58s

1200 RTLTL=17h 40m 4s

0000 RTLTL=17h 40m 8s

VOYAGER 2

FDSL : 11AF

CCSL : B110
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

-----ON CALL-----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 12/19/00 - 16:51

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
DECEMBER 31, 2000
366-001

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 22h 18m 36s

1200 RTLT=22h 18m 38s

0000 RTLT=22h 18m 40s

VOYAGER 1

FDSL : 11AF

TLC (SHORT-FORM)

D/L 0602

CCSL : A037
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 --- 0845 63 [T]

1935 |----- 14 [D] -----| 2350

0445 |----- 63 [D] -----

DSN COVERAGE
HPTXR

32

1920 |----- 34 [D] -----| 2310

HPTXR

RTLT : 17h 40m 8s

1200 RTLT=17h 40m 14s

0000 RTLT=17h 40m 18s

VOYAGER 2

FDSL : 11AF

CCSL : B110
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 12/19/00 - 16:51

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
JANUARY 1, 2001
001-002

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 22h 18m 40s

1200 RTLT=22h 18m 42s

0000 RTLT=22h 18m 42s

VOYAGER 1

FDSL : 11AF

CCSL : A037
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 --- 63 [D] --- | 1000

1220 |----- 14 [D] ----- | 1710

0440 |----- 63 [D] -----

1650 |----- 25 [D] ----- | 2300

HPTXR

DSN COVERAGE

32 | - 45 [D] - | 0830 - 1010

1855 |----- 45 [D] ----- | 0235

0545 | - - 43 [o] - - -

HPTXR

RTLT : 17h 40m 18s

1200 RTLT=17h 40m 24s

0000 RTLT=17h 40m 28s

VOYAGER 2

FDSL : 11AF

CCSL : B110
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

New Year Holiday

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 12/19/00 - 16:51

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
JANUARY 2, 2001
002-003

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 22h 18m 42s

1200 RTLTL=22h 18m 44s

0000 RTLTL=22h 18m 46s

VOYAGER 1

FDSL : 11AF

CCSL : A037
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

2328 | 2328 PWS/RH

2340 |----- DTR MAINT -----| 0504

0506 - 0742 | - - TAPPOS - - - |

2328
GS-4B

2328

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

CR-5T

160(32)

31 --- 63 [D] --- | 1000

1200 |--- 14 [D] ---| 1415

1355 |----- 24 [D] -----| 1945

0425 |--- 63 [D] ---| 0645

DSN COVERAGE
HPTXR

32 ----- 43 [o] -----| 1110

1830 |--- 43 [B] ---| 2100

2040 |----- 45 [D] -----| 0235

0425 |----- 34 [D] -----

HPTXR

RTLTL : 17h 40m 28s

1200 RTLTL=17h 40m 34s

0000 RTLTL=17h 40m 38s

VOYAGER 2

FDSL : 11AF

CCSL : B110
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

2230 | 2231 PWS/RH

▼ 1917 DUMMY (5 MIN BRACKETED, NO D/L)

2230
GS-4B

2231

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL ----- + --- VGR --- +----- ON CALL -----

NOTES

[1] S/C 32=GS-4B @ 2230 XB=2.8K(41) NOT RECOVERABLE
[2] S/C 31=GS-4B @ 2328 XB=2.8K(41) NOT RECOVERABLE

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 12/19/00 - 16:51

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
JANUARY 3, 2001
003-004

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 22h 18m 46s

VOYAGER 1

FDSL : 11AF

CCSL : A037

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

1200 RTLT=22h 18m 46s

0000 RTLT=22h 18m 48s

1543 | PLSCAL - | 1725

1543 | ---- MAGCAL ---- | 1845

1543 | ----- PESCAL ----- | 1903

▼ 1233 DUMMY (10:52)

▼ 1238 EL-40 (10:58)

▼ 1253 CCSL A038 (11:12)

▼ 1313 CR-5T (11:42)

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1205 | ----- 14 ----- | 1705

1645 | ----- 25 [D] ----- | 2250

0600 | -- 65 [D] --

DSN COVERAGE
HPTXR

32

34 [D] | 0900

0530 | -- 45 [D] --

HPTXR

RTLT : 17h 40m 38s

VOYAGER 2

FDSL : 11AF

CCSL : B110

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

1200 RTLT=17h 40m 44s

0000 RTLT=17h 40m 48s

0219 | ---- COMMAND MORATORIUM ----

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL ----- + -- VGR -- + ----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 12/19/00 - 16:51

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
JANUARY 4, 2001
004-005

S/C STATUS MEETING AT 9:00

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 22h 18m 48s

1200 RTLTL=22h 18m 48s

0000 RTLTL=22h 18m 50s

VOYAGER 1

FDSL : 11AF

* 1130 || 1135 CCS CHKSUM

CCSL : A037
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

* 1059
EL-40 * 1143

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

CR-5T
160(32)

31

65 [D] | 0910
0955 |-----|

54 [D] -----| 1340

1320 |-----| 24 [D] -----| 1645

HPTXR

DSN COVERAGE

32

45 [D] ----| 1030

1850 |-----| 45 [D] -----| 0245

HPTXR

RTLTL : 17h 40m 48s

1200 RTLTL=17h 40m 52s

0000 RTLTL=17h 40m 58s

VOYAGER 2

FDSL : 11AF

----- COMMAND MORATORIUM -----

CCSL : B110
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

↓ 1930 GYROS AB ON
↓ 1930 GYRO INIT
↓ 1940 GYRO FAULT TEST

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

ON CALL - |--- VGR ---|----- ON CALL -----|--- VGR ---|----- ON CALL -----|

NOTES

[1] S/C 31=EL-40 @ 1059 XB=40(30)

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 12/19/00 - 16:51

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
JANUARY 5, 2001
005-006

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 22h 18m 50s

1200 RTLT=22h 18m 50s

0000 RTLT=22h 18m 52s

VOYAGER 1

FDSL : 11AF

CCSL : A037
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1030 |----- 63 [D] -----| 1430

DSN COVERAGE
HPTXR

32

2240 |----- 34 [D] -----| 0240 0530 |---- 45 [D] ----|

HPTXR

RTLT : 17h 40m 58s

1200 RTLT=17h 41m 2s

0000 RTLT=17h 41m 6s

----- COMMAND MORATORIUM -----|0149

VOYAGER 2

FDSL : 11AF

CCSL : B110
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 12/19/00 - 16:51

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
JANUARY 6, 2001
006-007

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 22h 18m 52s

1200 RTLT=22h 18m 52s

0000 RTLT=22h 18m 54s

VOYAGER 1

FDSL : 11AF

CCSL : A037

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 |----- 63 [D] -----| 0805- 1615 |----- 0415 |----- 63 [D] -----|

1555 |----- 25 [D] -----| 2240

DSN COVERAGE
HPTXR

32 |--- 45 [D] ---| 1005

1915 |----- 34 [o] -----| 0300

HPTXR

RTLT : 17h 41m 6s

1200 RTLT=17h 41m 10s

0000 RTLT=17h 41m 14s

VOYAGER 2

FDSL : 11AF

CCSL : B110

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 12/19/00 - 16:51

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
JANUARY 7, 2001
007-008

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 22h 18m 54s

1200 RTLTL=22h 18m 54s

0000 RTLTL=22h 18m 54s

VOYAGER 1

FDSL : 11AF

CCSL : A037
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 --- 63 [D] --- | 1015

1155 |----- 14 [D] -----| 2315

0500 |----- 65 [D] -----|

DSN COVERAGE
HPTXR

32

1910 |----- 34 [D] -----| 2245

0400 |----- 45 [D] -----|

HPTXR

RTLTL : 17h 41m 14s

1200 RTLTL=17h 41m 20s

0000 RTLTL=17h 41m 24s

VOYAGER 2

FDSL : 11AF

CCSL : B110
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

↓ 1930 GYRO INIT

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8