

ISSUE DATE: 03/14/01 - 12:17

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
MARCH 15, 2001
074-075

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 22h 15m 54s

1200 RTLTL=22h 15m 52s

0000 RTLTL=22h 15m 50s

VOYAGER 1

↓ 1309 SLEW->HELIO-4A

FDSL : 11AF

S/C 31 STATUS

▼ 0145 DUMMY (00:01)

CCSL : A038
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -20.768 sec

ROLLREF = RIGIL
KENTAURUS

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31 0900 |----- 15 [D] -----| 1300

0015- 0750 |----- 63 -----| 14 [D] 0730 |--|

DSN COVERAGE
HPTXR

32 1400 |----- 43 [D] -----| 0120

HPTXR

RTLTL : 17h 41m 50s

1200 RTLTL=17h 41m 46s

0000 RTLTL=17h 41m 44s

----- COMMAND MORATORIUM -----

VOYAGER 2

↓ 1858 AAI

FDSL : 11AF

S/C 32 STATUS

1901 |----- MAGROL -----| 0056

CCSL : B111
TWNC : ON
SB : OFF XB : HIGH
PYR : .05/ .10/ .25
GYROS : BC ON

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -61.886 sec

ROLLREF = VEGA

↓ 0049 RAI
↓ 0056 CRU
↓ 0056 GYROS OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

----- ON CALL ----- + ----- VGR ----- + ----- ON CALL -----

NOTES

[1] S/C 32 - D/L AGC VARIATIONS EXPECTED DURING MAGROL (1901-0056)

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/14/01 - 12:17

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
MARCH 16, 2001
075-076

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 22h 15m 50s

1200 RTLT=22h 15m 48s

0000 RTLT=22h 15m 46s

VOYAGER 1

↓ 1309 SLEW->HELIO-5A

FDSL : 11AF

CCSL : A038
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

14 [D]

1300

2350

63 [D]

1240

15 [D]

1655

DSN COVERAGE
HPTXR

32

1445

34 [o]

2300

HPTXR

RTLT : 17h 41m 44s

1200 RTLT=17h 41m 40s

0000 RTLT=17h 41m 38s

VOYAGER 2

COMMAND MORATORIUM

0714

FDSL : 11AF

CCSL : B111
TWNC : ON
SB : OFF XB : HIGH
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/14/01 - 12:17

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
MARCH 17, 2001
076-077

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 22h 15m 46s

1200 RTLT=22h 15m 44s

0000 RTLT=22h 15m 42s

VOYAGER 1

↓ 1308 SLEW->HELIO-6A

FDSL : 11AF

CCSL : A038
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

0850 63 [D]

24 [D]

0830 - 1545

2350

63 [D]

DSN COVERAGE
HPTXR

32

1355

43 [D]

1915

1910

34 [o]

0145

HPTXR

RTLT : 17h 41m 38s

1200 RTLT=17h 41m 34s

0000 RTLT=17h 41m 32s

VOYAGER 2

FDSL : 11AF

CCSL : B111
TWNC : ON
SB : OFF XB : HIGH
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/14/01 - 12:17

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
MARCH 18, 2001
077-078

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 22h 15m 42s

1200 RTLTL=22h 15m 40s

0000 RTLTL=22h 15m 38s

VOYAGER 1

↓ 1308 SLEW->HELIO-7A

U/L 0750

FDSL : 11AF

CCSL : A038
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 --- { 0845 63 [D]

1405 |----- 15 [D] -----| 1800

0000 |----- 63 [T] -----|

DSN COVERAGE
HPTXR

32

1430 |----- 34 [D] -----| 1930

0300 |----- 45 [D] -----| 0550

HPTXR

RTLTL : 17h 41m 32s

1200 RTLTL=17h 41m 28s

0000 RTLTL=17h 41m 26s

VOYAGER 2

FDSL : 11AF

CCSL : B111
TWNC : ON
SB : OFF XB : HIGH
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/14/01 - 12:17

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
MARCH 19, 2001
078-079

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 22h 15m 38s

1200 RTLT=22h 15m 36s

0000 RTLT=22h 15m 34s

VOYAGER 1

U/L +-----TLC (SHORT-FORM)-----+ D/L -|

0734 ↑

FDSL : 11AF

↓ 1308 SLEW->HELIO-8A

CCSL : A038
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

0825 63 [T]

2340

-----63 [D]-----

-----15 [D]-----| 0830 - 1315

DSN COVERAGE
HPTXR

32

1400

45 [D]

0200

HPTXR

RTLT : 17h 41m 26s

1200 RTLT=17h 41m 22s

0000 RTLT=17h 41m 20s

VOYAGER 2

FDSL : 11AF

CCSL : B111
TWNC : ON
SB : OFF XB : HIGH
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE


-----ON CALL-----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/14/01 - 12:17

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0



ISSUE DATE: 03/14/01 - 12:17

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
MARCH 21, 2001
080-081

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 22h 15m 30s

VOYAGER 1

FDSL : 11AF

CCSL : A038
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

1200 RTLT=22h 15m 28s

0000 RTLT=22h 15m 26s

↓ 1308 SLEW->HELIO-10A

▼ 0130 DUMMY (23:45)

31

HPTXR

DSN COVERAGE

32

HPTXR

RTLT : 17h 41m 14s

VOYAGER 2

FDSL : 11AF

CCSL : B111
TWNC : ON
SB : OFF XB : HIGH
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

1200 RTLT=17h 41m 10s

0000 RTLT=17h 41m 8s

| 0842 ----- COMMAND MORATORIUM -----

↓ 0154 X/B LOW POWER

↓ 0158 BAY 1 HTR ON

VOYAGER COVERAGE

----- ON CALL ----- | VGR --- | ----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/14/01 - 12:17

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
MARCH 22, 2001
081-082

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 22h 15m 26s

1200 RTLTL=22h 15m 24s

0000 RTLTL=22h 15m 22s

VOYAGER 1

FDSL : 11AF

↓ 1308 SLEW->MIDPNT-A

CCSL : A038
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

25 [D] 0810 - 1410

2330

63 [D]

14 [D] 0750

DSN COVERAGE
HPTXR

32

1320

43 [D]

1800

1740

45 [D]

0130

HPTXR

RTLTL : 17h 41m 8s

1200 RTLTL=17h 41m 4s

0000 RTLTL=17h 41m 0s

VOYAGER 2

FDSL : 11AF

COMMAND MORATORIUM

CCSL : B111
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/14/01 - 12:17

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
MARCH 23, 2001
082-083

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 22h 15m 22s

1200 RTLTL=22h 15m 22s

0000 RTLTL=22h 15m 20s

VOYAGER 1

↓ 1308 SLEW->HELIO-11A

FDSL : 11AF

CCSL : A038
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 | 0810 63 [D]

----- 14 [D] ----- | 1315

1450 | ----- 25 [D] ----- | 1745

2330 | ----- 63 [D] -----

DSN COVERAGE
HPTXR

32

1345 | ----- 45 [D] ----- | 2055

HPTXR

RTLTL : 17h 41m 0s

| 0816 COMMAND MORATORIUM

1200 RTLTL=17h 40m 58s

0000 RTLTL=17h 40m 54s

VOYAGER 2

FDSL : 11AF

CCSL : B111
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/14/01 - 12:17

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
MARCH 24, 2001
083-084

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 22h 15m 20s

1200 RTLTL=22h 15m 18s

0000 RTLTL=22h 15m 16s

VOYAGER 1

↓ 1308 SLEW->HELIO-12A

FDSL : 11AF

CCSL : A038

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ---|0840 63 [D]

1350 |-- 25 [D] --| 1545

25 [D] 0755 |

2325 - 0755 |----- 63 [D] -----|

DSN COVERAGE
HPTXR

32

1415 |----- 34 [D] -----| 1835

0210 |----- 45 [D] -----| 0510

HPTXR

RTLTL : 17h 40m 54s

1200 RTLTL=17h 40m 52s

0000 RTLTL=17h 40m 48s

VOYAGER 2

FDSL : 11AF

CCSL : B111

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/14/01 - 12:17

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
MARCH 25, 2001
084-085

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 22h 15m 16s

1200 RTLTL=22h 15m 14s

0000 RTLTL=22h 15m 12s

VOYAGER 1

↓ 1308 SLEW->HELIO-13A

U/L 0600 | - | - - - - - |

FDSL : 11AF

TLC (SHORT-FORM) ↑

CCSL : A038
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

25 [D]

1430

1410

43 [D]

1750

2335

63 [T]

DSN COVERAGE
HPTXR

32

1745

34 [o]

2045

2330

45 [D]

0455

HPTXR

RTLTL : 17h 40m 48s

1200 RTLTL=17h 40m 44s

0000 RTLTL=17h 40m 42s

VOYAGER 2

FDSL : 11AF

CCSL : B111
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/14/01 - 12:17

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
MARCH 26, 2001
085-086

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 22h 15m 12s

1200 RTLTL=22h 15m 12s

0000 RTLTL=22h 15m 10s

↓ 1308 SLEW->HELIO-14A

VOYAGER 1

----- TLC (SHORT-FORM) ----- D/L -|0543

FDSL : 11AF

CCSL : A038
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 -----|0835 63 [T]-----|1240 |----- 25 [D] -----|1545-----|2320 - 0740 |----- 63 [D] -----|25 [D] 0745 |-----

DSN COVERAGE
HPTXR

32 -----|1400 |----- 43 [D] -----|2045-----

HPTXR

RTLTL : 17h 40m 42s

1200 RTLTL=17h 40m 38s

0000 RTLTL=17h 40m 34s

VOYAGER 2

FDSL : 11AF

CCSL : B111
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE


----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/14/01 - 12:17

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0



ISSUE DATE: 03/14/01 - 12:17

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
MARCH 28, 2001
087-088

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 22h 15m 6s

VOYAGER 1

FDSL : 11AF

CCSL : A038
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1053 | PLSCAL - | 1235
1053 | --- MAGCAL --- | 1355
1053 | ---- PESCAL ---- | 1413

↓ 1308 SLEW->HELIO-16A

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 ----- 25 [D] ----- | 1725
2315 |----- 63 [D] ----- | 0645
25 [D] 0720 |---

DSN COVERAGE
HPTXR

32 1300 |----- 43 ----- | 1830
1810 |----- 45 [D] ----- | 2245

HPTXR

RTLTL : 17h 40m 28s

VOYAGER 2

FDSL : 11AF

CCSL : B111
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

▼ 1712 DUMMY (5 MIN BRACKETED - NO D/L)

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL ----- | - VGR - | ----- ON CALL ----- |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/14/01 - 12:17

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
MARCH 29, 2001
088-089

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 22h 15m 4s

1200 RTLTL=22h 15m 2s

0000 RTLTL=22h 15m 0s

VOYAGER 1

↓ 1308 SLEW->HELIO-17A

FDSL : 11AF

▼ 0100 DUMMY (23:15)

CCSL : A038
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 25 [D] ----- | 1720

2315 - 0725 |----- 63 ----- | 25 [D] 0735 |

DSN COVERAGE
HPTXR

32

1340 |----- 34 [D] ----- | 1830

2330 |----- 45 [D] ----- | 0420

HPTXR

RTLTL : 17h 40m 22s

1200 RTLTL=17h 40m 18s

0000 RTLTL=17h 40m 14s

VOYAGER 2

FDSL : 11AF

CCSL : B111
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

| - VGR - |

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/14/01 - 12:17

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
MARCH 30, 2001
089-090

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 22h 15m 0s

1200 RTLT=22h 15m 0s

0000 RTLT=22h 14m 58s

VOYAGER 1

↓ 1308 SLEW->HELIO-18A

FDSL : 11AF

CCSL : A038
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 25 [D] ----- | 1545

2300 |----- 63 [D] ----- | 0630 | 14 [D] |-----
| 0650

DSN COVERAGE
HPTXR

32

1315 |----- 45 [D] ----- | 0455

HPTXR

RTLT : 17h 40m 14s

1200 RTLT=17h 40m 12s

0000 RTLT=17h 40m 8s

VOYAGER 2

FDSL : 11AF

CCSL : B111
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/14/01 - 12:17

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
MARCH 31, 2001
090-091

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 22h 14m 58s

1200 RTLT=22h 14m 56s

0000 RTLT=22h 14m 56s

VOYAGER 1

↓ 1308 SLEW->HELIO-19A

FDSL : 11AF

CCSL : A038
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 --- 14 [D] --- | 1040

1410 | - - - - - 15 [D] - - - - - | 1745

2305 - 0710 | - - - - - 63 [D] - - - - - |

0650 | 14 [D] |

DSN COVERAGE
HPTXR

32

1310 | - - - - - 45 [D] - - - - - | 0430

HPTXR

RTLT : 17h 40m 8s

1200 RTLT=17h 40m 4s

0000 RTLT=17h 40m 2s

VOYAGER 2

FDSL : 11AF

CCSL : B111
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/14/01 - 12:17

PST: 0 1 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1

SUNDAY
APRIL 1, 2001
091-092

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 22h 14m 56s

1200 RTLT=22h 14m 54s

0000 RTLT=22h 14m 52s

VOYAGER 1

↓ 1308 SLEW->HELIO-20A

FDSL : 11AF

CCSL : A038
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 14 [D] ----- | 1415
1400 | ----- 25 [D] ----- | 1725
2300 | ----- 63 [D] ----- | 0705
24 [D] 0735 | - -

DSN COVERAGE
HPTXR

32 1305 | ----- 45 [D] ----- | 0100

HPTXR

RTLT : 17h 40m 2s

1200 RTLT=17h 39m 58s

0000 RTLT=17h 39m 54s

VOYAGER 2

FDSL : 11AF

CCSL : B111
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8