

ISSUE DATE: 02/19/03 - 08:48

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
FEBRUARY 20, 2003
051-052

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 24h 17m 38s

1200 RTLT=24h 17m 36s

0000 RTLT=24h 17m 34s

VOYAGER 1

FDSSL : 11AF

CCSL : A046
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

S/C 31 STATUS
FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -22.728 sec
ROLLREF = RIGIL
KENTAURUS

↓ 1609 SLEW->HELIO-19B

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31 --- 54 [D] --- | 1000

0945 |----- 15 [D] ----- | 1545

0400 |---- 54 [D] ---- | 0645

DSN COVERAGE
HPTXR

32

0330 |----- 43 [o] -----

HPTXR

RTLT : 19h 26m 28s

1200 RTLT=19h 26m 26s

0000 RTLT=19h 26m 26s

VOYAGER 2

FDSSL : 11AF

CCSL : B119
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

S/C 32 STATUS
FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -2:23.228 min
ROLLREF = VEGA

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

----- ON CALL ----- | VGR -- |----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/19/03 - 08:48

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
FEBRUARY 21, 2003
052-053

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 24h 17m 34s
VOYAGER 1
FDSL : 11AF
CCSL : A046
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLT=24h 17m 32s

0000 RTLT=24h 17m 30s

↓ 1609 SLEW->HELIO-20B

0403 | 0404 PWS/RH

0101 | - | 0129 TAPPOS TAPPOS 0610 | | 0624

0403
GS-4B 0404

FDS MODE
XB DATA RATE (MI)

CR-5T

CR-5T

160 (32)

160(32)

31

1255 |----- 15 [D] -----| 2015

0340 |----- 54 [D] -----|

DSN COVERAGE
HPTXR

32

| 0815 43 [o]

2330 - 0735 |----- 45 [D] -----|

HPTXR

RTLT : 19h 26m 26s
VOYAGER 2
FDSL : 11AF
CCSL : B119
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLT=19h 26m 24s

0000 RTLT=19h 26m 24s

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

[1] S/C 31=GS-4B @ 0403 XB=2.8K(41) NOT RECOVERABLE

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/19/03 - 08:48

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
FEBRUARY 22, 2003
053-054

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 24h 17m 30s

1200 RTLT=24h 17m 28s

0000 RTLT=24h 17m 26s

VOYAGER 1

FDSL : 11AF

CCSL : A046
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 -- 54 [D] -- | 0950
0940 |----- 15 [D] ----- | 2005

0205 |----- 65 [D] -----

DSN COVERAGE HPTXR

32

0330 |----- 43 [o] -----

HPTXR

RTLT : 19h 26m 24s

1200 RTLT=19h 26m 22s

0000 RTLT=19h 26m 22s

VOYAGER 2

FDSL : 11AF

CCSL : B119
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/19/03 - 08:48

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
FEBRUARY 23, 2003
054-055

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 24h 17m 26s

1200 RTLT=24h 17m 22s

0000 RTLT=24h 17m 20s

VOYAGER 1

FDSL : 11AF

CCSL : A046
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 65 [D] ----- | 1120

0330 |----- 54 [D] -----

DSN COVERAGE HPTXR

32 | 0810 43 [o]

0045 - 0725 |----- 45 [D] ----- |

HPTXR

RTLT : 19h 26m 22s

1200 RTLT=19h 26m 20s

0000 RTLT=19h 26m 20s

VOYAGER 2

FDSL : 11AF

CCSL : B119
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/19/03 - 08:48

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
FEBRUARY 24, 2003
055-056

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 24h 17m 20s

1200 RTLTL=24h 17m 18s

0000 RTLTL=24h 17m 16s

VOYAGER 1

- ↓ 1500 GYROS AB ON
- ↓ 1501 GYRO INIT
- ↓ 1510 GYRO FAULT TEST

FDSL : 11AF

CCSL : A046
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 -- 54 [D] - | 0940 0200 |----- 65 [D] -----
0905 |----- 15 [D] ----- | 2005

DSN COVERAGE
HPTXR

32 2250 |----- 45 [D] ----- | 0445

HPTXR

RTLTL : 19h 26m 20s

1200 RTLTL=19h 26m 18s

0000 RTLTL=19h 26m 16s

VOYAGER 2

FDSL : 11AF

CCSL : B119
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

----- ON CALL ----- | VGR - |----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/19/03 - 08:48

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
FEBRUARY 25, 2003
056-057

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 24h 17m 16s

1200 RTLTL=24h 17m 14s

0000 RTLTL=24h 17m 12s

VOYAGER 1

2139 | 2140 PWS/RH

FDSL : 11AF

CCSL : A046
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : AB ON

2139
GS-4B 2140

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

CR-5T
160(32)

31 -- 65 [D] -- | 0950

1515 |----- 25 [D] -----| 1915

0325 |----- 54 [D] -----|

DSN COVERAGE
HPTXR

0325 - 0755 |----- 43 [D] -----|

HPTXR

RTLTL : 19h 26m 16s

1200 RTLTL=19h 26m 16s

0000 RTLTL=19h 26m 14s

VOYAGER 2

2036 | 2037 PWS/RH

FDSL : 11AF

CCSL : B119
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

2036
GS-4B 2037

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

[1] S/C 32=GS-4B @ 2036 XB=2.8K(41) NOT RECOVERABLE
[2] S/C 31=GS-4B @ 2139 XB=2.8K(41) NOT RECOVERABLE

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/19/03 - 08:48

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY FEBRUARY 26, 2003 057-058	
UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8	
RTLTL : 24h 17m 12s VOYAGER 1 FDSL : 11AF CCSL : A046 TWNC : ON SB : OFF XB : LOW PYR : .05/ .10/ .25 GYROS : AB ON	1200 RTLTL=24h 17m 10s 0000 RTLTL=24h 17m 8s
FDS MODE XB DATA RATE (MI)	CR-5T 160(32)
HPTXR 31	54 [D] 0910 0150 ----- 65 [D] ----- 0550 0850 ---- 14 [T] ---- 1130 1215 - 24 [D] -- 1410
DSN COVERAGE HPTXR 32	1740 ----- 45 [D] ----- 2245 0425 - 0745 ----- 43 [B] -----
HPTXR RTLTL : 19h 26m 14s VOYAGER 2 FDSL : 11AF CCSL : B119 TWNC : ON SB : OFF XB : LOW PYR : .05/ .10/ .25 GYROS : OFF	1200 RTLTL=19h 26m 12s 0000 RTLTL=19h 26m 10s DUMMY (5 MIN BRACKETED 00:44) 0517 ▼
FDS MODE XB DATA RATE (MI)	CR-5T 160(32)
VOYAGER COVERAGE	----- ON CALL ----- - VGR - - ON CALL -
NOTES	(Empty)
UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8	

ISSUE DATE: 02/19/03 - 08:48

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
FEBRUARY 27, 2003
058-059

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 24h 17m 8s

1200 RTLTL=24h 17m 6s

0000 RTLTL=24h 17m 4s

VOYAGER 1

FDSL : 11AF

TLC SHORT-FORM -| D/L -| 1215

CCSL : A046
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : AB ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

0915 |-----15 [D]-----|

1515 |-----25 [D]-----|

1545 |-----1915

0215 |-----65 [D]-----|

DSN COVERAGE
HPTXR

32

2020 |-----45 [D]-----| 0305

HPTXR

RTLTL : 19h 26m 10s

1200 RTLTL=19h 26m 10s

0000 RTLTL=19h 26m 8s

VOYAGER 2

FDSL : 11AF

CCSL : B119
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/19/03 - 08:48

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

<p>FRIDAY FEBRUARY 28, 2003 059-060</p>	
<p>UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8</p> <p>RTLTL : 24h 17m 4s</p> <p>VOYAGER 1</p> <p>FDSL : 11AF</p> <p>CCSL : A046 TWNC : ON SB : OFF XB : LOW PYR : .05/ .10/ .25 GYROS : AB ON</p> <p>FDS MODE XB DATA RATE (MI)</p>	<p>1200 RTLTL=24h 17m 2s</p> <p>0000 RTLTL=24h 17m 0s</p> <p>↓ 1305 BAY 1 HTR OFF ↓ 1309 X/B HI POWER ↓ 1339 YAW=.05</p> <p>↓ 1600 GYRO INIT ↓ 1621 YAW=.10</p> <p>▼ 1500 DUMMY (NO D/L)</p> <p>↓ 1909 X/B LOW POWER ↓ 1913 BAY 1 HTR ON</p> <p>0036 - 0104 TAPPOS</p> <p>TAPPOS 0546 0600</p> <p>1349 - PLAYBACK - - 1612</p> <p>1709 - - - 1750 TAPPOS</p> <p>0339 0339 PWS/RH 0339 GS-4B 0339</p> <p>CR-5T PB-14 CR-5T CR-5T</p> <p>160(32) 1.4K(39) 160(32) 160(32)</p>
<p>31</p> <p>DSN COVERAGE</p> <p>HPTXR</p> <p>32</p> <p>HPTXR</p>	<p>65 [D] 1155 1245 14 1745 1725 15 [D] 1945</p> <p>1520 - 0710 45 [D]</p>
<p>RTLTL : 19h 26m 8s</p> <p>VOYAGER 2</p> <p>FDSL : 11AF</p> <p>CCSL : B119 TWNC : ON SB : OFF XB : LOW PYR : .05/ .10/ .25 GYROS : OFF</p> <p>FDS MODE XB DATA RATE (MI)</p>	<p>1200 RTLTL=19h 26m 6s</p> <p>0000 RTLTL=19h 26m 4s</p> <p>CR-5T</p> <p>160(32)</p>
<p>VOYAGER COVERAGE</p>	<p>----- ON CALL ----- ----- VGR ----- ON CALL VGR - ----- ON CALL -----</p>
<p>NOTES</p>	<p>[1] S/C 31=GS-4B @ 0339 XB=2.8K(41) NOT RECOVERABLE</p>

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/19/03 - 08:48

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
MARCH 1, 2003
060-061

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 24h 17m 0s

1200 RTLT=24h 16m 56s

0000 RTLT=24h 16m 54s

VOYAGER 1

FDSL : 11AF

CCSL : A046
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : AB ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 65 [D] -| 0920 0310 |----- 54 [D] -----
0915 |----- 24 [D] -----| 1315

DSN COVERAGE
HPTXR

0320 - 0735 |----- 43 [o] -----|

32

HPTXR

RTLT : 19h 26m 4s

1200 RTLT=19h 26m 2s

0000 RTLT=19h 26m 2s

VOYAGER 2

FDSL : 11AF

CCSL : B119
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/19/03 - 08:48

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
MARCH 2, 2003
061-062

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 24h 16m 54s

1200 RTLT=24h 16m 52s

0000 RTLT=24h 16m 50s

VOYAGER 1

FDSL : 11AF

CCSL : A046
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : AB ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 54 [D] | 0915 1045 |----- 24 [D] -----| 1805 0310 |----- 54 [D] -----|

DSN COVERAGE HPTXR

32

2355 |----- 45 [D] -----| 0700

HPTXR

RTLT : 19h 26m 2s

1200 RTLT=19h 26m 0s

0000 RTLT=19h 25m 58s

VOYAGER 2

FDSL : 11AF

CCSL : B119
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/19/03 - 08:48

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
MARCH 3, 2003
062-063

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 24h 16m 50s

1200 RTLT=24h 16m 48s

0000 RTLT=24h 16m 46s

VOYAGER 1

FDSL : 11AF

CCSL : A046
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : AB ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 54 [D] | 0910

1640 |----- 45 [D] -----| 2050

0130 |----- 65 [D] -----|

DSN COVERAGE
HPTXR

32

2325 |----- 45 [D] -----| 0445

HPTXR

RTLT : 19h 25m 58s

1200 RTLT=19h 25m 56s

0000 RTLT=19h 25m 54s

VOYAGER 2

FDSL : 11AF

CCSL : B119
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8


ISSUE DATE: 02/19/03 - 08:48

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0


TUESDAY
MARCH 4, 2003
063-064

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 24h 16m 46s
VOYAGER 1
FDSL : 11AF
CCSL : A046
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : AB ON




FDS MODE
XB DATA RATE (MI)



DSN COVERAGE
HPTXR
HPTXR

RTLTL : 19h 25m 54s
VOYAGER 2
FDSL : 11AF
CCSL : B119
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF



FDS MODE
XB DATA RATE (MI)

VOYAGER COVERAGE

ON CALL |----- VGR -----|----- ON CALL -----|----- VGR -----|----- ON CALL -----|

NOTES

[1] S/C 31 - D/L AGC VARIATIONS EXPECTED DURING MAGROL (1003-1558)
[2] S/C 32=GS-4B @ 2012 XB=2.8K(41) NOT RECOVERABLE
[3] S/C 31=GS-4B @ 2115 XB=2.8K(41) NOT RECOVERABLE

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/19/03 - 08:48

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
MARCH 5, 2003
064-065

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 24h 16m 42s

1200 RTLT=24h 16m 40s

0000 RTLT=24h 16m 38s

VOYAGER 1

----- TLC (SHORT-FORM) ----- | D/L -| 1800

FDSL : 11AF

CCSL : A046

1330 | PLSCAL -| 1512

TWNC : ON

SB : OFF XB : LOW

1330 | --- MAGCAL --- | 1632

PYR : .05/ .10 / .25

GYROS : OFF

1330 | ---- PESCAL ---- | 1650

FDS MODE

CR-5T

XB DATA RATE (MI)

160(32)

31 -- 54 [D] -- | 0950

1145 | ----- 15 [D] ----- | 1930

HPTXR

DSN COVERAGE

32 -| 0820 43 [B]

1720 | ----- 45 [D] ----- | 0345

HPTXR

RTLT : 19h 25m 50s

1200 RTLT=19h 25m 48s

0000 RTLT=19h 25m 46s

VOYAGER 2

FDSL : 11AF

CCSL : B119

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE

CR-5T

XB DATA RATE (MI)

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/19/03 - 08:48

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
MARCH 6, 2003
065-066

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 24h 16m 38s

1200 RTLT=24h 16m 36s

0000 RTLT=24h 16m 32s

VOYAGER 1

FDSL : 11AF

CCSL : A046
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 |----- 15 [D] -----| 0835 - 1545

0250 |----- 54 [D] -----| 0645

DSN COVERAGE
HPTXR

32 |----- 1500 |----- 45 [D] -----| 2245

HPTXR

RTLT : 19h 25m 46s

1200 RTLT=19h 25m 44s

0000 RTLT=19h 25m 42s

VOYAGER 2

FDSL : 11AF

CCSL : B119
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/19/03 - 08:48

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
MARCH 7, 2003
066-067

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 24h 16m 32s

1200 RTLT=24h 16m 30s

0000 RTLT=24h 16m 28s

0314 | 0315 PWS/RH

VOYAGER 1

FDSL : 11AF

0012 | - | 0040 TAPPOS

0522 | | 0536 TAPPOS

CCSL : A046
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

0314
GS-4B 0315

FDS MODE
XB DATA RATE (MI)

CR-5T

CR-5T

160(32)

160(32)

31

1425 | - - - - - 15 [D] - - - - - | 1920

DSN COVERAGE
HPTXR

32

1955 | - - - - - 45 [D] - - - - - | 0640

HPTXR

RTLT : 19h 25m 42s

1200 RTLT=19h 25m 40s

0000 RTLT=19h 25m 38s

VOYAGER 2

FDSL : 11AF

CCSL : B119
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

- - - - - ON CALL - - - - -

NOTES

[1] S/C 31=GS-4B @ 0314 XB=2.8K(41) NOT RECOVERABLE

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/19/03 - 08:48

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
MARCH 8, 2003
067-068

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 24h 16m 28s

1200 RTLTL=24h 16m 26s

0000 RTLTL=24h 16m 24s

VOYAGER 1

↓ 1608 GYRO INIT

FDSL : 11AF

CCSL : A046
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

0920 |----- 15 [D] -----| 1755

0610 |-- 54 [D] --|

DSN COVERAGE
HPTXR

32

1440 |----- 45 [D] -----| 0640

HPTXR

RTLTL : 19h 25m 38s

1200 RTLTL=19h 25m 36s

0000 RTLTL=19h 25m 32s

VOYAGER 2

FDSL : 11AF

CCSL : B119
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/19/03 - 08:48

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
MARCH 9, 2003
068-069

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 24h 16m 24s

1200 RTLT=24h 16m 22s

0000 RTLT=24h 16m 20s

VOYAGER 1

FDSL : 11AF

CCSL : A046
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

0855 54 [D]

0235

54 [D]

----- 15 [D] -----

0835- 1725

DSN COVERAGE
HPTXR

32

1705

----- 45 [D] -----

2345

HPTXR

RTLT : 19h 25m 32s

1200 RTLT=19h 25m 30s

0000 RTLT=19h 25m 28s

VOYAGER 2

FDSL : 11AF

CCSL : B119
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8