

VOYAGER

Space Flight Operations Schedule (SFOS)

Issue Date: January 21, 2004

For the Period: 01/22/04 to 02/08/04 (04-022 - 04-039)

DSN OPSCHIEF (1) 230-102

DSOT (1) 230-102

*Zsarina.Bulchand@jpl.nasa.gov
 *gdyke@airmail.ftops.jpl.nasa.gov
 *John.M.Grant@jpl.nasa.gov
 *dmcclena@airmail.ftops.jpl.nasa.gov
 *pqach@airmail.ftops.jpl.nasa.gov
 *mrobles@airmail.ftops.jpl.nasa.gov
 *rwilliam@airmail.ftops.jpl.nasa.gov

OTHER (2)

Espejo, P. 507-215
 Wallace, L 507-215
 * KMassey@jgld.gdscc.nasa.gov
 * Byron.G.Yetter@jpl.nasa.gov
 * Belinda.Arroyo@jpl.nasa.gov
 * Ruben.P.Espinueva@jpl.nasa.gov
 * Karen.E.Yetter@jpl.nasa.gov
 * MCarmichael@jftl.jpl.nasa.gov

SCIENCE (1)

Wong, R. 600-100
 CRS *bryant@mail630.gsfc.nasa.gov
 LECP *r.decker@jhuapl.edu
 UVS *holburg@argus.lpl.arizona.edu
 MAG *u2mha@lepvox.gsfc.nasa.gov
 PLS *vgr@space.mit.edu
 PWS *wsk@space.physics.uiowa.edu
 *Leonard.F.Burlaga@nasa.gov
 *Donald-Gurnett@uiowa.edu

FLIGHT TEAM (17) 600-100


Hall, J.
 Hogle, T. (2)
 Howard, S. (3)
 Ludwig, R. (2)
 Massey, Ed
 Matsumoto, S.
 Medina (AACS)
 Poynter, R.
 Presley (3) (DSE)
 Weeks, T.
 Zottarelli, L.
 *charlotte.m.weiss@jpl.nasa.gov
 *odivers@san.rr.com

NOPEs (1) 507-120
 Millner, I

LEGEND: ∇ = R/T Command (Last chance or Contingency)
 ▼ = R/T Command (Scheduled)
 * = Result of R/T Command
 n = (where n = 1,2,3 ..) Special Note, see bottom of page
 D = Downlink only pass
 A = Arrayed station
 U = Uplink only pass
 B = BLF
 [o] = Ramp-through
 H = High Power Transmitter
 T = TLC Uplink

*Electronic Copy Only
 (23 – Dist/N: Paper Copies)
 11/25/03


ISSUE DATE: 01/21/04 10:57




ISSUE DATE: 01/21/04 10:57

PST:		0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0			
UTC:		8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
FRIDAY JANUARY 23, 2004 023-024																													
S/C 31 INITIAL CONDITIONS RTLT: 25h 18m 54s CCSL: A050 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF		1200 RTLT 25h 18m 54s												0000 RTLT 25h 18m 52s															
FDS MODE		CR-5T												CR-5T															
XB DATA RATE(MI)		160(32)												160(32)															
31 DSN COVERAGE																													
32 DSN COVERAGE																													
S/C 32 INITIAL CONDITIONS RTLT: 20h 17m 34s CCSL: B122 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF		1200 RTLT 20h 17m 38s												0000 RTLT 20h 17m 40s															
FDS MODE		CR-5T												CR-5T															
XB DATA RATE(MI)		160(32)												160(32)															
VGR COVERAGE		ON CALL																											
NOTES		[1] S/C 31=GS-4B @ 0546 XB=2.8K(41) NOT RECOVERABLE																											
UTC:		8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
UTC:		JAN 23														JAN 24													


ISSUE DATE: 01/21/04 10:57




ISSUE DATE: 01/21/04 10:57




ISSUE DATE: 01/21/04 10:57




ISSUE DATE: 01/21/04 10:57



ISSUE DATE: 01/21/04 10:57




ISSUE DATE: 01/21/04 10:57




ISSUE DATE: 01/21/04 10:57

PST:		0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	
FRIDAY																											
JANUARY 30, 2004																											
030-031																											
UTC:		8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
S/C 31 INITIAL CONDITIONS		█ 1200 RTLT 25h 18m 42s											█ 0000 RTLT 25h 18m 40s														
RTLT: 25h 18m 44s													↓ 1340 GYRO INIT ↓ 1340 GYROS AB ON ↓ 1350 GYRO FAULT TEST 1443 1456 CCSTIM(B)														
CCSL: A050													0219 - - 0301 TAPPOS														
FDSL: 11AF													0521 0522 PWS/RH														
TWNC: ON													TAPPOS 0729 - 0757 -														
SB: OFF																											
XB: LOW																											
PYR: .05/.10/.25																											
GYROS: OFF																											
FDS MODE		CR-5T											CR-5T														
XB DATA RATE(MI)		160(32)											160(32)														
31 DSN COVERAGE		1105 ----- 15 [D] ----- 1745											40 -----														
		65 [D] ----- 60 ----- 1125											0455 ----- 60 ----- 63 [D] -----														
32 DSN COVERAGE		40 -----											1635 ----- 43 [D] ----- 0000														
													0420 ----- 49 [D] ----- 0625														
S/C 32 INITIAL CONDITIONS		█ 1200 RTLT 20h 18m 4s											█ 0000 RTLT 20h 18m 6s														
RTLT: 20h 18m 2s													----- CMD MORATORIUM -----														
CCSL: B122													↓ 2100 GYROS BC ON ↓ 2101 GYROS INIT ↓ 2110 GYRO FAULT TEST														
FDSL: 11AF																											
TWNC: ON																											
SB: OFF																											
XB: LOW																											
PYR: .05/.10/.25																											
GYROS: OFF																											
FDS MODE		CR-5T											CR-5T														
XB DATA RATE(MI)		160(32)											160(32)														
VGR COVERAGE		ON CALL					VGR					ON CALL					VGR					ON CALL					
NOTES		[1] S/C 31=GS-4B @ 0522 XB=2.8K(41) NOT RECOVERABLE																									
UTC:		8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
UTC:		JAN 30													JAN 31												


ISSUE DATE: 01/21/04 10:57




ISSUE DATE: 01/21/04 10:57




ISSUE DATE: 01/21/04 10:57




ISSUE DATE: 01/21/04 10:57




ISSUE DATE: 01/21/04 10:57



ISSUE DATE: 01/21/04 10:57



ISSUE DATE: 01/21/04 10:57



ISSUE DATE: 01/21/04 10:57

