

VOYAGER

Space Flight Operations Schedule (SFOS)

Issue Date: December 12, 2012

For the Period: 12/13/12 to 12/31/12 (12-348 – 12-366)

DSN OPSCHIEF (1) 230-102

SCIENCE

FLIGHT TEAM (14) 600-100

DSOT (1) 230-102

*Zsarina.Bulchand@jpl.nasa.gov
 *gdyke@airmail.ftops.jpl.nasa.gov
 *John.M.Grant@jpl.nasa.gov
 *dmcclena@airmail.ftops.jpl.nasa.gov
 *pquach@airmail.ftops.jpl.nasa.gov
 *mrobles@airmail.ftops.jpl.nasa.gov
 *rwilliam@airmail.ftops.jpl.nasa.gov

CRS *bryant@mail630.gsfc.nasa.gov
 LECP *r.decker@jhupl.edu
 UVS *holberg@argus.lpl.arizona.edu
 MAG *u2mha@lepvox.gsfc.nasa.gov
 PLS *vgr@space.mit.edu
 PWS *wsk@space.physics.uiowa.edu
 *Leonard.F.Burlaga@nasa.gov
 *Donald-Gurnett@uiowa.edu

Dodd, S.
 Hall, J.
 Howard, S. (3)
 Ludwig, R. (2)
 Matsumoto, S.
 Medina, E.
 Peralta, F.
 Weeks, T.
 Wong, R.
 Yang, L
 Zottarelli, L.
 *odivers1@san.rr.com

OTHER

* KMassej@jgld.gdscc.nasa.gov
 * Belinda.Arroyo@jpl.nasa.gov
 * !DL-DSN-MPSETA@dsn.nasa.gov

LEGEND: ∇ = R/T Command (Last chance or Contingency)
 ▼ = R/T Command (Scheduled)
 * = Result of R/T Command
 n = (where n = 1,2,3 ..) Special Note, see bottom of page
 A = Arrayed station
 B = 7-Point BLF
 D = Downlink only pass
 H = High Power Transmitter
 R = Array Reference Antenna
 T = TLC Uplink
 U = Uplink only pass
 [o] = Ramp-through

*Electronic Copy Only
 (16 – Dist/N: Paper Copies)
 09/08/10


ISSUE DATE: 12/12/12 20:51

| PST: | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 0 | | | |
|--|--|---|----|----|----|----|----|----|----|----|----|----|----|----|---|----|----|----|----|----|----|----|----|----|---|--|--|--|
| THURSDAY DECEMBER 13, 2012 348-349 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| UTC: | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | | | |
| S/C 31 INITIAL CONDITIONS RTLTL: 34h 13m 52s CCSL: A085 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF | █ 1200 RTLTL 34h 13m 56s | | | | | | | | | | | | | | █ 0000 RTLTL 34h 14m 0s | | | | | | | | | | | | | |
| FDS MODE XB DATA RATE(MI) | | | | | | | | | | | | | | | CR-5T 160(32) | | | | | | | | | | | | | |
| 31 DSN COVERAGE | 1345 14 [D] 1545 | | | | | | | | | | | | | | 10 40 1535 63 [D] 1740 60 0610 63 [D] 60 | | | | | | | | | | | | | |
| 32 DSN COVERAGE | 40 | | | | | | | | | | | | | | 0220 34 [D] 40 | | | | | | | | | | | | | |
| S/C 32 INITIAL CONDITIONS RTLTL: 28h 0m 54s CCSL: B157 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25/ GYROS: BC ON | █ 1200 RTLTL 28h 1m 2s | | | | | | | | | | | | | | █ 0000 RTLTL 28h 1m 10s | | | | | | | | | | | | | |
| FDS MODE XB DATA RATE(MI) | | | | | | | | | | | | | | | CR-5T 160(32) | | | | | | | | | | | | | |
| VGR COVERAGE | ON CALL | | | | | | | | | | | | | | VGR | | | | | | | | | | | | | |
| NOTES | [1] S/C 32 - D/L AGC & SNR VARIATIONS EXPECTED DURING MAGROL (0121-0716) | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| UTC: | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | | | |
| UTC: | DEC 13 | | | | | | | | | | | | | | DEC 14 | | | | | | | | | | | | | |


ISSUE DATE: 12/12/12 20:51

| PST: | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 0 |
|--|---|---|----|----|----|----|----|----|----|----|----|----|-----------------------|----|----|----|----|----|----|----|----|----|----|----|---|
| FRIDAY DECEMBER 14, 2012 349-350 | | | | | | | | | | | | | | | | | | | | | | | | | |
| UTC: | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| S/C 31 INITIAL CONDITIONS RTLTL: 34h 14m 0s CCSL: A085 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF | 1200 RTLTL 34h 14m 2s | | | | | | | | | | | | 0000 RTLTL 34h 14m 6s | | | | | | | | | | | | |
| FDS MODE | CR-5T | | | | | | | | | | | | CR-5T | | | | | | | | | | | | |
| XB DATA RATE(MI) | 160(32) | | | | | | | | | | | | 160(32) | | | | | | | | | | | | |
| 31 DSN COVERAGE | 1435 25 [DA] 1635 1435 26 [DAR] 1635 | | | | | | | | | | | | 0605 63 [D] | | | | | | | | | | | | |
| | 0845 63 [D] | | | | | | | | | | | | 40 | | | | | | | | | | | | |
| 32 DSN COVERAGE | 34 [D] 0920 | | | | | | | | | | | | 34 [D] 0725 | | | | | | | | | | | | |
| | 40 | | | | | | | | | | | | 40 | | | | | | | | | | | | |
| S/C 32 INITIAL CONDITIONS RTLTL: 28h 1m 10s CCSL: B157 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25/ GYROS: OFF | 1200 RTLTL 28h 1m 18s | | | | | | | | | | | | 0000 RTLTL 28h 1m 24s | | | | | | | | | | | | |
| FDS MODE | CR-5T | | | | | | | | | | | | CR-5T | | | | | | | | | | | | |
| XB DATA RATE(MI) | 160(32) | | | | | | | | | | | | 160(32) | | | | | | | | | | | | |
| VGR COVERAGE | ON CALL | | | | | | | | | | | | ON CALL | | | | | | | | | | | | |
| NOTES | [1] S/C 31=GS-4B @ 0613 XB=2.8K(41) NOT RECOVERABLE | | | | | | | | | | | | | | | | | | | | | | | | |
| UTC: | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| UTC: | DEC 14 | | | | | | | | | | | | DEC 15 | | | | | | | | | | | | |

ISSUE DATE: 12/12/12 20:51




ISSUE DATE: 12/12/12 20:51



ISSUE DATE: 12/12/12 20:51

| PST: | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 0 | | | |
|--|--|---|----|----|----|----|----|----|----|----|----|----|----|----|--------------------------|----|----|----|----|----|----|----|----|----|---|--|--|--|
| TUESDAY DECEMBER 18, 2012 353-354 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| UTC: | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | | | |
| S/C 31 INITIAL CONDITIONS RTLTL: 34h 14m 28s CCSL: A085 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF | █ 1200 RTLTL 34h 14m 32s | | | | | | | | | | | | | | █ 0000 RTLTL 34h 14m 36s | | | | | | | | | | | | | |
| FDS MODE | CR-5T | | | | | | | | | | | | | | CR-5T | | | | | | | | | | | | | |
| XB DATA RATE(MI) | 160(32) | | | | | | | | | | | | | | 160(32) | | | | | | | | | | | | | |
| 31 DSN COVERAGE | <p>1325 14 [D] 1545</p> <p>63 [D] 1010</p> <p>2130 34 [D] 0005</p> <p>0550 63 [D] </p> <p>55 [DAR] 0800</p> <p>65 [DA] 0800</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 32 DSN COVERAGE | <p>34 [D] 1055</p> <p>2130 34 [D] 0005</p> <p>0530 DSS-45 [D] </p> | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| S/C 32 INITIAL CONDITIONS RTLTL: 28h 2m 8s CCSL: B157 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25/ GYROS: OFF | █ 1200 RTLTL 28h 2m 16s | | | | | | | | | | | | | | █ 0000 RTLTL 28h 2m 22s | | | | | | | | | | | | | |
| FDS MODE | CR-5T | | | | | | | | | | | | | | CR-5T | | | | | | | | | | | | | |
| XB DATA RATE(MI) | 160(32) | | | | | | | | | | | | | | 160(32) | | | | | | | | | | | | | |
| VGR COVERAGE | ON CALL | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| NOTES | [1] S/C 31=GS-4B @ 2349 XB=2.8K(41) NOT RECOVERABLE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| UTC: | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | | | |
| UTC: | DEC 18 | | | | | | | | | | | | | | DEC 19 | | | | | | | | | | | | | |

ISSUE DATE: 12/12/12 20:51




ISSUE DATE: 12/12/12 20:51

| PST: | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 0 | |
|---|---|---|----|----|----|----|----|----|----|----|----|----|---|--------|----|----|----|----|----|----|----|----|----|----|---|--|
| THURSDAY DECEMBER 20, 2012 355-356 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| UTC: | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | |
| S/C 31 INITIAL CONDITIONS RTLT: 34h 14m 42s CCSL: A085 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF | 1200 RTLT 34h 14m 46s | | | | | | | | | | | | 0000 RTLT 34h 14m 48s | | | | | | | | | | | | | |
| FDS MODE XB DATA RATE(MI) | | | | | | | | | | | | | CR-5T 160(32) | | | | | | | | | | | | | |
| 31 DSN COVERAGE | 1415 15 [DAR] 1615 1415 26 [DA] 1615 | | | | | | | | | | | | 10 40 0800 63 [D] 0540 63 [D] 60 60 | | | | | | | | | | | | | |
| 32 DSN COVERAGE | 0950 40 1110 DSS-45 [D] | | | | | | | | | | | | 2130 40 DSS-45 [D] 0515 | | | | | | | | | | | | | |
| S/C 32 INITIAL CONDITIONS RTLT: 28h 2m 36s CCSL: B157 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25/ GYROS: OFF | 1200 RTLT 28h 2m 44s | | | | | | | | | | | | 0000 RTLT 28h 2m 50s | | | | | | | | | | | | | |
| FDS MODE XB DATA RATE(MI) | | | | | | | | | | | | | CR-5T 160(32) | | | | | | | | | | | | | |
| VGR COVERAGE | | | | | | | | | | | | | ON CALL | | | | | | | | | | | | | |
| NOTES | | | | | | | | | | | | | | | | | | | | | | | | | | |
| UTC: | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | |
| UTC: | DEC 20 | | | | | | | | | | | | | DEC 21 | | | | | | | | | | | | |

ISSUE DATE: 12/12/12 20:51

| PST: | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 0 | |
|--|----------------------------------|---|----|----|----|----|----|----|----|----|----|----|--|--------|----|----|----|----|----|----|----|----|----|----|---|--|
| SATURDAY DECEMBER 22, 2012 357-358 | UTC: 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | |
| S/C 31 INITIAL CONDITIONS RTLTL: 34h 14m 54s CCSL: A085 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF | 1200 RTLTL 34h 14m 58s | | | | | | | | | | | | 0000 RTLTL 34h 15m 0s | | | | | | | | | | | | | |
| TAPPOS - 0935 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| FDS MODE XB DATA RATE(MI) | | | | | | | | | | | | | CR-5T 160(32) | | | | | | | | | | | | | |
| 31 DSN COVERAGE | 1310 ----- 14 [D] ----- 1710 | | | | | | | | | | | | 10 ----- 40 ----- 0535 ----- 63 [D] ----- 60 | | | | | | | | | | | | | |
| 32 DSN COVERAGE | 40 ----- | | | | | | | | | | | | ----- 40 ----- 0600 ----- 45 [D] ----- | | | | | | | | | | | | | |
| S/C 32 INITIAL CONDITIONS RTLTL: 28h 3m 4s CCSL: B157 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25/ GYROS: OFF | 1200 RTLTL 28h 3m 10s | | | | | | | | | | | | 0000 RTLTL 28h 3m 16s | | | | | | | | | | | | | |
| FDS MODE XB DATA RATE(MI) | | | | | | | | | | | | | CR-5T 160(32) | | | | | | | | | | | | | |
| VGR COVERAGE | ON CALL | | | | | | | | | | | | | | | | | | | | | | | | | |
| NOTES | | | | | | | | | | | | | | | | | | | | | | | | | | |
| UTC: | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | |
| UTC: | DEC 22 | | | | | | | | | | | | | DEC 23 | | | | | | | | | | | | |

ISSUE DATE: 12/12/12 20:51



ISSUE DATE: 12/12/12 20:51

| PST: | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 0 | |
|--|---|---|----|----|----|------|-------|-----|-----|-----|----|----|----|----|----|----|----|------|-------|-----|-----|-----|----|----|---|--|
| MONDAY DECEMBER 24, 2012 359-360 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| UTC: | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | |
| S/C 31 INITIAL CONDITIONS RTLTL: 34h 15m 6s CCSL: A085 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF | | | | | █ | 1200 | RTLTL | 34h | 15m | 8s | | | | | | | █ | 0000 | RTLTL | 34h | 15m | 12s | | | | |
| FDS MODE XB DATA RATE(MI) | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 31 DSN COVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 32 DSN COVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| S/C 32 INITIAL CONDITIONS RTLTL: 28h 3m 30s CCSL: B157 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25/ GYROS: OFF | | | | | █ | 1200 | RTLTL | 28h | 3m | 36s | | | | | | | █ | 0000 | RTLTL | 28h | 3m | 42s | | | | |
| FDS MODE XB DATA RATE(MI) | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VGR COVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | |
| NOTES | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| UTC: | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | |
| UTC: | | | | | | | | | | | | | | | | | | | | | | | | | | |

JPL HOLIDAY!

ISSUE DATE: 12/12/12 20:51

| | | |
|---|--|--|
| TUESDAY DECEMBER 25, 2012 360-361 | | PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 |
| UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8 | | |
| S/C 31 INITIAL CONDITIONS RTLT: 34h 15m 12s CCSL: A085 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF | <p>1200 RTLT 34h 15m 14s</p> <p>0000 RTLT 34h 15m 16s</p> <p>2325 2326 PWS/RH</p> <p>↓ 2325 GS-4B 2326</p> | |
| FDS MODE XB DATA RATE(MI) | CR-5T 160(32) | CR-5T 160(32) |
| 31 DSN COVERAGE | <p>1300 14 [D] 1615</p> <p>.....10.....40..... </p> <p>63 [D] 1130</p> <p>.....60.....0520 63 [D] </p> <p>.....60.....60.....</p> | |
| 32 DSN COVERAGE | <p>45 [D] 1050</p> <p>.....40.....2235 34 [D] 0235</p> <p>.....40.....40.....</p> | |
| S/C 32 INITIAL CONDITIONS RTLT: 28h 3m 42s CCSL: B157 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25/ GYROS: OFF | <p>1200 RTLT 28h 3m 48s</p> <p>0000 RTLT 28h 3m 54s</p> | |
| FDS MODE XB DATA RATE(MI) | CR-5T 160(32) | |
| VGR COVERAGE | ON CALL | |
| NOTES | [1] S/C 31=GS-4B @ 2325 XB=2.8K(41) NOT RECOVERABLE JPL HOLIDAY! | |
| UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8 | | |
| UTC: DEC 25 | | DEC 26 |

ISSUE DATE: 12/12/12 20:51

| PST: | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 0 | |
|--|--------------------------------|---|----|----|----|----|----|----|----|----|----|----|--------------------------------|--------|----|----|----|----|----|----|----|----|----|----|---|--|
| SATURDAY DECEMBER 29, 2012 364-365 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| UTC: | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | |
| S/C 31 INITIAL CONDITIONS RTLTL: 34h 15m 30s CCSL: A085 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF | █ 1200 RTLTL 34h 15m 32s | | | | | | | | | | | | █ 0000 RTLTL 34h 15m 34s | | | | | | | | | | | | | |
| TAPPOS - 0939 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| FDS MODE | | | | | | | | | | | | | CR-5T | | | | | | | | | | | | | |
| XB DATA RATE(MI) | | | | | | | | | | | | | 160(32) | | | | | | | | | | | | | |
| 31 DSN COVERAGE | 1245 ----- 14 [D] ----- 1640 | | | | | | | | | | | | 10 ----- 40 ----- | | | | | | | | | | | | | |
| 63 [D] 0910 | 60 | | | | | | | | | | | | 0505 ----- 63 [D] ----- 0705 | | | | | | | | | | | | | |
| 32 DSN COVERAGE | 40 | | | | | | | | | | | | 2020 ----- 45 [D] ----- 0030 | | | | | | | | | | | | | |
| 40 | | | | | | | | | | | | | 40 | | | | | | | | | | | | | |
| S/C 32 INITIAL CONDITIONS RTLTL: 28h 4m 30s CCSL: B157 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25/ GYROS: OFF | █ 1200 RTLTL 28h 4m 36s | | | | | | | | | | | | █ 0000 RTLTL 28h 4m 42s | | | | | | | | | | | | | |
| FDS MODE | | | | | | | | | | | | | CR-5T | | | | | | | | | | | | | |
| XB DATA RATE(MI) | | | | | | | | | | | | | 160(32) | | | | | | | | | | | | | |
| VGR COVERAGE | ON CALL | | | | | | | | | | | | | | | | | | | | | | | | | |
| NOTES | | | | | | | | | | | | | | | | | | | | | | | | | | |
| UTC: | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | |
| UTC: | DEC 29 | | | | | | | | | | | | | DEC 30 | | | | | | | | | | | | |

ISSUE DATE: 12/12/12 20:51

| PST: | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 0 | | |
|---|---|---|----|----|----|----|----|----|----|----|----|----|----|------------------|----|----|----|----|----|----|----|----|----|----|---|--|--|
| MONDAY DECEMBER 31, 2012 366-001 | UTC: 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | | |
| S/C 31 INITIAL CONDITIONS RTLT: 34h 15m 38s CCSL: A085 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF | 1200 RTLT 34h 15m 40s | | | | | | | | | | | | | | | | | | | | | | | | | | |
| FDS MODE XB DATA RATE(MI) | | | | | | | | | | | | | | CR-5T 160(32) | | | | | | | | | | | | | |
| 31 DSN COVERAGE | 1235 ----- 14 [D] ----- 1635 ----- 10 ----- ----- 60 ----- | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 32 DSN COVERAGE | ----- 40 ----- | | | | | | | | | | | | | | | | | | | | | | | | | | |
| S/C 32 INITIAL CONDITIONS RTLT: 28h 4m 52s CCSL: B157 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25/ GYROS: OFF | 1200 RTLT 28h 4m 58s | | | | | | | | | | | | | | | | | | | | | | | | | | |
| FDS MODE XB DATA RATE(MI) | | | | | | | | | | | | | | CR-5T 160(32) | | | | | | | | | | | | | |
| VGR COVERAGE | ON CALL | | | | | | | | | | | | | | | | | | | | | | | | | | |
| NOTES | JPL HOLIDAY! | | | | | | | | | | | | | | | | | | | | | | | | | | |
| UTC: | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | | |
| UTC: | DEC 31 | | | | | | | | | | | | | JAN 01 | | | | | | | | | | | | | |