

VOYAGER

Space Flight Operations Schedule (SFOS)

Issue Date: January 23, 2019

For the Period: 01/24/19 to 02/11/19 (19/024 – 19/042)

DSN OPSCHIEF	230-102	SCIENCE	FLIGHT TEAM	600-100
DSOT	230-102	CRS bryant@mail630.gsfc.nasa.gov LECP r.decker@jhuapl.edu MAG u2mha@lepvax.gsfc.nasa.gov PLS vgr@space.mit.edu PWS wsk@space.physics.uiowa.edu Leonard.F.Burlaga@nasa.gov Donald-Gurnett@uiowa.edu	Dodd, S. Hall, J. Howard, S. Ko, A. Ledeboer, W. Ludwig, R. Matsumoto, S. Medina, E. Peralta, F. Weeks, T. Yang, L.	


LEGEND:

- ▽ = R/T Command (Last chance or Contingency)
- ▼ = R/T Command (Scheduled)
- * = Result of R/T Command
- n = (where n = 1,2,3 ..) Special Note, see bottom of page
- A = Arrayed station
- B = BLF
- D = Downlink only pass
- H = High Power Transmitter
- R = Array Reference Antenna
- T = TLC Uplink
- U = Uplink only pass
- [o] = Ramp-through

Posted at http://voyager.jpl.nasa.gov/mission/soesfos/tracking_schedule.html

02/27/17

ISSUE DATE: 01/23/19 09:29



ISSUE DATE: 01/23/19 09:29

PST:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0			
FRIDAY JANUARY 25, 2019 025-026																												
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
S/C 31 INITIAL CONDITIONS RTLTL: 40h 13m 4s CCSL: A110 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	█ 1200 RTLTL 40h 13m 4s														█ 0000 RTLTL 40h 13m 4s													
FDS MODE	CR-5T														40(30)				160(32)									
XB DATA RATE(MI)	160(32)														EL-40				CR-5T									
31 DSN COVERAGE	<p>1250 14 [D] 1350</p> <p>..... 10 40 0325 63 [D] 0625</p> <p>..... 60 0615 - 0750 55 [DAR] </p> <p>..... 0615 - 0750 65 [DA] </p> <p>..... 60</p>																											
32 DSN COVERAGE	<p>..... 40 40 </p> <p>1650 43 [Bo] 2050</p> <p>..... 40 43 [H] 0720 </p>																											
S/C 32 INITIAL CONDITIONS RTLTL: 33h 24m 4s CCSL: B182 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: BC OFF	█ 1200 RTLTL 33h 24m 6s														█ 0000 RTLTL 33h 24m 8s													
FDS MODE	CR-5T																											
XB DATA RATE(MI)	160(32)																											
VGR COVERAGE	ON CALL							VGR							ON CALL							VGR						
NOTES	<p>[1] S/C 31=EL-40 @ 0433 XB=40(30)</p> <p>[2] S/C 31=CR-5T @ 0606 XB=160(32)</p>																											
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
UTC:	JAN 25														JAN 26													


ISSUE DATE: 01/23/19 09:29

PST:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
SATURDAY JANUARY 26, 2019 026-027	UTC: 8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
S/C 31 INITIAL CONDITIONS RTLTL: 40h 13m 4s CCSL: A110 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLTL 40h 13m 2s												0000 RTLTL 40h 13m 2s												
FDS MODE	160(32)												CR-5T												
XB DATA RATE(MI)	CR-5T												160(32)												
31 DSN COVERAGE	1100 ----- 14 [D] ----- 1500 ----- 10 ----- ----- 40 ----- ----- 60 -----												0320 ----- 63 [D] ----- 0620 ----- 60 -----												
32 DSN COVERAGE	43 [H] ----- 1050 ----- 40 -----												0245 ----- 43 [o] ----- ----- 40 -----												
S/C 32 INITIAL CONDITIONS RTLTL: 33h 24m 8s CCSL: B182 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: BC OFF	1200 RTLTL 33h 24m 10s												0000 RTLTL 33h 24m 14s												
FDS MODE	CR-5T												CR-5T												
XB DATA RATE(MI)	160(32)												160(32)												
VGR COVERAGE	ON CALL												ON CALL												
NOTES	[1] S/C 31=GS-4B @ 0649 XB=2.8K(41) NOT RECOVERABLE																								
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
UTC:	JAN 26												JAN 27												


ISSUE DATE: 01/23/19 09:29

PST:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
SUNDAY JANUARY 27, 2019 027-028																									
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
S/C 31 INITIAL CONDITIONS RTLTL: 40h 13m 2s CCSL: A110 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLTL 40h 13m 2s												0000 RTLTL 40h 13m 0s												
FDS MODE	CR-5T												CR-5T												
XB DATA RATE(MI)	160(32)												160(32)												
31 DSN COVERAGE	1055 ----- 14 [D] ----- 1455												0320 ----- 63 [D] ----- 0605												
32 DSN COVERAGE	0835 43 [o] ----- 40 -----												1640 ----- 43 [D] ----- 1940												
S/C 32 INITIAL CONDITIONS RTLTL: 33h 24m 14s CCSL: B182 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: BC OFF	1200 RTLTL 33h 24m 16s												0000 RTLTL 33h 24m 18s												
FDS MODE	CR-5T												CR-5T												
XB DATA RATE(MI)	160(32)												160(32)												
VGR COVERAGE	ON CALL												ON CALL												
NOTES	[1] S/C 32=EL-40 @ 1703 XB=40(30) [2] S/C 32=CR-5T @ 1930 XB=160(32)																								
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
UTC:	JAN 27												JAN 28												


ISSUE DATE: 01/23/19 09:29




ISSUE DATE: 01/23/19 09:29




ISSUE DATE: 01/23/19 09:29






ISSUE DATE: 01/23/19 09:29




ISSUE DATE: 01/23/19 09:29

PST:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
SATURDAY FEBRUARY 2, 2019 033-034	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
S/C 31 INITIAL CONDITIONS RTLTL: 40h 12m 52s CCSL: A110 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	█ 1200 RTLTL 40h 12m 52s												█ 0000 RTLTL 40h 12m 50s												
													0323 0336 TAPPOS PWS/RH 0625 0627 TAPPOS 0637 0638												
													0625 GS-4B 0627 ↓												
FDS MODE	CR-5T												CR-5T												
XB DATA RATE(MI)	160(32)												160(32)												
31 DSN COVERAGE 10 40												
 60												0320 63 [D] 0540 60												
32 DSN COVERAGE 40												1620 43 [D] 2050 40												
S/C 32 INITIAL CONDITIONS RTLTL: 33h 24m 38s CCSL: B182 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: BC OFF	█ 1200 RTLTL 33h 24m 40s												█ 0000 RTLTL 33h 24m 42s												
													CR-5T												
FDS MODE	CR-5T												CR-5T												
XB DATA RATE(MI)	160(32)												160(32)												
VGR COVERAGE													ON CALL												
NOTES	[1] S/C 31=GS-4B @ 0625 XB=2.8K(41) NOT RECOVERABLE																								
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
UTC:	FEB 02												FEB 03												

ISSUE DATE: 01/23/19 09:29




ISSUE DATE: 01/23/19 09:29




ISSUE DATE: 01/23/19 09:29

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0			
TUESDAY FEBRUARY 5, 2019 036-037			
UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8			
S/C 31 INITIAL CONDITIONS RTLT: 40h 12m 46s CCSL: A110 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p>1200 RTLT 40h 12m 44s</p> </div> <div style="width: 45%;"> <p>0000 RTLT 40h 12m 42s</p> </div> </div> <p style="text-align: center;">2048 2049 PWS/RH</p> <p style="text-align: center;">↓ 2048 GS-4B 2049</p>		
FDS MODE XB DATA RATE(MI)	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%; text-align: center;">CR-5T 160(32)</td> <td style="width: 50%; text-align: center;">CR-5T 160(32)</td> </tr> </table>	CR-5T 160(32)	CR-5T 160(32)
CR-5T 160(32)	CR-5T 160(32)		
31 DSN COVERAGE			
32 DSN COVERAGE			
S/C 32 INITIAL CONDITIONS RTLT: 33h 24m 48s CCSL: B182 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: BC OFF	<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p>1200 RTLT 33h 24m 48s</p> </div> <div style="width: 45%;"> <p>0000 RTLT 33h 24m 50s</p> </div> </div> <p style="text-align: right;">2238 PLSCAL - 0020 2238 --- MAGCAL --- 0140 2238 --- PESCAL --- 0158</p>		
FDS MODE XB DATA RATE(MI)	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;"></td> <td style="width: 50%; text-align: center;">CR-5T 160(32)</td> </tr> </table>		CR-5T 160(32)
	CR-5T 160(32)		
VGR COVERAGE	ON CALL		
NOTES	[1] S/C 31=GS-4B @ 2048 XB=2.8K(41) NOT RECOVERABLE		
UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8			
UTC: FEB 05 FEB 06			


ISSUE DATE: 01/23/19 09:29




ISSUE DATE: 01/23/19 09:29




ISSUE DATE: 01/23/19 09:29



ISSUE DATE: 01/23/19 09:29



ISSUE DATE: 01/23/19 09:29



ISSUE DATE: 01/23/19 09:29

PST:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
MONDAY FEBRUARY 11, 2019 042-043	UTC: 8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
S/C 31 INITIAL CONDITIONS RTLT: 40h 12m 28s CCSL: A110 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	<p>1200 RTLT 40h 12m 26s</p> <p>1030 DUMMY (02:42)</p> <p>1347 AHEL12 ENA</p> <p>1350 1352 2 SID MRO'S</p>																								
FDS MODE XB DATA RATE(MI)													CR-5T 160(32)												
31 DSN COVERAGE	<p>0955 ----- 14 ----- 1355</p> <p> ----- 10 ----- </p> <p>60 ----- </p>																								
32 DSN COVERAGE	<p>1705 ----- 43 [D] ----- 1930</p> <p>40 ----- </p>																								
S/C 32 INITIAL CONDITIONS RTLT: 33h 25m 0s CCSL: B182 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: BC OFF	<p>1200 RTLT 33h 25m 2s</p>																								
FDS MODE XB DATA RATE(MI)													CR-5T 160(32)												
VGR COVERAGE	ON CALL	VGR	ON CALL	VGR																				ON CALL	
NOTES																									
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
UTC:	FEB 11												FEB 12												