

ISSUE DATE: 09/21/94 - 08:13

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
SEPTEMBER 22, 1994
265-266

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 15h 54m 34s
1200 RTLT=15h 54m 46s
0000 RTLT=15h 54m 56s

VOYAGER 1
FDSL : 11AF
CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

S/C 31 STATUS
FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT:-2.360 sec
SCAN PLAT POSITION:
AZ = 319.959 deg
EL = 117.035 deg
ROLLREF = RIGIL
KENTAURUS

FDS MODE CR-5T
XB DATA RATE (MI) 160 (32)

31 1120 |----- 61 [D] -----| 2045
2030 |----- 12 [D] -----| 0545
HPTXR

DSN COVERAGE
32 ----- 42 [D] ----- | 1605 1835 | 65 [D] | 1955
0045 |----- 15 [D] -----| 0445
HPTXR

RTLT : 12h 6m 40s
1200 RTLT=12h 6m 52s
0000 RTLT=12h 7m 4s
COMMAND MORATORIUM
0808 SLEW->HELIO-11
2008 SLEW->HELIO-12
0108

VOYAGER 2
FDSL : 11AF
CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

S/C 32 STATUS
FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT:3:38.962 min
SCAN PLAT POSITION:
AZ = 229.983 deg
EL = 96.065 deg
ROLLREF = VEGA

FDS MODE CR-5T
XB DATA RATE (MI) 160 (32)

VOYAGER COVERAGE |----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/21/94 - 08:13

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
SEPTEMBER 23, 1994
266-267

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 15h 54m 56s

1200 RTLT=15h 55m 8s

0000 RTLT=15h 55m 20s

VOYAGER 1

FDSL : 11AF

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

1115

61 [D]

1930

1945

12 [D]

0540

DSN COVERAGE
HPTXR

32

42 [o]

0705 - 1305

0040

15 [D]

0445

0445

42 [o]

1250

43 [o]

1605

1835

65 [D]

1950

HPTXR

RTLT : 12h 7m 4s

1200 RTLT=12h 7m 16s

0000 RTLT=12h 7m 28s

VOYAGER 2

↓ 0808 SLEW->HELIO-13

↓ 2008 SLEW->HELIO-14

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

VGR

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/21/94 - 08:13

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
SEPTEMBER 24, 1994
267-268

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 15h 55m 20s
 VOYAGER 1
 FDSL : 11AF
 CCSL : A019
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

U/L 1150 | - | - - - - - TLC (SHORT-FORM) - - - - - | D/L - | 0514

FDS MODE CR-5T
 XB DATA RATE (MI) 160 (32)

1200 RTLT=15h 55m 30s 0000 RTLT=15h 55m 42s

31 1110 | - - - - - 61 - - - - - | 2045
 2030 | - - - - - 12 [D] - - - - - | 0540

DSN COVERAGE HPTXR

32 42 [o] - - - - - | 1540 1830 | 65 [D] | 1945 0445 | - - 42 [o] - - -
 0035 | - - - - - 15 [D] - - - - - | 0440

HPTXR

RTLT : 12h 7m 28s
 VOYAGER 2
 FDSL : 11AF
 CCSL : B022
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

↓ 0808 SLEW->HELIO-15 ↓ 2008 SLEW->HELIO-16

FDS MODE CR-5T
 XB DATA RATE (MI) 160 (32)

VOYAGER COVERAGE - - - - - ON CALL - - - - -

1200 RTLT=12h 7m 40s 0000 RTLT=12h 7m 52s

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/21/94 - 08:13

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
SEPTEMBER 25, 1994
268-269

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 15h 55m 42s
 VOYAGER 1
 FDSL : 11AF
 CCSL : A019
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

1200 RTLT=15h 55m 54s
 0000 RTLT=15h 56m 4s

FDS MODE CR-5T
 XB DATA RATE (MI) 160 (32)

31 1110 |----- 61 [D] -----| 2030 |----- 12 [D] -----| 0535
 HPTXR

DSN COVERAGE 32 ----- 42 [o] -----| 1300 ----- 0030 |----- 15 [D] -----| 0435
 HPTXR
 1245 |----- 43 [o] -----| 1555 1825 | 65 [D] | 1940 0420 |----- 42 [D] -----

RTLT : 12h 7m 52s
 VOYAGER 2
 FDSL : 11AF
 CCSL : B022
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

1200 RTLT=12h 8m 4s
 0000 RTLT=12h 8m 16s

↓ 0809 SLEW->HELIO-17
 ↓ 2009 SLEW->HELIO-18

FDS MODE CR-5T
 XB DATA RATE (MI) 160 (32)

VOYAGER COVERAGE ----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/21/94 - 08:13

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
SEPTEMBER 26, 1994
269-270

MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 15h 56m 4s

1200 RTLT=15h 56m 16s

0000 RTLT=15h 56m 28s

VOYAGER 1

FDSL : 11AF

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

1235 |----- 63 [D] -----|

1735 |----- 61 [D] -----| 1750

1945 |----- 12 [D] -----| 2140

0530

DSN COVERAGE
HPTXR

32

42 [D] -----| 1255

0025 |----- 15 [D] -----| 0430

0420 |--- 42 [D] ---|

HPTXR

RTLT : 12h 8m 16s

1200 RTLT=12h 8m 28s

0000 RTLT=12h 8m 40s

VOYAGER 2

↓ 0809 SLEW->HELIO-19

↓ 2009 SLEW->HELIO-20

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/21/94 - 08:13

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
SEPTEMBER 27, 1994
270-271

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 15h 56m 28s
VOYAGER 1
FDSL : 11AF
CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLTL=15h 56m 38s
0000 RTLTL=15h 56m 50s

0328 | 0329 PWS/RH

0329 GS-4B 0329

FDS MODE	CR-5T	CR-5T
XB DATA RATE (MI)	160 (32)	160(32)

31 1145 |----- 61 [D] -----| 2000 2150 |----- 12 [D] -----| 0525

DSN COVERAGE HPTXR

32 |----- 42 [D] -----| 1140 42 [o] 0615 |-----

1125 |----- 43 [o] -----| 1545

0025 |----- 15 [D] -----| 0425

HPTXR

RTLTL : 12h 8m 40s
VOYAGER 2
FDSL : 11AF
CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLTL=12h 8m 52s
0000 RTLTL=12h 9m 4s

↓ 0809 SLEW->MIDWAY
↓ 1009 SLEW->HELIO-1
▼ 1500 DUMMY

0301 | 0302 PWS/RH

0301 GS-4B 0302

FDS MODE	CR-5T	CR-5T
XB DATA RATE (MI)	160 (32)	160(32)

VOYAGER COVERAGE |----- VGR -----|

NOTES
[1] S/C 32=GS-4B @ 0301 XB=2.8K(41) NOT RECOVERABLE
[2] S/C 31=GS-4B @ 0329 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/21/94 - 08:13

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
SEPTEMBER 28, 1994
271-272

SFOS/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 15h 56m 50s

1200 RTLT=15h 57m 0s

0000 RTLT=15h 57m 12s

VOYAGER 1

FDSL : 11AF

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1145

----- 61 [D] -----

1830

2150

----- 12 [D] -----

0525

HPTXR

DSN COVERAGE

32

42 [o]

----- 1525

42 [D] 0640

0020

----- 15 [D] -----

0425

HPTXR

RTLT : 12h 9m 4s

1200 RTLT=12h 9m 16s

0000 RTLT=12h 9m 28s

VOYAGER 2

↓ 0809 SLEW->HELIO-2

↓ 2009 SLEW->HELIO-3

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- VGR -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/21/94 - 08:13

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
SEPTEMBER 29, 1994
272-273

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 15h 57m 12s

1200 RTLT=15h 57m 24s

0000 RTLT=15h 57m 34s

VOYAGER 1

FDSL : 11AF

▼ 2100 DUMMY

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1145 |----- 63 [D] -----| 1735

1720 |----- 61 [D] -----| 2045

2030 |----- 12 -----| 0520

HPTXR

DSN COVERAGE

32

42 [D] -----| 1245

0410 |----- 42 [D] -----

1230 |----- 43 [o] -----| 1540

0015 |----- 15 [D] -----| 0420

HPTXR

RTLT : 12h 9m 28s

1200 RTLT=12h 9m 42s

0000 RTLT=12h 9m 54s

VOYAGER 2

↓ 0809 SLEW->HELIO-4

↓ 2010 SLEW->HELIO-5

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/21/94 - 08:13

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
SEPTEMBER 30, 1994
273-274

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 15h 57m 34s

1200 RTLT=15h 57m 46s

0000 RTLT=15h 57m 56s

VOYAGER 1

U/L 0100 | - | - - - - - TLC (SHORT-FORM) - - - - -

FDSL : 11AF

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1045

61 [D]

2125

2110

12

0515

DSN COVERAGE
HPTXR

32

42 [D]

1145

0445

42 [D]

1225

43 [o]

1535

0020

15 [D]

0415

HPTXR

RTLT : 12h 9m 54s

1200 RTLT=12h 10m 6s

0000 RTLT=12h 10m 18s

VOYAGER 2

↓ 0810 SLEW->HELIO-6

↓ 2010 SLEW->HELIO-7

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

| - - - - - VGR - - - - - |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/21/94 - 08:13

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
OCTOBER 1, 1994
274-275

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 15h 57m 56s | 1200 RTLT=15h 58m 8s | 0000 RTLT=15h 58m 18s

VOYAGER 1
----- TLC (SHORT-FORM) ----- | D/L - | 1826

FDSL : 11AF
CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI) | CR-5T
| 160(32)

31 | 1045 |----- 61 [D] ----- | 2120
| 2105 |----- 12 [D] ----- | 0510

DSN COVERAGE HPTXR
32 |----- 42 [D] ----- | 1240
| 1225 |----- 43 [o] ----- | 1530
| 0005 |----- 15 [D] ----- | 0410
HPTXR

RTLT : 12h 10m 18s | 1200 RTLT=12h 10m 30s | 0000 RTLT=12h 10m 42s

VOYAGER 2
↓ 0810 SLEW->HELIO-8
↓ 2010 SLEW->HELIO-9

FDSL : 11AF
CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI) | CR-5T
| 160(32)

VOYAGER COVERAGE
----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/21/94 - 08:13

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
OCTOBER 2, 1994
275-276

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 15h 58m 18s

1200 RTLT=15h 58m 30s

0000 RTLT=15h 58m 40s

VOYAGER 1

FDSL : 11AF

CCSL : A019

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1040 |-----| 61 [D]

2030 |-----| 2045

12 [D] |-----| 0505

DSN COVERAGE
HPTXR

32

42 [D] |-----| 1235

1220 |-----| 43 [o] |-----| 1525

0415 |-----| 42 [D] |-----| 0405

HPTXR

RTLT : 12h 10m 42s

1200 RTLT=12h 10m 54s

0000 RTLT=12h 11m 6s

VOYAGER 2

↓ 0810 SLEW->HELIO-10

FDSL : 11AF

CCSL : B022

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/21/94 - 08:13

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
OCTOBER 3, 1994
276-277

MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 15h 58m 40s

1200 RTLT=15h 58m 50s

0000 RTLT=15h 59m 2s

VOYAGER 1

FDSL : 11AF

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1035

61 [D]

2015

2330

12 [D]

0505

HPTXR

DSN COVERAGE

32

42 [D]

1145

0005

15 [D]

0405

1130

43 [o]

1525

42 [D]

0615

HPTXR

RTLT : 12h 11m 6s

1200 RTLT=12h 11m 18s

0000 RTLT=12h 11m 30s

VOYAGER 2

↓ 0810 SLEW->MIDWAY

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

VGR

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/21/94 - 08:13

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
OCTOBER 4, 1994
277-278

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 15h 59m 2s

1200 RTLTL=15h 59m 12s

0000 RTLTL=15h 59m 24s

0306 | 0307 PWS/RH

VOYAGER 1

FDSL : 11AF

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

0306
GS-4B
0307

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

CR-5T
160(32)

31

1035 |----- 61 [D] -----| 1840

1825 |----- 12 [D] -----| 0100

0045 |----- 14 [D] -----| 0500

HPTXR

DSN COVERAGE

32

42 [D] -----| 1200

1145 |----- 43 [o] -----| 1520

0000 |----- 15 [D] -----| 0400

HPTXR

RTLTL : 12h 11m 30s

1200 RTLTL=12h 11m 42s

0000 RTLTL=12h 11m 56s

0239 | 0239 PWS/RH

VOYAGER 2

▼ 1500 DUMMY

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

0239
GS-4B
0239

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

CR-5T
160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

- [1] S/C 32=GS-4B @ 0239 XB=2.8K(41) NOT RECOVERABLE
- [2] S/C 31=GS-4B @ 0306 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/21/94 - 08:13

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
OCTOBER 5, 1994
278-279

SFOS/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 15h 59m 24s

1200 RTLT=15h 59m 34s

0000 RTLT=15h 59m 44s

VOYAGER 1

▼ 2200 DUMMY

FDSL : 11AF

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1030 |-----61 [D]-----|

1710

1800 |-----12-----|

0450

HPTXR

DSN COVERAGE

32

0945 |-----42 [o]-----| 1455

2350 |-----15 [D]-----|

0400 |-----42 [D]-----|

0355

HPTXR

RTLT : 12h 11m 56s

1200 RTLT=12h 12m 8s

0000 RTLT=12h 12m 20s

VOYAGER 2

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|-----VGR-----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/21/94 - 08:13

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
OCTOBER 6, 1994
279-280

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 15h 59m 44s

1200 RTLT=15h 59m 56s

0000 RTLT=16h 0m 6s

VOYAGER 1

FDSL : 11AF

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1345 |----- 61 [D] -----| 2105

2150 |----- 12 [D] -----| 0255

HPTXR

DSN COVERAGE

32

----- 42 [D] -----| 1200

0355 |----- 42 [D] -----

1145 |----- 43 [o] -----| 1510

2345 |----- 15 [D] -----| 0255

HPTXR

RTLT : 12h 12m 20s

1200 RTLT=12h 12m 32s

0000 RTLT=12h 12m 44s

VOYAGER 2

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/21/94 - 08:13

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
OCTOBER 7, 1994
280-281

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 0m 6s

1200 RTLT=16h 0m 16s

0000 RTLT=16h 0m 28s

VOYAGER 1

FDSL : 11AF

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1020

61 [D]

2100

2045

12 [D]

0445

DSN COVERAGE
HPTXR

32

42 [D]

1200

0350

42 [D]

1145

43 [o]

1505

2345

15 [D]

0345

HPTXR

RTLT : 12h 12m 44s

1200 RTLT=12h 12m 56s

0000 RTLT=12h 13m 8s

VOYAGER 2

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

VGR

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/21/94 - 08:13

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
OCTOBER 8, 1994
281-282

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 0m 28s

1200 RTLT=16h 0m 38s

0000 RTLT=16h 0m 48s

VOYAGER 1

U/L 1100 | - | - - - - - TLC (SHORT-FORM) - - - - - | D/L - | 0429

FDSL : 11AF

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1015 | - - - - - 61 - - - - - | 2010

2000 | - - - - - 12 [D] - - - - - | 0445

HPTXR

DSN COVERAGE

32

42 [D] - - - - - | 1145

0350 | - - - - - 42 [o] - - - - -

1130 | - - - - - 43 [o] - - - - - | 1505

2340 | - - - - - 15 [D] - - - - - | 0345

HPTXR

RTLT : 12h 13m 8s

1200 RTLT=12h 13m 20s

0000 RTLT=12h 13m 32s

VOYAGER 2

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

- - - - - ON CALL - - - - -

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/21/94 - 08:13

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
OCTOBER 9, 1994
282-283

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 0m 48s

1200 RTLT=16h 0m 58s

0000 RTLT=16h 1m 8s

VOYAGER 1

FDSL : 11AF

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1015 |-----61 [D]-----

|1840

1820 |-----12 [D]-----|0440

DSN COVERAGE
HPTXR

32

42 [o]-----|1440

2335 |-----15 [D]-----|0340

HPTXR

RTLT : 12h 13m 32s

1200 RTLT=12h 13m 46s

0000 RTLT=12h 13m 58s

VOYAGER 2

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

-----ON CALL-----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7