

ISSUE DATE: 02/01/95 - 13:51

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
FEBRUARY 2, 1995
033-034

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 17m 20s

1200 RTLTL=16h 17m 18s

0000 RTLTL=16h 17m 16s

VOYAGER 1

S/C 31 STATUS
FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -3.648 sec
SCAN PLAT POSITION:
AZ = -9.286 deg
EL = 110.659 deg
ROLLREF = RIGIL
KENTAURUS

↓ 1500 BAY 1 HTR OFF
↓ 1504 X/B HI POWER

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31 | 0820 61 [D] | 0945 | 15 [D] | 2145 | 0225 | 65 [D] |

DSN COVERAGE
HPTXR

32 | 1725 | 45 [D] | 2045 | 0530 | 43 [o] |

HPTXR

RTLTL : 12h 42m 32s

1200 RTLTL=12h 42m 34s

0000 RTLTL=12h 42m 34s

DUMMY 0610 ▼

VOYAGER 2

S/C 32 STATUS
FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: 3:22.737 min
SCAN PLAT POSITION:
AZ = 270.025 deg
EL = 29.945 deg
ROLLREF = VEGA

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

|----- VGR -----|

| VGR |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/01/95 - 13:51

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
FEBRUARY 3, 1995
034-035

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 17m 16s

1200 RTLTL=16h 17m 16s

0000 RTLTL=16h 17m 14s

VOYAGER 1

↓ 1219 AAI

1222 |----- MAGROL -----| 1818

↓ 1811 RAI

↓ 1818 CRU

↓ 1818 GYROS OFF

↓ 1820 X/B LOW POWER

↓ 1824 BAY 1 HTR ON

FDSL : 11AF

CCSL : A020

TWNC : ON

SB : OFF XB : HI

PYR : .05/ .10/ .25

GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

HPTXR

DSN COVERAGE

32

HPTXR

RTLTL : 12h 42m 34s

1200 RTLTL=12h 42m 34s

0000 RTLTL=12h 42m 34s

VOYAGER 2

FDSL : 11AF

CCSL : B023

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

[1] S/C 31 - D/L AGC VARIATIONS EXPECTED DURING MAGROL (1222-1818)

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/01/95 - 13:51

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
FEBRUARY 4, 1995
035-036

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 17m 14s

1200 RTLTL=16h 17m 12s

0000 RTLTL=16h 17m 10s

VOYAGER 1

U/L 1200 |----- TLC (SHORT-FORM) -----| D/L |0545

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31

1040 |----- 12 -----| 1630

0215 - 0750 |----- 65 [D] -----|

DSN COVERAGE
HPTXR

32

1750 |----- 42 [D] -----| 2330
2350 |----- 45 [D] -----| 0540
0525 - 0725 |--- 43 [D] ---|

HPTXR

RTLTL : 12h 42m 34s

1200 RTLTL=12h 42m 34s

0000 RTLTL=12h 42m 34s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/01/95 - 13:51

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
FEBRUARY 5, 1995
036-037

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 17m 10s

1200 RTLTL=16h 17m 8s

0000 RTLTL=16h 17m 8s

VOYAGER 1

FDSL : 11AF

CCSL : A020

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

0935 |----- 15 [D] -----| 2130 0215 - 0750 |----- 65 [D] -----|

DSN COVERAGE
HPTXR

32

|----- 65 [D] -----| 0835 - 1230 1645 |----- 45 [D] -----| 2330

HPTXR

RTLTL : 12h 42m 34s

1200 RTLTL=12h 42m 34s

0000 RTLTL=12h 42m 32s

VOYAGER 2

FDSL : 11AF

CCSL : B023

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

|----- ON CALL -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/01/95 - 13:51

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
FEBRUARY 6, 1995
037-038

MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 17m 8s

1200 RTLT=16h 17m 6s

0000 RTLT=16h 17m 4s

VOYAGER 1

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

0930 |----- 15 [D] -----| 2130 0210 |----- 65 [D] -----|

DSN COVERAGE
HPTXR

32

|----- 65 [D] -----| 0835 - 1225 1710 |----- 45 [D] -----| 0530
0515 - 0715 |--- 43 [o] ---|

HPTXR

RTLT : 12h 42m 32s

1200 RTLT=12h 42m 32s

0000 RTLT=12h 42m 32s

VOYAGER 2

↓ 1255 SLEW->HELIO-X17

↓ 0055 SLEW->HELIO-X16

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/01/95 - 13:51

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
FEBRUARY 7, 1995
038-039

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 17m 4s

1200 RTLTL=16h 17m 2s

0000 RTLTL=16h 17m 0s

VOYAGER 1

▼ 1730 DUMMY

2003 | 2004 PWS/RH

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

2003
GS-4B 2004

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

CR-5T
160(32)

31 --- 65 [D] --- | 1000 0505 - 0740 | --- 65 [D] --- |

1030 | ----- 12 ----- | 1915

0220 | ----- 63 [D] ----- | 0520

DSN COVERAGE
HPTXR

32 0950 | --- 63 [D] --- | 1220 1705 | ----- 45 [D] ----- | 0600

0545 - 0710 | - 43 [o] - |

HPTXR

RTLTL : 12h 42m 32s

1200 RTLTL=12h 42m 32s

0000 RTLTL=12h 42m 32s

VOYAGER 2

↓ 1255 SLEW->HELIO-X15

1941 | 1942 PWS/RH

FDSL : 11AF

2119 | PLSCAL - | 2301

2119 | --- MAGCAL --- | 0021

2119 | --- PESCAL --- | 0039

↓ 0055 SLEW->HELIO-X14

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

DUMMY 0615 ▼

1941
GS-4B 1942

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

CR-5T
160(32)

VOYAGER COVERAGE

| ----- VGR ----- |

| VGR |

NOTES

[1] S/C 32=GS-4B @ 1941 XB=2.8K(41) NOT RECOVERABLE
[2] S/C 31=GS-4B @ 2003 XB=2.8K(41) NOT RECOVERABLE

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/01/95 - 13:51

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
FEBRUARY 8, 1995
039-040

SFOS/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 17m 0s

1200 RTLT=16h 16m 58s

0000 RTLT=16h 16m 56s

VOYAGER 1

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

0925 |----- 15 [D] -----| 2120

0200 - 0735 |----- 65 [D] -----|

DSN COVERAGE
HPTXR

32

|----- 65 [D] -----| 0825 - 1215

1700 - 0710 |----- 45 [D] -----|

HPTXR

RTLT : 12h 42m 32s

1200 RTLT=12h 42m 30s

0000 RTLT=12h 42m 30s

VOYAGER 2

↓ 1255 SLEW->HELIO-X13

↓ 0055 SLEW->HELIO-X12

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/01/95 - 13:51

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
FEBRUARY 9, 1995
040-041

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 16m 56s

1200 RTLT=16h 16m 54s

0000 RTLT=16h 16m 52s

VOYAGER 1

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 0920 |----- 15 [D] -----| 2115

0215 |----- 63 [D] -----| 0515
0500 |-- 65 [D] --| 0645

DSN COVERAGE
HPTXR

32 |--- 65 [D] ---| 0820 - 1045

1655 |----- 45 [D] -----| 0520
0505 |-- 43 [D] --| 0705

HPTXR

RTLT : 12h 42m 30s

1200 RTLT=12h 42m 30s

0000 RTLT=12h 42m 30s

VOYAGER 2

↓ 1255 SLEW->HELIO-X11

↓ 0055 SLEW->HELIO-X10

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/01/95 - 13:51

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
FEBRUARY 10, 1995
041-042

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 16m 52s

1200 RTLT=16h 16m 50s

0000 RTLT=16h 16m 50s

VOYAGER 1

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1010 |-----12 [D]-----| 1935

0150 - 0730 |-----65 [D]-----|

DSN COVERAGE
HPTXR

32

1545 |-----15 [D]-----| 1940

1925 |-----45 [D]-----| 0515

0500 | - 43 [B,o] - - | 0700

HPTXR

RTLT : 12h 42m 30s

1200 RTLT=12h 42m 28s

0000 RTLT=12h 42m 28s

VOYAGER 2

↓ 1255 SLEW->HELIO-X9

↓ 0055 SLEW->HELIO-X8

SLEW->MIDWAY1 0625 ↓

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|-----VGR-----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/01/95 - 13:51

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
FEBRUARY 11, 1995
042-043

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 16m 50s

1200 RTLT=16h 16m 48s

0000 RTLT=16h 16m 46s

VOYAGER 1

FDSL : 11AF

CCSL : A020

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

0910 |----- 15 [D] -----| 1410

1355 |----- 12 [D] -----| 1930

0150 - 0725 |----- 65 [D] -----|

DSN COVERAGE
HPTXR

32

|----- 65 [D] -----| 0815 - 1205

1540 |----- 15 [D] -----| 2025

2010 |----- 45 [D] -----| 0655

HPTXR

RTLT : 12h 42m 28s

1200 RTLT=12h 42m 26s

0000 RTLT=12h 42m 26s

VOYAGER 2

↓ 1725 SLEW->MIDWAY2

↓ 0055 SLEW->HELIO-X7

FDSL : 11AF

CCSL : B023

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/01/95 - 13:51

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
FEBRUARY 12, 1995
043-044

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 16m 46s

1200 RTLT=16h 16m 44s

0000 RTLT=16h 16m 42s

VOYAGER 1

U/L 1100 |-----| TLC (SHORT-FORM) |-----| D/L -|0445

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1010 |-----| 12 |-----| 1930 |-----| 0145 - 0720 |-----| 65 [D] |-----|

DSN COVERAGE
HPTXR

32

-----| 65 [D] -----| 0810 - 1200
1535 |-----| 15 [D] -----| 1935
1920 |-----| 42 [D] -----| 2245

HPTXR

RTLT : 12h 42m 26s

1200 RTLT=12h 42m 24s

0000 RTLT=12h 42m 24s

VOYAGER 2

↓ 1255 SLEW->HELIO-X6

↓ 0055 SLEW->HELIO-X5

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

-----| ON CALL |-----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/01/95 - 13:51

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
FEBRUARY 13, 1995
044-045

MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 16m 42s

1200 RTLTL=16h 16m 40s

0000 RTLTL=16h 16m 38s

VOYAGER 1

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 0905 |----- 15 [D] -----| 2100 0140 |----- 65 [D] -----|

DSN COVERAGE
HPTXR

32 |----- 65 [D] -----| 0805 - 1155 1715 |----- 42 [D] -----| 2020 0450 |--- 43 [D] ---| 0650

HPTXR

RTLTL : 12h 42m 24s

1200 RTLTL=12h 42m 22s

0000 RTLTL=12h 42m 22s

VOYAGER 2

↓ 1255 SLEW->HELIO-X4

↓ 0055 SLEW->HELIO-X3

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/01/95 - 13:51

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
FEBRUARY 14, 1995
045-046

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 16m 38s

VOYAGER 1

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

1200 RTLT=16h 16m 36s

0000 RTLT=16h 16m 34s

▼ 1730 DUMMY
1938 | 1939 PWS/RH

1938
GS-4B | 1939

CR-5T
160(32)

CR-5T
160(32)

31 --- | 0845 65 [D] | 1000 |-----| 12 |-----| 1955 |-----| 0540 |--- 65 [D] ---

HPTXR

DSN COVERAGE

32 0945 |----- 63 [D] -----| 1255 |----- 1620 |----- 45 [D] -----| 2045 |----- 0445 |--- 43 [B,o] ---| 0645

HPTXR

RTLT : 12h 42m 22s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

1200 RTLT=12h 42m 20s

0000 RTLT=12h 42m 20s

↓ 1255 SLEW->HELIO-X2

1917 | 1918 PWS/RH

↓ 0055 SLEW->HELIO-X1
DUMMY (BRACKETED) 0503 ▼

1917
GS-4B | 1918

CR-5T
160(32)

CR-5T
160(32)

VOYAGER COVERAGE

|----- VGR -----| |----- VGR -----|

NOTES

[1] S/C 32=GS-4B @ 1917 XB=2.8K(41) NOT RECOVERABLE
[2] S/C 31=GS-4B @ 1938 XB=2.8K(41) NOT RECOVERABLE

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/01/95 - 13:51

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
FEBRUARY 15, 1995
046-047

SFOS/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 16m 34s

1200 RTLTL=16h 16m 32s

0000 RTLTL=16h 16m 30s

VOYAGER 1

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

65 [D] -----| 1235

1220 |----- 15 [D] -----| 2020

0135 - 0710 |----- 65 [D] -----|

DSN COVERAGE
HPTXR

32

1605 |----- 45 [D] -----| 2045

65 [D] 0755 |

HPTXR

RTLTL : 12h 42m 20s

1200 RTLTL=12h 42m 18s

0000 RTLTL=12h 42m 16s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/01/95 - 13:51

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
FEBRUARY 16, 1995
047-048

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 16m 30s

1200 RTLTL=16h 16m 28s

0000 RTLTL=16h 16m 24s

VOYAGER 1

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 0855 |----- 15 [D] -----| 2050 0530 |--- 65 [D] ---|

0145 |----- 63 [D] -----| 0545

DSN COVERAGE
HPTXR

32 ----- 65 [D] -----| 1145

1605 |----- 45 [D] -----| 2045

0435 |--- 43 [D] ---| 0635

HPTXR

RTLTL : 12h 42m 16s

1200 RTLTL=12h 42m 16s

0000 RTLTL=12h 42m 14s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/01/95 - 13:51

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
FEBRUARY 17, 1995
048-049

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 16m 24s

1200 RTLTL=16h 16m 22s

0000 RTLTL=16h 16m 20s

VOYAGER 1

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31

65 [D] -----| 1225

1210 |-----

12 [D] -----

| 1950

0125 |-----

65 [D] -----

| 0705

DSN COVERAGE

HPTXR

32

1515 |-----

15 [D] -----

| 1915

1900 |-----

45 [D] -----

65 [D] 0750 |

| 0635

HPTXR

RTLTL : 12h 42m 14s

1200 RTLTL=12h 42m 12s

0000 RTLTL=12h 42m 10s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/01/95 - 13:51

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
FEBRUARY 18, 1995
049-050

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 16m 20s

1200 RTLTL=16h 16m 18s

0000 RTLTL=16h 16m 16s

VOYAGER 1

U/L 1100 |-----| TLC (SHORT-FORM) |-----| D/L |0444

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

0945 |-----|

12 |-----|

1705 |-----|

0120 |-----|

65 [D] |-----|

1810 |--- 14 [D] ---| 2040

DSN COVERAGE
HPTXR

32

65 [D] |-----|

1140 |-----|

1515 |-----|

15 [D] |-----|

1910 |-----|

0430 |--- 43 [o] ---|

0630 |-----|

1855 |-----|

45 [D] |-----|

0445 |-----|

HPTXR

RTLTL : 12h 42m 10s

1200 RTLTL=12h 42m 8s

0000 RTLTL=12h 42m 8s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/01/95 - 13:51

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
FEBRUARY 19, 1995
050-051

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 16m 16s

1200 RTLTL=16h 16m 14s

0000 RTLTL=16h 16m 12s

VOYAGER 1

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

-----65 [D]-----|1215

1200 |-----12 [D]-----|1940

0210 |-----61 [D]-----|0620

DSN COVERAGE
HPTXR

32

1510 |-----15 [D]-----|1905

1850 |-----42 [D]-----|0600

HPTXR

RTLTL : 12h 42m 8s

1200 RTLTL=12h 42m 6s

0000 RTLTL=12h 42m 4s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

-----ON CALL-----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8