

ISSUE DATE: 02/15/95 - 13:59

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
FEBRUARY 16, 1995
047-048

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 16m 30s

1200 RTLTL=16h 16m 28s

0000 RTLTL=16h 16m 24s

VOYAGER 1

S/C 31 STATUS

FDSL : 11AF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -3.735 sec
SCAN PLAT POSITION:
AZ = -9.286 deg
EL = 110.659 deg
ROLLREF = RIGIL
KENTAURUS

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31 0855 |----- 15 [D] -----| 2050 0530 |--- 65 [D] ---|

0145 |----- 63 [D] -----| 0545

DSN COVERAGE
HPTXR

32 ----- 65 [D] -----| 1145

1605 |----- 45 [D] -----| 2045

0435 |-- 43 [D] --| 0635

HPTXR

RTLTL : 12h 42m 16s

1200 RTLTL=12h 42m 16s

0000 RTLTL=12h 42m 14s

VOYAGER 2

S/C 32 STATUS

FDSL : 11AF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: 3:21.061 min
SCAN PLAT POSITION:
AZ = 85.468 deg
EL = 89.748 deg
ROLLREF = VEGA

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/15/95 - 13:59

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
FEBRUARY 17, 1995
048-049

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 16m 24s

1200 RTLTL=16h 16m 22s

0000 RTLTL=16h 16m 20s

VOYAGER 1

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31

65 [D] -----| 1225

1210 |-----

12 [D] -----

| 1950

0125 |-----

65 [D] -----

| 0705

DSN COVERAGE

HPTXR

32

1515 |-----

15 [D] -----

| 1915

1900 |-----

45 [D] -----

65 [D] 0750 |

| 0635

HPTXR

RTLTL : 12h 42m 14s

1200 RTLTL=12h 42m 12s

0000 RTLTL=12h 42m 10s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/15/95 - 13:59

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
FEBRUARY 18, 1995
049-050

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 16m 20s

1200 RTLTL=16h 16m 18s

0000 RTLTL=16h 16m 16s

VOYAGER 1

U/L 1100 |-----| TLC (SHORT-FORM) |-----| D/L |0444

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

0945 |-----|

12 |-----|

1705

0120 |-----|

65 [D] |-----|

1810 |---- 14 [D] ----| 2040

DSN COVERAGE
HPTXR

32

65 [D] |-----| 1140

1515 |----- 15 [D] -----| 1910

0430 |--- 43 [o] ---| 0630

1855 |----- 45 [D] -----|

0445

HPTXR

RTLTL : 12h 42m 10s

1200 RTLTL=12h 42m 8s

0000 RTLTL=12h 42m 8s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/15/95 - 13:59

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
FEBRUARY 19, 1995
050-051

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 16m 16s

1200 RTLTL=16h 16m 14s

0000 RTLTL=16h 16m 12s

VOYAGER 1

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

HPTXR

DSN COVERAGE

32

HPTXR

RTLTL : 12h 42m 8s

1200 RTLTL=12h 42m 6s

0000 RTLTL=12h 42m 4s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/15/95 - 13:59

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
FEBRUARY 20, 1995
051-052

MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 16m 12s

1200 RTLTL=16h 16m 10s

0000 RTLTL=16h 16m 8s

VOYAGER 1

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31 0935 |----- 12 [D] -----| 1530

0115 |----- 65 [D] -----| 0650

DSN COVERAGE
HPTXR

32 2150 |----- 45 [D] -----| 0650
65 [D] 0735 |

HPTXR

RTLTL : 12h 42m 4s

1200 RTLTL=12h 42m 2s

0000 RTLTL=12h 42m 0s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/15/95 - 13:59

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
FEBRUARY 21, 1995
052-053

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 16m 8s

VOYAGER 1

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

1200 RTLTL=16h 16m 6s

0000 RTLTL=16h 16m 4s

1914 | 1915 PWS/RH

▼ 1720 DUMMY

1914
GS-4B 1915

CR-5T

CR-5T

160 (32)

160(32)

31

0935 |-----| 12 |-----| 1935

0125 |-----| 63 [D] |-----| 0510 |-----| 65 [D] |-----| 0525

DSN COVERAGE
HPTXR

32

65 [D] |-----| 1045

1545 |-----| 45 [D] |-----| 0335

0450 | 43 [D,A] | 0620

0450 | 45 [D,A] | 0620

HPTXR

RTLTL : 12h 42m 0s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

1200 RTLTL=12h 41m 58s

0000 RTLTL=12h 41m 56s

1853 | 1854 PWS/RH

1853
GS-4B 1854

CR-5T

CR-5T

160 (32)

160(32)

VOYAGER COVERAGE

|-----| VGR |-----|

NOTES

- [1] S/C 32=GS-4B @ 1853 XB=2.8K(41) NOT RECOVERABLE
- [2] S/C 31=GS-4B @ 1914 XB=2.8K(41) NOT RECOVERABLE

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/15/95 - 13:59

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
FEBRUARY 22, 1995
053-054

SFOS/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 16m 4s

1200 RTLT=16h 16m 2s

0000 RTLT=16h 16m 0s

VOYAGER 1

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

65 [D] -----| 1205

1150 |----- 15 [D] -----| 1500

1635 |----- 14 [D] -----| 2025

0225 |----- 63 [D] -----| 0520

0505 - 0750 |----- 65 [D] -----|

DSN COVERAGE
HPTXR

32

1540 |----- 45 [D] -----| 0645

HPTXR

RTLT : 12h 41m 56s

1200 RTLT=12h 41m 54s

0000 RTLT=12h 41m 52s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/15/95 - 13:59

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
FEBRUARY 23, 1995
054-055

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 16m 0s

1200 RTLT=16h 15m 56s

0000 RTLT=16h 15m 54s

VOYAGER 1

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 |----- 15 [D] -----| 0825 - 1545 | 0100 |----- 65 [D] -----|

DSN COVERAGE
HPTXR

32 |----- 1635 |----- 42 [D] -----| 2040 |----- 0410 | - 43 [B,o] - -| 0610

HPTXR

RTLT : 12h 41m 52s

1200 RTLT=12h 41m 50s

0000 RTLT=12h 41m 48s

VOYAGER 2

↓ 1655 SLEW->VW HYI

DUMMY (BRACKETED) 0427 ▼

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

|----- VGR -----| | VGR -|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/15/95 - 13:59

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
FEBRUARY 24, 1995
055-056

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 15m 54s

1200 RTLTL=16h 15m 52s

0000 RTLTL=16h 15m 50s

VOYAGER 1

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 65 [D] | 0905

0920 |----- 12 [D] -----| 1545

0055 |----- 65 [D] -----| 0635

DSN COVERAGE
HPTXR

32 0905 |--- 63 [D] ---| 1115

1450 |----- 15 [D] -----| 1845

1830 |----- 45 [D] -----| 0420

65 [D] 0720 |---

0405 |--- 43 [D] ---| 0605

HPTXR

RTLTL : 12h 41m 48s

1200 RTLTL=12h 41m 46s

0000 RTLTL=12h 41m 44s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/15/95 - 13:59

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
FEBRUARY 25, 1995
056-057

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 15m 50s

1200 RTLT=16h 15m 48s

0000 RTLT=16h 15m 46s

VOYAGER 1

U/L 1105 | - | ----- TLC (SHORT-FORM) ----- | D/L | 0449

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

0915 | ----- 12 ----- | 1525

1625 | ----- 14 [D] ----- | 2015

0055 | ----- 65 [D] ----- | 0635

DSN COVERAGE
HPTXR

32

65 [D] -- | 1000

1445 | ----- 15 [D] ----- | 1845

1830 | ----- 45 [D] ----- | 0420

65 [D] 0720 | ---

0405 | -- 43 [D] -- | 0605

HPTXR

RTLT : 12h 41m 44s

1200 RTLT=12h 41m 42s

0000 RTLT=12h 41m 38s

0357 | COMMAND MORATORIUM

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/15/95 - 13:59

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY FEBRUARY 26, 1995 057-058	
UTC: 8	9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8
RTLT : 16h 15m 46s VOYAGER 1 FDSL : 11AF CCSL : A020 TWNC : ON SB : OFF XB : LOW PYR : .05/ .10/ .25 GYROS : OFF	1200 RTLT=16h 15m 44s 0000 RTLT=16h 15m 42s
FDS MODE	CR-5T
XB DATA RATE (MI)	160(32)
31	0910 ----- 12 [D] ----- 1525 0140 ----- 61 [D] ----- 0545
DSN COVERAGE HPTXR	
32	----- 65 [D] ----- 1105 1445 ----- 15 [D] ----- 1855 2030 ----- 43 [D,A] ----- 0400 2030 ----- 45 [D,A] ----- 0400 65 [D] 0715 -----
HPTXR	
RTLT : 12h 41m 38s VOYAGER 2 FDSL : 11AF CCSL : B023 TWNC : ON SB : OFF XB : LOW PYR : .05/ .10/ .25 GYROS : OFF	1200 RTLT=12h 41m 36s 0000 RTLT=12h 41m 34s ----- COMMAND MORATORIUM ----- ↓ 1609 BAY 1 HTR OFF ↓ 1613 X/B HI POWER 1625 ----- 1651 TAPPOS ↓ 2045 YAW=.05 2055 ----- PLAYBACK ----- 0331 ↓ 0340 YAW=.10
FDS MODE	2055 0331
XB DATA RATE (MI)	CR-5T 160(32) PB-5 7.2K(41) CR-5T 160(32)
VOYAGER COVERAGE	----- ON CALL ----- ----- VGR -----
NOTES	
UTC: 8	9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/15/95 - 13:59

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
FEBRUARY 27, 1995
058-059

MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 15m 42s

1200 RTLTL=16h 15m 40s

0000 RTLTL=16h 15m 38s

VOYAGER 1

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 |-----15 [D]-----| 0815 - 1550 |-----0045-----65 [D]-----|
1630 |-----14 [D]-----| 1945

DSN COVERAGE
HPTXR

32 |-----65 [D]-----| 1100 |-----1520-----45 [D]-----| 2130 |-----0355-----43 [D]-----| 0555

HPTXR

RTLTL : 12h 41m 34s

1200 RTLTL=12h 41m 32s

0000 RTLTL=12h 41m 28s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10 / .25
GYROS : OFF

COMMAND MORATORIUM

1725 | TAPPOS | 1908

0357 | COMMAND MORATORIUM |
↓ 0410 SLEW->LAM ERI

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

1606

UV-5A

600(36)

VOYAGER COVERAGE

|-----VGR-----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/15/95 - 13:59

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
FEBRUARY 28, 1995
059-060

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 15m 38s
VOYAGER 1
FDSL : 11AF
CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLT=16h 15m 34s

0000 RTLT=16h 15m 32s

▼ 1650 DUMMY
1850 | 1851 PWS/RH

↓ 0008 SLEW->ALPHA VIR
SLEW->MIDWAY 0508 ↓

FDS MODE
XB DATA RATE (MI)




1850
GS-4B 1851

0048

0409

DSN COVERAGE
HPTXR
31
32
HPTXR



RTLT : 12h 41m 28s
VOYAGER 2
FDSL : 11AF
CCSL : B023
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10 / .25
GYROS : OFF

1200 RTLT=12h 41m 26s

0000 RTLT=12h 41m 24s

----- COMMAND MORATORIUM -----
↓ 1609 X/B LOW POWER
↓ 1613 BAY 1 HTR ON
1829 | 1830 PWS/RH
↓ 0339 SLEW->VW HYI


FDS MODE
XB DATA RATE (MI)



1829 1830
GS-4B CR-5T 1834

0406

VOYAGER COVERAGE



NOTES

- [1] S/C 32=GS-4B @ 1829 XB=2.8K(41) NOT RECOVERABLE
- [2] S/C 32=CR-5T @ 1830 XB=160(32) NOT RECOVERABLE
- [3] S/C 31=GS-4B @ 1850 XB=2.8K(41) NOT RECOVERABLE

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/15/95 - 13:59

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
MARCH 1, 1995
060-061

SFOS/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 15m 32s

1200 RTLT=16h 15m 30s

0000 RTLT=16h 15m 28s

VOYAGER 1

1105 | PLSCAL - | 1248

1105 | --- MAGCAL --- | 1408

1105 | --- PESCAL --- | 1425

FDSL : 11AF

CCSL : A020

TWNC : ON

SB : OFF XB : LOW

PXR : .05 / .10 / .25

GYROS : OFF

FDS MODE

CR-5T

XB DATA RATE (MI)

160(32)

31

0855 |----- 12 [D] -----| 1545

0035 |----- 65 [D] -----| 15 [D] 0755 |

HPTXR

DSN COVERAGE

32

----- 65 [D] ----- | 1055

1515 |----- 45 [D] -----| 61 [o] 0720 |---

0620

HPTXR

RTLT : 12h 41m 24s

1200 RTLT=12h 41m 22s

0000 RTLT=12h 41m 18s

VOYAGER 2

----- COMMAND MORATORIUM ----- | 0332

FDSL : 11AF

CCSL : B023

TWNC : ON

SB : OFF XB : LOW

PXR : .05 / .10 / .25

GYROS : OFF

FDS MODE

CR-5T

XB DATA RATE (MI)

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/15/95 - 13:59

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
MARCH 2, 1995
061-062

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 15m 28s

1200 RTLT=16h 15m 26s

0000 RTLT=16h 15m 24s

VOYAGER 1

↓ 1008 SLEW->HELIO-1

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 15 [D] ----- | 1945

0050 | ----- 63 [D] ----- | 0350

0335 | ----- 65 [D] -----

DSN COVERAGE
HPTXR

32

----- 61 [o] ----- | 1035

1510 | ----- 45 [D] ----- | 2045

0345 | --- 43 [o] --- | 0545

HPTXR

RTLT : 12h 41m 18s

1200 RTLT=12h 41m 16s

0000 RTLT=12h 41m 12s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

| ----- VGR ----- |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/15/95 - 13:59

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
MARCH 3, 1995
062-063

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 15m 24s

1200 RTLT=16h 15m 22s

0000 RTLT=16h 15m 20s

VOYAGER 1

↓ 1008 SLEW->HELIO-2

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31

65 [D] ----- | 1130

1115 |----- 12 [D] ----- | 1745

0030 |----- 65 [D] ----- | 0610

DSN COVERAGE
HPTXR

32

1425 |----- 15 [D] ----- | 1820

1805 |----- 45 [D] ----- | 0355

0655 | 65 [D] |

0340 | - 43 [B,o] - - | 0540

HPTXR

RTLT : 12h 41m 12s

1200 RTLT=12h 41m 10s

0000 RTLT=12h 41m 8s

VOYAGER 2

DUMMY (BRACKETED) 0357 ▼

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

|----- VGR -----|

| VGR |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/15/95 - 13:59

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
MARCH 4, 1995
063-064

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 15m 20s
VOYAGER 1
FDSL : 11AF
CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLT=16h 15m 18s 0000 RTLT=16h 15m 14s

U/L 1005 |----- TLC (SHORT-FORM) -----| D/L -| 0348

↓ 1008 SLEW->HELIO-3

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 0850 |----- 12 -----| 1855 0025 |----- 65 [D] -----| 15 [D] 0745 |-----| 0605

DSN COVERAGE
HPTXR

32 --- 65 [D] --- | 1040 1500 |----- 45 [D] -----| 0350 0650 | 65 [D] |-----| 0335 |--- 43 [D] ---| 0535

HPTXR

RTLT : 12h 41m 8s
VOYAGER 2
FDSL : 11AF
CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

1200 RTLT=12h 41m 4s 0000 RTLT=12h 41m 2s

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/15/95 - 13:59

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
MARCH 5, 1995
064-065

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 15m 14s

1200 RTLTL=16h 15m 12s

0000 RTLTL=16h 15m 10s

VOYAGER 1

↓ 1008 SLEW->HELIO-4

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 ----- 15 [D] ----- | 1445 ----- 15 [D] 0740 |

1430 |----- 12 [D] ----- | 1845

0025 |----- 65 [D] ----- | 0605

DSN COVERAGE
HPTXR

32 ----- 65 [D] ----- | 1040

1455 |----- 45 [D] ----- | 2215

0405 |----- 43 [D] ----- | 0535

HPTXR

RTLTL : 12h 41m 2s

1200 RTLTL=12h 40m 58s

0000 RTLTL=12h 40m 56s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8