

ISSUE DATE: 05/03/95 - 09:44

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY  
MAY 4, 1995  
124-125

VGR STAFF/A148  
VCB/MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 13m 54s

1200 RTLT=16h 13m 56s

0000 RTLT=16h 13m 58s

VOYAGER 1

S/C 31 STATUS

AAI 0618 ↓

MAGROL 0621 | - -

FDSL : 11AF

FDS CLOCK DRIFT:  
ADD TO S/C EVENT  
ERT: -4.470 sec  
SCAN PLAT POSITION:  
AZ = 309.956 deg  
EL = 85.046 deg  
ROLLREF = RIGIL  
KENTAURUS

CCSL : A021  
TWNC : ON  
SB : OFF XB : HI  
PYR : .05/ .05/ .25  
GYROS : ON

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160 (32)

31

15 [D]

1515

0510

15 [D] [1] -

1500

42 [D]

1950

0510

24 [D] [2] -

2025

65 [D]

0530

DSN COVERAGE  
HPTXR

32

0940

24 [D]

1410

1355

45 [D]

0210

HPTXR

RTLT : 12h 33m 24s

1200 RTLT=12h 33m 22s

0000 RTLT=12h 33m 18s

COMMAND MORATORIUM

0432

VOYAGER 2

S/C 32 STATUS

FDSL : 11AF

FDS CLOCK DRIFT:  
ADD TO S/C EVENT  
ERT:3:11.446 min  
SCAN PLAT POSITION:  
AZ = 79.985 deg  
EL = 85.994 deg  
ROLLREF = VEGA

CCSL : B023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : ON

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160 (32)

VOYAGER COVERAGE

VGR

VGR

NOTES

- [1] S/C 31 - D/L AGC VARIATIONS EXPECTED DURING MAGROL (0621-1216)
- [2] S/C 31 - EVALUATION OF DSS-24 PERFORMANCE DURING MAGROL (0621-1216)

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/03/95 - 09:44

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY  
MAY 5, 1995  
125-126

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 13m 58s

1200 RTLTL=16h 13m 58s

0000 RTLTL=16h 14m 2s

VOYAGER 1

FDSL : 11AF

MAGROL

↓ 1209 RAI  
↓ 1216  
↓ 1216 CRU  
↓ 1216 GYROS OFF

↓ 1808 SLEW->BD+28 BKGND

CCSL : A021  
TWNC : ON  
SB : OFF XB : HI  
PYR : .05/ .05/ .25  
GYROS : ON

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160 (32)

31

HPTXR

DSN COVERAGE

32

HPTXR

31

HPTXR

FDSL : 11AF

CCSL : B023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : ON

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160 (32)

VOYAGER COVERAGE

VGR

VGR

NOTES

- [1] S/C 31 - D/L AGC VARIATIONS EXPECTED DURING MAGROL (0621-1216)
- [2] S/C 31 - EVALUATION OF DSS-24 PERFORMANCE DURING MAGROL (0621-1216)

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/03/95 - 09:44

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY  
MAY 6, 1995  
126-127

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 14m 2s

1200 RTLT=16h 14m 4s

0000 RTLT=16h 14m 6s

VOYAGER 1

FDSL : 11AF

CCSL : A021  
TWNC : ON  
SB : OFF XB : HI  
PYR : .05/ .05/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

31 ----- 24 [D] ----- | 1505 ----- 0335 | ----- 24 [D] -----

1450 | ----- 42 [D] ----- | 1930

2020 | ----- 65 [D] ----- | 0210

DSN COVERAGE  
HPTXR

32 ----- 1055 | ----- 45 [D] ----- | 0010

2355 | - 43 [D] - | 0135

0255 - 0620 | ----- 65 [D] ----- |

HPTXR

RTLT : 12h 33m 12s

1200 RTLT=12h 33m 8s

0000 RTLT=12h 33m 6s

VOYAGER 2

FDSL : 11AF

CCSL : B023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : ON

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/03/95 - 09:44

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY  
MAY 7, 1995  
127-128

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 14m 6s

1200 RTLT=16h 14m 8s

0000 RTLT=16h 14m 10s

VOYAGER 1

U/L 2200 | - | - - - - - TLC (SHORT-FORM) - - - - -

FDSL : 11AF

CCSL : A021  
TWNC : ON  
SB : OFF XB : HI  
PYR : .05/ .05/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160 (32)

31 - - - - - 24 [D] - - - - - | 1535 - - - - - 24 [D] 0625 | - - - - -

2105- 0635 | - - - - - 61 - - - - - |

DSN COVERAGE  
HPTXR

32 1020 | - - - - - 15 [D] - - - - - | 1355 - - - - - 0250 - 0620 | - - - - - 65 [D] - - - - - |

1340 | - - - - - 45 [D] - - - - - | 0200

HPTXR

RTLT : 12h 33m 6s

1200 RTLT=12h 33m 2s

0000 RTLT=12h 33m 0s

VOYAGER 2

↓ 1705 GYRO INIT

FDSL : 11AF

CCSL : B023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : ON

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160 (32)

VOYAGER COVERAGE

- - - - - ON CALL - - - - -

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/03/95 - 09:44

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY  
MAY 8, 1995  
128-129

MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 14m 10s

1200 RTLTL=16h 14m 12s

0000 RTLTL=16h 14m 14s

VOYAGER 1

----- TLC (SHORT-FORM) -----+ D/L -| 1542

FDSL : 11AF

CCSL : A021  
TWNC : ON  
SB : OFF XB : HI  
PYR : .05/ .05/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

31

-----24 [D] -----| 1145

0535 | 24 [D] -

1200 |-----42 [D] -----| 1845

2010 |-----65 [D] -----| 0550

HPTXR

DSN COVERAGE

32

1050 |-----45 [D] -----| 2345

2350 | - 43 [B] - | 0125

0325 | - - 61 [D] - - | 0535

HPTXR

RTLTL : 12h 33m 0s

1200 RTLTL=12h 32m 56s

0000 RTLTL=12h 32m 54s

COMMAND MORATORIUM 0502 |-----

VOYAGER 2

▼ 0047 DUMMY (BRACKETED)

FDSL : 11AF

CCSL : B023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : ON

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

|----- VGR -----|

| - VGR - |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7



ISSUE DATE: 05/03/95 - 09:44

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY  
MAY 10, 1995  
130-131

SFOS/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 14m 20s

1200 RTLT=16h 14m 22s

0000 RTLT=16h 14m 24s

VOYAGER 1

FDSL : 11AF

AGC/CMD  
0754 D/L


1630 DUMMY

2039 SLEW-> SUN +1 EL  
2137 SLEW->2 DELTA EL ACROSS SUN  
2137 2154 SUNMON  
2146 SLEW->+2 DELTA EL ACROSS SUN  
2156 SLEW->SAFE

CCSL : A021  
TWNC : ON  
SB : OFF XB : HI  
PYR : .05/ .05/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

0715 0810	CR-5T	2025 2158	CR-5T
EL-40	160(32)	UV-5A	160(32)
40(32)		600(36)	



RTLT : 12h 32m 48s

1200 RTLT=12h 32m 44s

0000 RTLT=12h 32m 42s

VOYAGER 2

FDSL : 11AF

1415 AAI  
1418 MAGROL 2013  
2006 RAI  
2013 CRU  
2013 GYROS OFF

CCSL : B023  
TWNC : ON  
SB : OFF XB : HI  
PYR : .05/ .10/ .25  
GYROS : ON

FDS MODE  
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

VGR

NOTES

[1] S/C 32 - D/L AGC VARIATIONS EXPECTED DURING MAGROL (1418-2013)

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/03/95 - 09:44

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY  
MAY 11, 1995  
131-132

VGR STAFF/A148  
VCB/MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 14m 24s

1200 RTLTL=16h 14m 28s 0000 RTLTL=16h 14m 30s

VOYAGER 1

↓ 1314 X/B LOW POWER  
↓ 1318 BAY 1 HTR ON

FDSL : 11AF

U/L 1700 | - | - - - - - TLC (SHORT-FORM) - - - - -

CCSL : A021  
TWNC : ON  
SB : OFF XB : HI  
PYR : .05/ .05/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

31 - - - - - 24 [D] - - - - - | 1320 0315 | - - - - - 15 [D] - - - - -

1305 | - - - - - 42 - - - - - | 1850

2000 | - - - - - 65 [D] - - - - - | 0150

DSN COVERAGE  
HPTXR

32 - - - - - 1030 | - - - - - 45 [D] - - - - - | 2350

2335 | - 43 [D] - | 0115

0235 | - - - - - 65 [D] - - - - - | 0600

HPTXR

RTLTL : 12h 32m 42s

1200 RTLTL=12h 32m 40s 0000 RTLTL=12h 32m 36s

VOYAGER 2

- - - - - COMMAND MORATORIUM - - - - -  
↓ 1705 X/B LOW POWER  
↓ 1709 BAY 1 HTR ON

FDSL : 11AF

CCSL : B023  
TWNC : ON  
SB : OFF XB : HI  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

VOYAGER COVERAGE

| - - - - - VGR - - - - - |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7



ISSUE DATE: 05/03/95 - 09:44

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY  
MAY 12, 1995  
132-133

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 14m 30s

1200 RTLTL=16h 14m 32s

0000 RTLTL=16h 14m 36s

VOYAGER 1

FDSL : 11AF

TLC (SHORT-FORM)  
D/L - 1043

CCSL : A021

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .05/ .25

GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31

HPTXR

DSN COVERAGE

32

HPTXR

RTLTL : 12h 32m 36s

1200 RTLTL=12h 32m 34s

0000 RTLTL=12h 32m 32s

VOYAGER 2

FDSL : 11AF

COMMAND MORATORIUM

0436

CCSL : B023

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

VGR

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/03/95 - 09:44

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY  
MAY 13, 1995  
133-134

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 14m 36s  
VOYAGER 1  
FDSL : 11AF  
CCSL : A021  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .05/ .25  
GYROS : OFF

1200 RTLT=16h 14m 38s 0000 RTLT=16h 14m 42s

FDS MODE CR-5T  
XB DATA RATE (MI) 160(32)

31 24 [D] 1155 24 [D] 0625

1140 42 [D] 1910

1950 - 0640 65 [D]

HPTXR  
DSN COVERAGE

32 1025 45 [D] 2340

2325 43 [D] 0100

0310 61 [D] 0515

HPTXR

RTLT : 12h 32m 32s  
VOYAGER 2  
FDSL : 11AF  
CCSL : B023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

1200 RTLT=12h 32m 28s 0000 RTLT=12h 32m 26s

FDS MODE CR-5T  
XB DATA RATE (MI) 160(32)

VOYAGER COVERAGE ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/03/95 - 09:44

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY  
MAY 14, 1995  
134-135

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 14m 42s

1200 RTLT=16h 14m 44s

0000 RTLT=16h 14m 48s

VOYAGER 1

FDSL : 11AF

CCSL : A021  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .05/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 24 [D] ----- | 1435 |----- 24 [D] 0620 |---

1420 |----- 42 [D] ----- | 1910

1945 - 0635 |----- 65 [D] ----- |

DSN COVERAGE  
HPTXR

32 ----- 1020 |----- 45 [D] ----- | 2345 ----- 0305 |----- 61 [D] ----- | 0510

HPTXR

RTLT : 12h 32m 26s

1200 RTLT=12h 32m 24s

0000 RTLT=12h 32m 22s

VOYAGER 2

FDSL : 11AF

CCSL : B023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/03/95 - 09:44

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY  
MAY 15, 1995  
135-136

MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 14m 48s

1200 RTLT=16h 14m 50s

0000 RTLT=16h 14m 54s

VOYAGER 1

FDSL : 11AF

CCSL : A021  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .05/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31

24 [D] ----- | 1150

0555 | 24 [D]

1135 |----- 42 [D] ----- | 1905

2030 |----- 61 [D] ----- | 0605

DSN COVERAGE  
HPTXR

32

1020 |----- 45 [D] ----- | 0130

0220 |----- 65 [D] ----- | 0545

HPTXR

RTLT : 12h 32m 22s

1200 RTLT=12h 32m 18s

0000 RTLT=12h 32m 16s

VOYAGER 2

FDSL : 11AF

CCSL : B023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/03/95 - 09:44

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY  
MAY 16, 1995  
136-137

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 14m 54s  
VOYAGER 1  
FDSL : 11AF  
CCSL : A021  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .05/ .25  
GYROS : OFF

1200 RTLTL=16h 14m 56s  
0000 RTLTL=16h 15m 0s

1426 | 1426 PWS/RH

1426 GS-4B 1426

FDS MODE CR-5T CR-5T  
XB DATA RATE (MI) 160(32) 160(32)

DSN COVERAGE

HPTXR 31  
24 [D] 1230 0350 12 [D]  
1245 42 [D] 1900  
1925 65 [D] 0400

HPTXR 32  
1015 45 [D] 2325  
2310 43 [D] 0055  
0255 61 [D] 0500

RTLTL : 12h 32m 16s  
VOYAGER 2  
FDSL : 11AF  
CCSL : B023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

1200 RTLTL=12h 32m 14s  
0000 RTLTL=12h 32m 12s

1400 | 1401 PWS/RH

1400 GS-4B 1401

FDS MODE CR-5T CR-5T  
XB DATA RATE (MI) 160(32) 160(32)

VOYAGER COVERAGE  
----- VGR -----

NOTES  
[1] S/C 32=GS-4B @ 1400 XB=2.8K(41) NOT RECOVERABLE  
[2] S/C 31=GS-4B @ 1426 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/03/95 - 09:44

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY  
MAY 17, 1995  
137-138

SFOS/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 15m 0s

1200 RTLT=16h 15m 4s

0000 RTLT=16h 15m 6s

VOYAGER 1

▼ 1630 DUMMY

FDSL : 11AF

CCSL : A021  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .05/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 12 [D] ----- | 1400 ----- 12 [D] 0610 | -----

1410 |----- 42 ----- | 1855

1920 - 0625 |----- 65 [D] ----- |

DSN COVERAGE  
HPTXR

32 0850 |----- 24 [D] ----- | 1325 ----- 0255 |----- 61 [D] ----- | 0455

1310 |----- 45 [D] ----- | 2320

2305 |----- 43 [D] ----- | 0120

HPTXR

RTLT : 12h 32m 12s

1200 RTLT=12h 32m 10s

0000 RTLT=12h 32m 8s

VOYAGER 2

FDSL : 11AF

CCSL : B023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR ----- |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/03/95 - 09:44

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY  
MAY 18, 1995  
138-139

VGR STAFF/A148  
VCB/MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 15m 6s

1200 RTLT=16h 15m 10s

0000 RTLT=16h 15m 14s

VOYAGER 1

FDSL : 11AF

CCSL : A021  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .05/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

31 ----- 12 [D] ----- 1355  
1445 |----- 42 [D] -----| 1850  
2100 |----- 63 [D] -----| 0005  
2350 |----- 65 [D] -----| 0550

HPTXR  
DSN COVERAGE

32 1005 |----- 45 [D] -----| 2315  
2300 |----- 43 [B] -----| 0115  
0250 |----- 61 [D] -----| 0450

HPTXR

RTLT : 12h 32m 8s

1200 RTLT=12h 32m 6s

0000 RTLT=12h 32m 4s

VOYAGER 2

FDSL : 11AF

CCSL : B023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

▼ 2347 DUMMY [BRACKETED]

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/03/95 - 09:44

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY  
MAY 19, 1995  
139-140

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 15m 14s

1200 RTLTL=16h 15m 18s

0000 RTLTL=16h 15m 22s

VOYAGER 1

↓ 1708 BAY 1 HTR OFF  
↓ 1712 X/B HI POWER

FDSL : 11AF

0138 | - TAPPOS - - | 0344

↓ 0421 YAW=.05  
0431 | - PLAYBACK - -

CCSL : A021  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .05/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

0431

PB-14

160(32)

1.4K(39)

31

12 [D] - - - - - | 1130

1115 | - - - - -

42 [D] - - - - - | 1850

2345 | - - - - - 65 [D] - - - - - | 0420

0415 | - - - - - 14 [D] - - - - -

HPTXR

2055 | - - - - - 63 [D] - - - - - | 0000

DSN COVERAGE

32

1000 | - - - - - 45 [D] - - - - - | 2310

2255 | - 43 [D] - - | 0040

0245 | - - - 61 [D] - - - | 0450

HPTXR

1200 RTLTL=12h 32m 2s

0000 RTLTL=12h 32m 0s

RTLTL : 12h 32m 4s

VOYAGER 2

FDSL : 11AF

CCSL : B023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

| - - - - - VGR - - - - - |

| - - - - - VGR - - - - -


NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7



ISSUE DATE: 05/03/95 - 09:44

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0



ISSUE DATE: 05/03/95 - 09:44

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY  
MAY 21, 1995  
141-142

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 15m 28s

1200 RTLT=16h 15m 32s

0000 RTLT=16h 15m 36s

VOYAGER 1

FDSL : 11AF

CCSL : A021  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10 / .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31

12 [D]

1125

0555

12 [D]

1110

42 [D]

1840

1920 - 0610

65 [D]

DSN COVERAGE

HPTXR

32

0955

45 [D]

2345

0235

61 [D]

0440

HPTXR

RTLT : 12h 31m 56s

1200 RTLT=12h 31m 54s

0000 RTLT=12h 31m 52s

VOYAGER 2

FDSL : 11AF

CCSL : B023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7