

ISSUE DATE: 06/07/95 - 13:40

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
JUNE 8, 1995
159-160

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 18m 24s
VOYAGER 1
FDSL : 11AF
CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

S/C 31 STATUS
FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -4.899 sec
SCAN PLAT POSITION:
AZ = 299.953 deg
EL = 101.064 deg
ROLLREF = RIGIL
KENTAURUS

1200 RTLTL=16h 18m 30s 0000 RTLTL=16h 18m 36s

↓ 1410 SLEW->HELIO-2A
↓ 0210 SLEW->HELIO-1A

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31 -- 12 [D] - | 0840 0125 |----- 24 [D] -----

0955 |----- 42 [D] ----- | 1730
1900 |----- 61 [D] ----- | 0015

DSN COVERAGE
HPTXR

32 |----- 24 [D] ----- | 1220 |----- 45 [D] ----- | 2150

| 0725 - 1220 2135 |----- 43 [B] ----- | 2325
0130 |----- 61 [D] ----- | 0325

HPTXR

RTLTL : 12h 31m 20s
VOYAGER 2
FDSL : 11AF
CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

S/C 32 STATUS
FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT:3:07.115 min
SCAN PLAT POSITION:
AZ = 164.987 deg
EL = 40.007 deg
ROLLREF = VEGA

1200 RTLTL=12h 31m 22s 0000 RTLTL=12h 31m 22s

↓ 1236 SLEW-> SUN +1 EL
↓ 1320 SLEW->2 DELTA EL ACROSS SUN
1320 | | 1337 SUNMON
↓ 1329 SLEW->+2 DELTA EL ACROSS SUN
↓ 1338 SLEW->SAFE
▽ 2242 DUMMY (BRACKETED)

FDS MODE
XB DATA RATE (MI)

UV-5A
600 (36)

CR-5T
160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/07/95 - 13:40

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
JUNE 9, 1995
160-161

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 18m 36s

1200 RTLT=16h 18m 42s

0000 RTLT=16h 18m 48s

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

0715 24 [D]

1900

61 [D]

0030

0215 12 [D]

1215 42 [D] 1725

DSN COVERAGE
HPTXR

32

0845 12 [D] 1230

1255 45 [D]

2145

2130 43 [D] 2320

0045 65 [D] 0400

HPTXR

RTLT : 12h 31m 22s

1200 RTLT=12h 31m 22s

0000 RTLT=12h 31m 22s

COMMAND MORATORIUM

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

- ↓ 1117 GYROS AB ON
- ↓ 1117 GYRO INIT
- ↓ 1127 GYRO FAULT TEST

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

VGR

VGR

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/07/95 - 13:40

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
JUNE 10, 1995
161-162

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 18m 48s

1200 RTLT=16h 18m 54s 0000 RTLT=16h 19m 0s

VOYAGER 1

U/L 1400 | - - - - - TLC (SHORT-FORM) | - - - - - D/L

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31 ----- 12 [D] ----- | 1020 1800 | ----- 65 [D] ----- 0435 | - - - 12 [D] - - -
1005 | ----- 42 ----- | 1720 ----- | 0450

DSN COVERAGE HPTXR

32 0830 | ----- 45 [D] ----- | 2145
2130 | - 43 [D] - - | 2315

HPTXR

RTLT : 12h 31m 22s

1200 RTLT=12h 31m 22s 0000 RTLT=12h 31m 22s

----- COMMAND MORATORIUM ----- | 2245

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/07/95 - 13:40

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
JUNE 11, 1995
162-163

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 19m 0s

1200 RTLT=16h 19m 8s

0000 RTLT=16h 19m 14s

VOYAGER 1

D/L | 0747

FDSL : 11AF

CCSL : A021

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE

CR-5T

XB DATA RATE (MI)

160 (32)

31

----- 12 [D] ----- | 1000

0205 |----- 12 [D] -----

0945 |----- 42 [D] -----

| 1715

HPTXR

1755 |----- 65 [D] -----

| 2350

DSN COVERAGE

32

0825 |----- 45 [D] -----

| 2310

0035 |----- 65 [D] -----

| 0350

HPTXR

1200 RTLT=12h 31m 24s

0000 RTLT=12h 31m 24s

RTLT : 12h 31m 22s

VOYAGER 2

FDSL : 11AF

CCSL : B023

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : ON

FDS MODE

CR-5T

XB DATA RATE (MI)

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/07/95 - 13:40

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
JUNE 12, 1995
163-164

MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 19m 14s

1200 RTLTL=16h 19m 20s

0000 RTLTL=16h 19m 26s

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

12 [D] ----- | 0955

0940 |

----- 42 [D] ----- | 1710

1840 |

----- 61 [D] ----- | 0040

0110 |----- 24 [D] -----

DSN COVERAGE

HPTXR

32

0850 |----- 45 [D] ----- | 2335

0035 |----- 65 [D] ----- | 0350

HPTXR

RTLTL : 12h 31m 24s

1200 RTLTL=12h 31m 24s

0000 RTLTL=12h 31m 24s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/07/95 - 13:40

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
JUNE 13, 1995
164-165

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 19m 26s
VOYAGER 1
FDSL : 11AF
CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLT=16h 19m 32s
0000 RTLT=16h 19m 40s

1252 | 1253 PWS/RH

1252 GS-4B 1253

FDS MODE CR-5T CR-5T
XB DATA RATE (MI) 160 (32) 160(32)

DSN COVERAGE

31 --- 24 [D] --- | 0900 1945 | 65 [D] | 2345 0200 | 12 [D] |

0935 | 42 [D] | 1710 1800 | 63 [D] | 2000

HPTXR

32 | 12 [D] | 0710 - 1125 2335 |

1110 | 45 [D] | 0030 | 65 [D] | 0345

HPTXR

RTLT : 12h 31m 24s
VOYAGER 2
FDSL : 11AF
CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

1200 RTLT=12h 31m 26s
0000 RTLT=12h 31m 26s

↓ 1217 GYRO INIT
1224 | 1225 PWS/RH

1224 GS-4B 1225

FDS MODE CR-5T CR-5T
XB DATA RATE (MI) 160(32) 160(32)

VOYAGER COVERAGE |----- VGR -----|

NOTES
[1] S/C 32=GS-4B @ 1224 XB=2.8K(41) NOT RECOVERABLE
[2] S/C 31=GS-4B @ 1252 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/07/95 - 13:40

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
JUNE 14, 1995
165-166

SFOS/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 19m 40s

1200 RTLTL=16h 19m 46s

0000 RTLTL=16h 19m 52s

VOYAGER 1

▼ 1530 DUMMY

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 12 [D] ----- | 0950 ----- 0235 |----- 12 [D] -----

0935 |----- 42 -----

| 1705

HPTXR

1725 |----- 65 [D] -----

| 0250

DSN COVERAGE

32

0815 |----- 45 [D] -----

| 2330

0115 | - 61 [D] - | 0300

HPTXR

RTLTL : 12h 31m 26s

1200 RTLTL=12h 31m 28s

0000 RTLTL=12h 31m 28s

COMMAND MORATORIUM 0502 |-----

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/07/95 - 13:40

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
JUNE 15, 1995
166-167

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 19m 52s

1200 RTLT=16h 20m 0s

0000 RTLT=16h 20m 6s

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 ----- 12 [D] ----- | 1020 0345 |----- 12 [D] -----

1005 |----- 42 [D] ----- | 1700

1825 |----- 61 [D] ----- | 0400

DSN COVERAGE
HPTXR

32 0810 |----- 45 [D] ----- | 2115

2100 |----- 43 [D] ----- | 2255

0020 |----- 65 [D] ----- | 0335

HPTXR

RTLT : 12h 31m 28s

1200 RTLT=12h 31m 30s

0000 RTLT=12h 31m 30s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

----- COMMAND MORATORIUM -----
↓ 1704 BAY 1 HTR OFF
↓ 1708 X/B HI POWER

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/07/95 - 13:40

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
JUNE 16, 1995
167-168

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 20m 6s

1200 RTLT=16h 20m 14s

0000 RTLT=16h 20m 20s

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

12 [D] ---|0940

0925 |-----

42 [D] -----|

1655

1735 |-----

65 [D] -----|

0345 |-----

12 [D] -----

HPTXR

DSN COVERAGE

32

0805 |-----

45 [D] -----|

2100 |-----

43 [D] --|

2250

0055 |--

61 [D] --|

0250

HPTXR

RTLT : 12h 31m 30s

1200 RTLT=12h 31m 32s

0000 RTLT=12h 31m 32s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : ON

----- COMMAND MORATORIUM -----

↓ 1227 AAI

1230 |-----

MAGROL

-----|

1825

1243 |-----

UVS

MAGROL RIDER -----|

1851

↓ 1530 SLEW->+20 DEG EL

↓ 1818 RAI

↓ 1825 CRU

↓ 1825 GYROS OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

[1] S/C 32 - D/L AGC VARIATIONS EXPECTED DURING MAGROL (1230-1825)

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/07/95 - 13:40

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
JUNE 17, 1995
168-169

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 20m 20s

1200 RTLTL=16h 20m 28s 0000 RTLTL=16h 20m 34s

VOYAGER 1

U/L 1400 |----- TLC (SHORT-FORM) -----| D/L

FDSL : 11AF

↓ 1411 SLEW->HELIO-1B

↓ 0211 SLEW->HELIO-2B

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 -- 12 [D] -- | 0835 0825 |----- 14 [D] -----| 1125 1730 |----- 65 [D] -----| 0345 |----- 12 [D] -----| 0400

HPTXR

DSN COVERAGE

1110 |----- 42 -----| 1650

HPTXR

0800 |----- 45 [D] -----| 2245

HPTXR

0055 |-- 61 [D] --| 0245

RTLTL : 12h 31m 32s

1200 RTLTL=12h 31m 34s 0000 RTLTL=12h 31m 36s

VOYAGER 2

----- COMMAND MORATORIUM -----
↓ 1704 X/B LOW POWER
↓ 1708 BAY 1 HTR ON

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL ----- | VGR | ----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/07/95 - 13:40

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
JUNE 18, 1995
169-170

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 20m 34s
 VOYAGER 1
 FDSL : 11AF
 CC SL : A021
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

D/L | 0749

↓ 1200 RTLT=16h 20m 42s ↓ 0000 RTLT=16h 20m 48s

↓ 1411 SLEW->HELIO-3B ↓ 0211 SLEW->HELIO-4B

FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

DSN COVERAGE

HPTXR
 31 ----- 12 [D] ----- | 1105 0335 | ----- 12 [D] -----
 1050 | ----- 42 [D] ----- | 1650
 1815 | ----- 61 [D] ----- | 0350

HPTXR
 32 0755 | ----- 45 [D] ----- | 2105 0010 | ----- 65 [D] ----- | 0325
 2050 | - 43 [D] - - | 2245

RTLT : 12h 31m 36s
 VOYAGER 2
 FDSL : 11AF
 CC SL : B023
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

↓ 1200 RTLT=12h 31m 36s ↓ 0000 RTLT=12h 31m 38s

----- COMMAND MORATORIUM ----- | 0436

FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

VOYAGER COVERAGE ----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/07/95 - 13:40

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
JUNE 19, 1995
170-171

MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 20m 48s

1200 RTLTL=16h 20m 56s

0000 RTLTL=16h 21m 4s

VOYAGER 1

↓ 1411 SLEW->HELIO-5B

↓ 0211 SLEW->HELIO-6B

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

12 [D]

1150

0235

12 [D]

1135

42 [D]

1645

1810

61 [D]

0250

DSN COVERAGE

HPTXR

32

0755

45 [D]

2100

24 [D]

0640

2045

43 [B]

2240

0005

65 [D]

0320

HPTXR

RTLTL : 12h 31m 38s

1200 RTLTL=12h 31m 40s

0000 RTLTL=12h 31m 40s

VOYAGER 2

▼ 2147 DUMMY (BRACKETED)

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

VGR

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/07/95 - 13:40

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
JUNE 20, 1995
171-172

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 21m 4s
VOYAGER 1
FDSL : 11AF
CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLT=16h 21m 10s
0000 RTLT=16h 21m 18s

1229 | 1230 PWS/RH
↓ 1411 SLEW->HELIO-7B
↓ 0211 SLEW->HELIO-8B
0444 - 0626 | PLSCAL - |
0444 | - MAGCAL - -
0444 | - PESCAL - -

1229 GS-4B 1230

FDS MODE CR-5T CR-5T
XB DATA RATE (MI) 160(32) 160(32)

DSN COVERAGE

HPTXR 31
-----12 [D]-----|1020
1005 |-----42 [D]-----|1640
1720 |-----65 [D]-----|0145
0130 |-----12 [D]-----

HPTXR 32
-----24 [D]-----|1055
1040 |-----45 [D]-----|2305
0040 | - 61 [D] - - |0235

RTLT : 12h 31m 40s
VOYAGER 2
FDSL : 11AF
CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLT=12h 31m 42s
0000 RTLT=12h 31m 44s

1200 | 1201 PWS/RH

1200 GS-4B 1201

FDS MODE CR-5T CR-5T
XB DATA RATE (MI) 160(32) 160(32)

VOYAGER COVERAGE |----- VGR -----|

NOTES
[1] S/C 32=GS-4B @ 1200 XB=2.8K(41) NOT RECOVERABLE
[2] S/C 31=GS-4B @ 1229 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/07/95 - 13:40

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
JUNE 21, 1995
172-173

SFOS/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 21m 18s

1200 RTLTL=16h 21m 26s

0000 RTLTL=16h 21m 34s

VOYAGER 1

↓ 1411 SLEW->HELIO-9B

↓ 0211 SLEW->HELIO-10B

FDSL : 11AF

▼ 1530 DUMMY

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

---|0747 MAGCAL
-----|0804 PESCAL

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 12 [D] -| 0820 0805 |----- 14 [D] ----- | 1105 1050 |----- 42 ----- | 1635 1715 |----- 65 [D] ----- | 0445 |--- 12 [D] --- | 0500

DSN COVERAGE
HPTXR

32 |----- 45 [D] ----- | 0745 - 2300 0040 |--- 61 [D] --- | 0230

HPTXR

RTLTL : 12h 31m 44s

1200 RTLTL=12h 31m 46s

0000 RTLTL=12h 31m 48s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/07/95 - 13:40

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
JUNE 22, 1995
173-174

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 21m 34s

↓ 0811 SLEW->MIDPOINT

↓ 1411 SLEW->HELIO-11B

↓ 0212 SLEW->HELIO-12B

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLTL=16h 21m 40s

0000 RTLTL=16h 21m 48s

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 ----- 12 [D] ----- | 1135 ----- 0125 ----- 12 [D] -----

1120 |----- 42 [D] ----- | 1630

1710 |----- 65 [D] ----- | 2310

DSN COVERAGE
HPTXR

32 0810 |----- 45 [D] ----- | 2225 ----- 2355 |----- 65 [D] ----- | 0305

HPTXR

RTLTL : 12h 31m 48s

1200 RTLTL=12h 31m 50s

0000 RTLTL=12h 31m 52s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/07/95 - 13:40

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
JUNE 23, 1995
174-175

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 21m 48s

1200 RTLTL=16h 21m 56s

0000 RTLTL=16h 22m 4s

VOYAGER 1

↓ 1412 SLEW->HELIO-13B

↓ 0212 SLEW->HELIO-14B

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 12 [D] | 0815
0800 |----- 14 [D] -----| 1155
1140 |----- 42 [D] -----| 1630
1705 |----- 65 [D] -----| 0055 |----- 24 [D] -----| 0110

DSN COVERAGE
HPTXR

32 |----- 45 [D] -----| 0735- 2040
2025 |--- 43 [D] ---| 2225
0030 | - 61 [D] - - | 0220

HPTXR

RTLTL : 12h 31m 52s

1200 RTLTL=12h 31m 54s

0000 RTLTL=12h 31m 56s

VOYAGER 2

↓ 1420 SLEW->VW HYI

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/07/95 - 13:40

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
JUNE 24, 1995
175-176

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 22m 4s

1200 RTLTL=16h 22m 12s 0000 RTLTL=16h 22m 20s

VOYAGER 1

U/L 1400 |----- TLC (SHORT-FORM) |-----

↓ 1412 SLEW->HELIO-15B

D/L

FDSL : 11AF

↓ 0212 SLEW->HELIO-16B

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 --- 24 [D] --- 0910 0855 |----- 42 ----- | 1625 1705 |----- 65 [D] ----- | 0420 0405 |----- 12 [D] -----

DSN COVERAGE

HPTXR

32 |----- 45 [D] ----- | 0730 - 2250

HPTXR

RTLTL : 12h 31m 56s

1200 RTLTL=12h 31m 58s 0000 RTLTL=12h 32m 0s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/07/95 - 13:40

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
JUNE 25, 1995
176-177

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 22m 20s

1200 RTLT=16h 22m 28s

0000 RTLT=16h 22m 36s

VOYAGER 1

D/L 0750

↓ 1412 SLEW->HELIO-17B

↓ 0212 SLEW->HELIO-18B

FDSL : 11AF

CCSL : A021

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE

CR-5T

XB DATA RATE (MI)

160(32)

31

12 [D] 0905

0335 12 [D]

0850

42 [D]

1620

HPTXR

1700

65 [D]

0350

DSN COVERAGE

32

45 [D]

0730 - 2035

24 [D] 0615

HPTXR

2020 43 [D] 2215

0025 61 [D] 0215

RTLT : 12h 32m 0s

1200 RTLT=12h 32m 2s

0000 RTLT=12h 32m 6s

VOYAGER 2

FDSL : 11AF

CCSL : B023

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE

CR-5T

XB DATA RATE (MI)

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7