

ISSUE DATE: 07/12/95 - 14:27

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
JULY 13, 1995
194-195

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 27m 36s

1200 RTLTL=16h 27m 46s

0000 RTLTL=16h 27m 56s

VOYAGER 1

S/C 31 STATUS

FDSL : 11AF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: - 5.264 sec
SCAN PLAT POSITION:
AZ = 175.103 deg
EL = 71.211 deg
ROLLREF = RIGIL
KENTAURUS

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31 --- 12 [D] --- | 0930

1545 |----- 65 [D] -----| 0045 |----- 12 [D] -----| 0100

DSN COVERAGE
HPTXR

32 --- 24 [D] --- | 1010

0955 |----- 42 [D] -----| 1910
1855 |--- 43 [D] ---| 2105

2310 |--- 61 [D] ---| 0100

45 [D] 0620 |---

HPTXR

RTLTL : 12h 34m 8s

1200 RTLTL=12h 34m 12s

0000 RTLTL=12h 34m 16s

VOYAGER 2

S/C 32 STATUS

FDSL : 11AF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: + 3:03.126 min
SCAN PLAT POSITION:
AZ = 135.321 deg
EL = 121.826 deg
ROLLREF = VEGA

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 07/12/95 - 14:27

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
JULY 14, 1995
195-196

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 27m 56s

1200 RTLT=16h 28m 6s

0000 RTLT=16h 28m 16s

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 ----- 12 [D] ----- | 0930 |----- 42 [D] ----- | 1410 |----- 0100 |----- 12 [D] -----

0915 |----- 42 [D] ----- | 1410

1545 |----- 65 [D] ----- | 0115

DSN COVERAGE
HPTXR

32 ----- 45 [D] ----- | 1905 |----- 45 [D] 0605 |-----

1850 |----- 43 [D] --- | 2100

2310 |----- 61 [D] --- | 0055

HPTXR

RTLT : 12h 34m 16s

1200 RTLT=12h 34m 22s

0000 RTLT=12h 34m 26s

VOYAGER 2

↓ 1421 SLEW->VW HYI UPDATE

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 07/12/95 - 14:27

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
JULY 15, 1995
196-197

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 28m 16s

1200 RTLT=16h 28m 26s 0000 RTLT=16h 28m 36s

VOYAGER 1

U/L 1300 | - | - - - - - TLC (SHORT-FORM) - - - - - | 0556 - 0657 | D/L - |

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31 - - 12 [D] - | 0840 0245 | - - - - - 12 [D] - - - - -

0825 | - - - - - 42 - - - - - | 1405 1535 | - - - - - 65 [D] - - - - - | 0300

DSN COVERAGE
HPTXR

32 - - - - - 45 [D] - - - - - | 1900 45 [D] 0605 | - - - - -

1845 | - - 43 [D] - - | 2055 2305 | - 61 [D] - - | 0050

HPTXR

RTLT : 12h 34m 26s

1200 RTLT=12h 34m 32s 0000 RTLT=12h 34m 36s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

- - - - - ON CALL - - - - - |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 07/12/95 - 14:27

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
JULY 16, 1995
197-198

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 28m 36s

1200 RTLT=16h 28m 46s

0000 RTLT=16h 28m 56s

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 - - 12 [D] - - | 0835

0215 | - - - - - 12 [D] - - - - -

0820 | - - - - - 42 [D] - - - - - | 1400

1535 | - - - - - 65 [D] - - - - - | 0225

DSN COVERAGE
HPTXR

32

45 [D] - - - - - | 2120

0600 | 45 [D]

2300 | - 61 [D] - - | 0045

HPTXR

RTLT : 12h 34m 36s

1200 RTLT=12h 34m 42s

0000 RTLT=12h 34m 48s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

- - - - - ON CALL - - - - -

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 07/12/95 - 14:27

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
JULY 17, 1995
198-199

MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 28m 56s

1200 RTLTL=16h 29m 6s

0000 RTLTL=16h 29m 16s

VOYAGER 1

▼ 1840 DUMMY

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31 --- 12 [D] --- | 0915 0025 |----- 12 [D] -----

0900 |----- 42 [D] -----| 1400

1700 |----- 61 -----| 0040

DSN COVERAGE
HPTXR

32 ----- 45 [D] ----- | 1855 0555 | 45 [D] |

1840 |-- 43 [D] --| 2045

2215 |----- 65 [D] -----| 0120

HPTXR

RTLTL : 12h 34m 48s

1200 RTLTL=12h 34m 52s

0000 RTLTL=12h 34m 58s

VOYAGER 2

↓ 1603 BEGIN SEQUENCE B024

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 07/12/95 - 14:27

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
JULY 18, 1995
199-200

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 29m 16s

1200 RTLT=16h 29m 26s

0000 RTLT=16h 29m 36s

VOYAGER 1

1057 | 1058 PWS/RH

0312 | PLSCAL - | 0455

0312- 0615 | ---- MAGCAL ---- |

0312- 0632 | ---- PESCAL ---- |

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1057
GS-4B 1058

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

CR-5T

160(32)

31

12 [D] - | 0830

0020 | ----- 12 [D] -----

0815 | ----- 42 [D] ----- | 1355

1525 | ----- 65 [D] ----- | 2130

DSN COVERAGE

HPTXR

32

----- 45 [D] ----- | 1850

0550 | 45 [D] |

1835 | --- 43 [B] --- | 2045

2215 | ----- 65 [D] ----- | 0120

HPTXR

RTLT : 12h 34m 58s

1200 RTLT=12h 35m 4s

0000 RTLT=12h 35m 10s

VOYAGER 2

1025 | 1026 PWS/RH

▼ 1947 DUMMY (BRACKETED)

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1025
GS-4B 1026

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

CR-5T

160(32)

VOYAGER COVERAGE

| ----- VGR ----- |

NOTES

- [1] S/C 32=GS-4B @ 1025 XB=2.8K(41) NOT RECOVERABLE
- [2] S/C 31=GS-4B @ 1057 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 07/12/95 - 14:27

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
JULY 19, 1995
200-201

SFOS/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 29m 36s

1200 RTLTL=16h 29m 46s

0000 RTLTL=16h 29m 56s

SLEW->SPICA 0645 ↓

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

0616
UV-5A

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 --- 12 [D] --- | 0910
1000 |----- 42 [D] ----- | 1350
1520 |----- 65 [D] ----- | 0030
0015- 0630 |----- 12 [D] ----- | 0615

DSN COVERAGE
HPTXR

32 ----- 45 [D] ----- | 2110
2250 |-- 61 [D] -- | 0035
0545 | 45 [D] |

HPTXR

RTLTL : 12h 35m 10s

1200 RTLTL=12h 35m 14s

0000 RTLTL=12h 35m 20s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

[1] S/C 31=UV-5A @ 0616 XB=160(36)

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 07/12/95 - 14:27

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
JULY 20, 1995
201-202

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 29m 56s

1200 RTLTL=16h 30m 6s

0000 RTLTL=16h 30m 16s

VOYAGER 1

↓ 0745 UVSCMD
↓ 0845 UVSCMD
↓ 0851 SLEW->M33

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE	UV-5A	1006	CR-5T
XB DATA RATE (MI)	600(36)		160(32)

31 ----- 14 [D] ----- 1010 ----- 0145 ----- 12 [D] -----

1515 |----- 65 [D] -----| 0200

DSN COVERAGE HPTXR

32 ----- 45 [D] ----- 1840 ----- 0540 ----- 45 [D] -----

1825 |----- 43 [D] -----| 2035

2245 |----- 61 [D] -----| 0030

HPTXR

RTLTL : 12h 35m 20s

1200 RTLTL=12h 35m 26s

0000 RTLTL=12h 35m 32s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE	CR-5T
XB DATA RATE (MI)	160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 07/12/95 - 14:27

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
JULY 21, 1995
202-203

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 30m 16s

1200 RTLTL=16h 30m 28s

0000 RTLTL=16h 30m 38s

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 --- 12 [D] -- | 0900 0010 |----- 12 [D] -----

0845 |----- 42 [D] ----- | 1340

1510 |----- 65 [D] ----- | 0025

HPTXR

DSN COVERAGE

32 ----- 45 [D] ----- | 1835 0540 | 45 [D] -

1820 |--- 43 [D] --- | 2030

2240 | - 61 [D] - - | 0025

HPTXR

RTLTL : 12h 35m 32s

1200 RTLTL=12h 35m 38s

0000 RTLTL=12h 35m 44s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 07/12/95 - 14:27

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
JULY 22, 1995
203-204

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 30m 38s

1200 RTLT=16h 30m 48s 0000 RTLT=16h 30m 58s

VOYAGER 1

U/L 1300 | - | - - - - - TLC (SHORT-FORM) - - - - - | 0558 - 0659 | D/L - |

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 12 [D] | 0810

0755 | - - - - - 42 - - - - - | 1340

0030 | - - - - - 12 [D] - - - - -

1525 | - - - - - 65 [D] - - - - - | 0045

DSN COVERAGE
HPTXR

32

- - - - - 45 [D] - - - - - | 2100

0535 | 45 [D] -

2235 | - 61 [D] - - | 0020

HPTXR

RTLT : 12h 35m 44s

1200 RTLT=12h 35m 50s 0000 RTLT=12h 35m 56s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

- - - - - ON CALL - - - - -

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 07/12/95 - 14:27

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
JULY 23, 1995
204-205

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 30m 58s
 VOYAGER 1
 FDSL : 11AF
 CCSL : A021
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

1200 RTLT=16h 31m 8s
 0000 RTLT=16h 31m 20s

DSN COVERAGE

31 HPTXR
 12 [D] - 0830
 0815 |----- 42 [D] -----| 1335
 1505 |----- 65 [D] -----| 0115
 0100 |----- 12 [D] -----|

32 HPTXR
 45 [D] -----| 1825
 1810 |--- 43 [D] ---| 2025
 2235 |--- 61 [D] ---| 0015
 0530 |--- 45 [D] ---|

RTLT : 12h 35m 56s
 VOYAGER 2
 FDSL : 11AF
 CCSL : B024
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

1200 RTLT=12h 36m 2s
 0000 RTLT=12h 36m 8s

VOYAGER COVERAGE ----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 07/12/95 - 14:27

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
JULY 24, 1995
205-206

MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 31m 20s

1200 RTLT=16h 31m 30s

0000 RTLT=16h 31m 40s

VOYAGER 1

▼ 1730 DUMMY

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 0705 12 [D] 0045 |----- 12 [D] -----

14 [D] -- | 0910 0855 |----- 42 [D] ----- | 1330 1635 |----- 61 ----- | 0040

HPTXR

DSN COVERAGE

32 ----- 45 [D] ----- | 1820 0430 |----- 24 [D] -----

1805 |----- 43 [D] ---- | 2020

HPTXR

RTLT : 12h 36m 8s

1200 RTLT=12h 36m 14s

0000 RTLT=12h 36m 22s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 07/12/95 - 14:27

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
JULY 25, 1995
206-207

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 31m 40s
VOYAGER 1
FDSL : 11AF
CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLTL=16h 31m 52s | 0000 RTLTL=16h 32m 2s

1034 | 1035 PWS/RH

1034 GS-4B 1035

FDS MODE	CR-5T	CR-5T
XB DATA RATE (MI)	160(32)	160(32)

DSN COVERAGE

31	12 [D] - 0830	2245 ----- 24 [D] -----
HPTXR	0815 ----- 42 [D] ----- 1325	1455 ----- 65 [D] ----- 2305
32	24 [D] - 0830	2225 - 61 [D] - - 0010
HPTXR	0815 ----- 45 [D] ----- 1820	1800 - - 43 [B] - - - 2015

RTLTL : 12h 36m 22s
VOYAGER 2
FDSL : 11AF
CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLTL=12h 36m 28s | 0000 RTLTL=12h 36m 34s

1002 | 1003 PWS/RH

1140 | PLSCAL - | 1322
1140 | - - - - MAGCAL - - - - | 1442
1140 | - - - - - PESCAL - - - - - | 1500

▼ 1847 DUMMY (BRACKETED)

1002 GS-4B 1003

FDS MODE	CR-5T	CR-5T
XB DATA RATE (MI)	160(32)	160(32)

VOYAGER COVERAGE |----- VGR -----|

NOTES
[1] S/C 32=GS-4B @ 1002 XB=2.8K(41) NOT RECOVERABLE
[2] S/C 31=GS-4B @ 1034 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 07/12/95 - 14:27

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
JULY 26, 1995
207-208

SFOS/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 32m 2s

1200 RTLT=16h 32m 12s

0000 RTLT=16h 32m 24s

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 24 [D] | 0815 0100 |----- 12 [D] -----
0800 |----- 42 [D] ----- | 1320

HPTXR

1455 |----- 65 [D] ----- | 0115

DSN COVERAGE

32 ----- 45 [D] ----- | 2040 0520 |-- 45 [D] --
2220 |-- 61 [D] -- | 0005

HPTXR

RTLT : 12h 36m 34s

1200 RTLT=12h 36m 40s

0000 RTLT=12h 36m 48s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 07/12/95 - 14:27

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
JULY 27, 1995
208-209

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 32m 24s

1200 RTLT=16h 32m 34s

0000 RTLT=16h 32m 46s

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 |-----| 0750 12 [D] |-----| 0130 |-----| 12 [D] |-----|

|-----| 42 [D] |-----| 0735- 1315 |-----| 1450 |-----| 65 [D] |-----| 0145

DSN COVERAGE
HPTXR

32 |-----| 45 [D] |-----| 1810 |-----| 0515 |-----| 45 [D] |-----|

1755 |-----| 43 [D] |-----| 2005 |-----| 2215 |-----| 61 [D] |-----| 0000

HPTXR

RTLT : 12h 36m 48s

1200 RTLT=12h 36m 54s

0000 RTLT=12h 37m 0s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

|-----| VGR |-----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 07/12/95 - 14:27

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
JULY 28, 1995
209-210

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 32m 46s

1200 RTLTL=16h 32m 56s

0000 RTLTL=16h 33m 6s

VOYAGER 1

- ↓ 2341 GYROS AB ON
- ↓ 2342 GYRO INIT
- ↓ 2351 GYRO FAULT TEST

FDSL : 11AF

↓ 0048 CCSTIM (B)

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

0750 12 [D]

2235

24 [D]

42 [D]

0735- 1315

1445

65 [D]

2250

DSN COVERAGE

HPTXR

32

45 [D]

1810

0510

45 [D]

1750

43 [D]

2005

2215

61 [D]

2355

HPTXR

RTLTL : 12h 37m 0s

1200 RTLTL=12h 37m 8s

0000 RTLTL=12h 37m 14s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

VGR

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 07/12/95 - 14:27

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
JULY 29, 1995
210-211

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 33m 6s

1200 RTLT=16h 33m 18s

0000 RTLT=16h 33m 28s

VOYAGER 1

U/L 1200 | - | - - - - - TLC (SHORT-FORM) - - - - - | D/L - | 0601

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 24 [D] | 0815 0050 | - - - - - 12 [D] - - - - -

0800 | - - - - - 42 - - - - - | 1310 1440 | - - - - - 65 [D] - - - - - | 0105

HPTXR

DSN COVERAGE

32 - - - - - 45 [D] - - - - - | 2030 0505 | - - - - - 45 [D] - - - - -

HPTXR

RTLT : 12h 37m 14s

1200 RTLT=12h 37m 22s

0000 RTLT=12h 37m 28s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 07/12/95 - 14:27

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
JULY 30, 1995
211-212

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 33m 28s

1200 RTLT=16h 33m 40s

0000 RTLT=16h 33m 50s

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 12 [D] - | 0825 2230 |----- 24 [D] -----

0930 |----- 42 [D] ----- | 1300

1435 |----- 65 [D] ----- | 2245

HPTXR

DSN COVERAGE

32 ----- 45 [D] ----- | 1855 0500 |--- 45 [D] ---

1740 |--- 43 [D] --- | 1955

2205 |--- 61 [D] --- | 2350

HPTXR

RTLT : 12h 37m 28s

1200 RTLT=12h 37m 36s

0000 RTLT=12h 37m 42s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7