

ISSUE DATE: 08/09/95 - 13:54

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
AUGUST 10, 1995
222-223

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 37m 36s

1200 RTLTL=16h 37m 48s

0000 RTLTL=16h 38m 0s

VOYAGER 1

S/C 31 STATUS

FDSL : 11AF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -5.444 sec
SCAN PLAT POSITION:
AZ = 176.097 deg
EL = 69.671 deg
ROLLREF = RIGIL
KENTAURUS

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31 0700 12 [D]

----- 42 [D] ----- | 1210

2130 | ----- 12 [D] ----- | 0240

42 [D] 0655 |

HPTXR

1355 | ----- 65 [D] ----- | 1955

DSN COVERAGE

32

----- 45 [D] ----- | 1325

0340 | --- 12 [D] --- | 0545

HPTXR

1310 | ----- 43 [B] ----- | 1810

2040 | --- 65 [D] --- | 2345

0530 | 43 [D] |

RTLTL : 12h 40m 18s

1200 RTLTL=12h 40m 26s

0000 RTLTL=12h 40m 36s

VOYAGER 2

S/C 32 STATUS

▼ 1547 DUMMY (BRACKETED)

FDSL : 11AF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: 2:59.615 min
SCAN PLAT POSITION:
AZ = 135.266 deg
EL = 121.798 deg
ROLLREF = VEGA

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

| ----- VGR ----- |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/09/95 - 13:54

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
AUGUST 11, 1995
223-224

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 38m 0s

1200 RTLTL=16h 38m 10s

0000 RTLTL=16h 38m 22s

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

-----42 [D]-----|1215

0030 |-----12 [D]-----|0550

0535 | 43 [D] -

HPTXR

1350 |-----65 [D]-----|0045

DSN COVERAGE

32

-----0930 |-----45 [D]-----|1940

0415 |-----45 [D]-----

HPTXR

-----43 [D]-----|0945

2120 |-----61 [D]-----|2300

RTLTL : 12h 40m 36s

1200 RTLTL=12h 40m 44s

0000 RTLTL=12h 40m 52s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

|-----VGR-----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/09/95 - 13:54

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
AUGUST 12, 1995
224-225

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 38m 22s

1200 RTLTL=16h 38m 34s

0000 RTLTL=16h 38m 46s

VOYAGER 1

FDSL : 11AF

U/L 1130 | - | - - - - - TLC (SHORT-FORM) - - - - - | D/L - | 0537

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

HPTXR

DSN COVERAGE

32

HPTXR

RTLTL : 12h 40m 52s

1200 RTLTL=12h 41m 2s

0000 RTLTL=12h 41m 10s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/09/95 - 13:54

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
AUGUST 13, 1995
225-226

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 38m 46s

1200 RTLT=16h 38m 58s

0000 RTLT=16h 39m 8s

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

-----42 [D]-----

1210

1340

65 [D]

0020 - 0640

-----0035

42 [D] 0625

DSN COVERAGE

HPTXR

32

-----45 [D]-----

1520

1505

43 [D]

1930

0300

24 [D]

HPTXR

2110 - 61 [D] - 2250

RTLT : 12h 41m 10s

1200 RTLT=12h 41m 18s

0000 RTLT=12h 41m 28s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

-----ON CALL-----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/09/95 - 13:54

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
AUGUST 14, 1995
226-227

MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 39m 8s

1200 RTLT=16h 39m 20s

0000 RTLT=16h 39m 32s

VOYAGER 1

FDSL : 11AF

CCSL : A021

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 -----42 [D] ----- | 1210
1510 |----- 61 [D] ----- | 2320
2305 - 0700 |----- 24 [D] -----
42 [D] 0645 |-----

DSN COVERAGE
HPTXR

32 |----- 0725 24 [D] -----
|----- 45 [D] ----- | 0710 - 1655
2025 |----- 65 [D] ----- | 2325
0400 |----- 45 [D] -----

HPTXR

1635 |----- 43 [D] ----- | 1855

RTLT : 12h 41m 28s

1200 RTLT=12h 41m 36s

0000 RTLT=12h 41m 46s

VOYAGER 2

↓ 1025 SLEW->HELIO-1

↓ 2124 MAG 08 OUTBOARD SERIAL CMD

↓ 2225 SLEW->HELIO-2

FDSL : 11AF

CCSL : B024

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/09/95 - 13:54

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY AUGUST 15, 1995 227-228	
UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7	
RTLT : 16h 39m 32s VOYAGER 1 FDSL : 11AF CCSL : A021 TWNC : ON SB : OFF XB : LOW PYR : .05/ .10/ .25 GYROS : ON	1200 RTLT=16h 39m 44s 0926 0927 PWS/RH ▼ 1630 DUMMY 0015 ----- DTR MAINT ----- 0539 0141 PLSCAL - 0324 0141 --- MAGCAL --- 0444 0141 --- PESCAL --- 0501 TAPPOS 0543 0545
FDS MODE XB DATA RATE (MI)	CR-5T 160 (32)
FDS MODE XB DATA RATE (MI)	CR-5T 160(32)
DSN COVERAGE HPTXR 31	0700 24 [D] ----- 42 [D] ----- 1200 1505 ----- 61 ----- 2315 2300 ----- 12 [D] ----- ----- 42 [D] 0700
DSN COVERAGE HPTXR 32	----- 45 [D] ----- 1630 --- 43 [D] --- 1845 1645 2025 --- 65 [D] --- 2325 0400 --- 45 [D] ---
RTLT : 12h 41m 46s VOYAGER 2 FDSL : 11AF CCSL : B024 TWNC : ON SB : OFF XB : LOW PYR : .05/ .10/ .25 GYROS : OFF	1200 RTLT=12h 41m 54s 0853 0854 PWS/RH ↓ 1025 SLEW->HELIO-3 ↓ 2225 SLEW->HELIO-4 0000 RTLT=12h 42m 4s
FDS MODE XB DATA RATE (MI)	CR-5T 160 (32)
FDS MODE XB DATA RATE (MI)	CR-5T 160(32)
VOYAGER COVERAGE	----- VGR -----
NOTES	[1] S/C 32=GS-4B @ 0853 XB=2.8K(41) NOT RECOVERABLE [2] S/C 31=GS-4B @ 0926 XB=2.8K(41) NOT RECOVERABLE
UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7	

ISSUE DATE: 08/09/95 - 13:54

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
AUGUST 16, 1995
228-229

SFOS/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 39m 56s

1200 RTLTL=16h 40m 8s

0000 RTLTL=16h 40m 20s

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 | 0715 12 [D] |-----| 0700 - 1200 |-----| 1855 |-----| 2300 - 0700 |-----| 24 [D] |-----|
-----| 42 [D] |-----| 1330 |-----| 65 [D] |-----| 61 [D] |-----| 2310 |-----| 43 [D] 0645 |-----|

HPTXR

DSN COVERAGE

32 |-----| 45 [D] |-----| 1700 |-----| 0355 |-----| 45 [D] |-----|
-----| 1645 |-----| 43 [B] |-----| 1920

HPTXR

RTLTL : 12h 42m 4s

1200 RTLTL=12h 42m 12s

0000 RTLTL=12h 42m 22s

VOYAGER 2

↓ 1025 SLEW->HELIO-5

▼ 1747 DUMMY (BRACKETED)

↓ 2225 SLEW->HELIO-6

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|-----| VGR |-----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/09/95 - 13:54

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
AUGUST 17, 1995
229-230

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 40m 20s

1200 RTLT=16h 40m 32s

0000 RTLT=16h 40m 42s

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 0700 24 [D] 43 [D] 1245 1500 61 [D] 1955 2045 24 [D] 0525 43 [D] 0540

HPTXR

DSN COVERAGE

32 45 [D] 1400 1345 43 [D] 1845 2055 61 [D] 2235 0350 45 [D]

HPTXR

RTLT : 12h 42m 22s

1200 RTLT=12h 42m 30s

0000 RTLT=12h 42m 40s

VOYAGER 2

↓ 1025 SLEW->HELIO-7

↓ 2225 SLEW->HELIO-8

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

VGR

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/09/95 - 13:54

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
AUGUST 18, 1995
230-231

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 40m 42s

1200 RTLT=16h 40m 54s

0000 RTLT=16h 41m 6s

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

43 [D]

1315

0605

42

1305

65 [D]

1925

2040 - 0615

24 [D]

DSN COVERAGE

HPTXR

32

45 [D]

1435

0345

45 [D]

1415

43 [D]

1840

2010

65 [D]

2310

HPTXR

RTLT : 12h 42m 40s

1200 RTLT=12h 42m 50s

0000 RTLT=12h 42m 58s

VOYAGER 2

↓ 1025 SLEW->HELIO-9

↓ 2225 SLEW->HELIO-10

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

VGR

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/09/95 - 13:54

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
AUGUST 19, 1995
231-232

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 41m 6s

1200 RTLT=16h 41m 18s

0000 RTLT=16h 41m 30s

VOYAGER 1

FDSL : 11AF

U/L 0900 |-----| TLC (SHORT-FORM) -----| D/L | 0309

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

-----42-----| 1150

1455 |-----| 61 [D] -----| 2235

0600 | 42 [D]

2220 - 0615 |-----| 12 [D] -----|

DSN COVERAGE
HPTXR

32

-----45 [D] -----| 1430

1415 |-----| 43 [D] -----| 1835

0340 |-----| 45 [D] -----

2005 |-----| 65 [D] -----| 2305

HPTXR

RTLT : 12h 42m 58s

1200 RTLT=12h 43m 8s

0000 RTLT=12h 43m 18s

VOYAGER 2

↓ 1025 SLEW->MIDPOINT

↓ 2225 SLEW->HELIO-11

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/09/95 - 13:54

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
AUGUST 20, 1995
232-233

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 41m 30s

1200 RTLT=16h 41m 42s

0000 RTLT=16h 41m 54s

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 -----42 [D] ----- | 1145
1315 |-----65 [D] ----- | 2310
0555 | 42 [D] |

HPTXR

DSN COVERAGE

32 -----45 [D] ----- | 1050
1030 |-----43 [D] ----- | 1430
2045 |-----61 [D] ----- | 2225
0430 |-----45 [D] ----- |

HPTXR

RTLT : 12h 43m 18s

1200 RTLT=12h 43m 28s

0000 RTLT=12h 43m 36s

VOYAGER 2

↓ 1026 SLEW->HELIO-12

↓ 2226 SLEW->HELIO-13

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/09/95 - 13:54

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
AUGUST 21, 1995
233-234

MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 41m 54s

1200 RTLTL=16h 42m 6s

0000 RTLTL=16h 42m 18s

VOYAGER 1

▼ 1730 DUMMY

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 42 [D] ----- | 1140

1445 |----- 61 -----| 2250

42 [D] 0645 |

2345 - 0655 |----- 24 [D] -----|

DSN COVERAGE
HPTXR

32 ----- 45 [D] ----- | 1630

1610 |----- 43 [D] -----| 1900

0335 |----- 45 [D] -----|

2000 |----- 65 [D] -----| 2300

HPTXR

RTLTL : 12h 43m 36s

1200 RTLTL=12h 43m 46s

0000 RTLTL=12h 43m 56s

VOYAGER 2

↓ 1026 SLEW->HELIO-14

↓ 2226 SLEW->HELIO-15

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/09/95 - 13:54

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
AUGUST 22, 1995
234-235

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 42m 18s

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

0903 || 0904 PWS/RH

0903
GS-4B 0904

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

CR-5T
160(32)

31 ----- 42 [D] ----- | 1135 1440 |----- 61 [D] -----| 2245 0550 | 42 [D] |

HPTXR

DSN COVERAGE

32 ----- 45 [D] ----- | 1625 1605 |--- 43 [B] ---| 1825 1955 |----- 65 [D] -----| 2255 0330 |----- 45 [D] -----|

HPTXR

RTLT : 12h 43m 56s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

0830 | 0831 PWS/RH

1007 | PLSCAL -| 1150
1007 |--- MAGCAL ---| 1310
1007 |--- PESCAL ---| 1328
↓ 1026 SLEW->HELIO-16

▼ 1747 DUMMY (BRACKETED)

↓ 2226 SLEW->HELIO-17

0830
GS-4B 0831

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

CR-5T
160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

[1] S/C 32=GS-4B @ 0830 XB=2.8K(41) NOT RECOVERABLE
[2] S/C 31=GS-4B @ 0903 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/09/95 - 13:54

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
AUGUST 23, 1995
235-236

SFOS/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 42m 42s

1200 RTLT=16h 42m 54s

0000 RTLT=16h 43m 6s

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 42 [D] ----- | 1130
1305 |----- 65 [D] ----- | 2340- 0700 |----- 24 [D] -----
2355 |----- 42 [D] 0645 |-----

DSN COVERAGE
HPTXR

32 ----- 45 [D] ----- | 1850
2030 |----- 61 [D] ----- | 2210
0325 |----- 45 [D] -----

HPTXR

RTLT : 12h 44m 16s

1200 RTLT=12h 44m 26s

0000 RTLT=12h 44m 36s

VOYAGER 2

↓ 1026 SLEW->HELIO-18

↓ 2226 SLEW->HELIO-19

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/09/95 - 13:54

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
AUGUST 24, 1995
236-237

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 43m 6s

1200 RTLTL=16h 43m 18s

0000 RTLTL=16h 43m 30s

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 0700 24 [D] 42 [D] 1130 1300 65 [D] 2340-0640 2355 12 [D] 42 [D] 0630

HPTXR

DSN COVERAGE

32 45 [D] 1615 1555 43 [D] 1845 2025 61 [D] 2205 0320 45 [D]

HPTXR

RTLTL : 12h 44m 36s

1200 RTLTL=12h 44m 46s

0000 RTLTL=12h 44m 56s

VOYAGER 2

↓ 1026 SLEW->HELIO-20

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

VGR

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/09/95 - 13:54

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
AUGUST 25, 1995
237-238

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 43m 30s

1200 RTLTL=16h 43m 42s

0000 RTLTL=16h 43m 54s

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

42 [D] 1125

1255

65 [D]

2350

0625 42

HPTXR

2335 - 0635

12 [D]

DSN COVERAGE

32

45 [D]

1610

0215

24 [D]

1550

43 [D]

1840

45 [D] 0655

HPTXR

2025 - 61 [D] - 2200

RTLTL : 12h 44m 56s

1200 RTLTL=12h 45m 6s

0000 RTLTL=12h 45m 16s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

VGR

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/09/95 - 13:54

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
AUGUST 26, 1995
238-239

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 43m 54s

1200 RTLT=16h 44m 4s

0000 RTLT=16h 44m 16s

VOYAGER 1

U/L 0900 |-----| TLC (SHORT-FORM) |-----| D/L |0312

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

-----42-----|1120

1425 |-----| 61 [D] |-----| 2230

42 [D] 0620 |-----|

2215 - 0635 |-----| 12 [D] |-----|

DSN COVERAGE
HPTXR

32

|0710 24 [D]

1940 |-----| 65 [D] |-----| 2240

0315 |-----| 45 [D] |-----|

HPTXR

-----45 [D]-----|1605

1550 |-----| 43 [D] |-----| 1835

RTLT : 12h 45m 16s

1200 RTLT=12h 45m 26s

0000 RTLT=12h 45m 36s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/09/95 - 13:54

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
AUGUST 27, 1995
239-240

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 44m 16s

1200 RTLT=16h 44m 28s

0000 RTLT=16h 44m 40s

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 -----42 [D] ----- | 1115 -----1250 |-----65 [D] ----- | 2340 -----42 [D] 0620 |-----

HPTXR

2320 - 0630 |-----12 [D] ----- |

DSN COVERAGE

32 -----45 [D] ----- | 1605 -----1545 |-----43 [D] ----- | 1835 -----0310 |-----45 [D] ----- |

HPTXR

2015 | - 61 [D] - | 2155

RTLT : 12h 45m 36s

1200 RTLT=12h 45m 46s

0000 RTLT=12h 45m 56s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7