

ISSUE DATE: 09/20/95 - 13:31

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
SEPTEMBER 21, 1995
264-265

VGR STAFF/A148

VCB/MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 54m 10s

1200 RTLT=16h 54m 22s

0000 RTLT=16h 54m 34s

VOYAGER 1

S/C 31 STATUS

↓ 1728 SLEW->HELIO-18C

FDSL : 11AF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -5.782 sec
SCAN PLAT POSITION:
AZ = 179.097 deg
EL = 69.671 deg
ROLLREF = RIGIL
KENTAURUS

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 --- 42 [D] --- | 0940 1240 | --- 61 [D] --- | 1800 2115 | --- 12 [D] --- | 0450

HPTXR

DSN COVERAGE

32 --- 45 [D] --- | 1215 1205 | --- 42 [D] --- | 1545 1755 | --- 65 [D] --- | 2055 0125 | --- 14 [B] --- | 0430 0415 | --- 42 [D] ---

HPTXR

RTLT : 12h 54m 52s

1200 RTLT=12h 55m 4s

0000 RTLT=12h 55m 16s

COMMAND MORATORIUM

| 0019

VOYAGER 2

S/C 32 STATUS

▼ 0147 DUMMY (BRACKETED)

FDSL : 11AF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: 2:54.244 min
SCAN PLAT POSITION:
AZ = 210.086 deg
EL = 34.997 deg
ROLLREF = VEGA

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

| --- VGR --- |

| VGR - |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/20/95 - 13:31

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
SEPTEMBER 22, 1995
265-266

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 54m 34s

1200 RTLTL=16h 54m 44s

0000 RTLTL=16h 54m 56s

VOYAGER 1

↓ 1728 SLEW->HELIO-17C

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

1055

65 [D]

2255

0500

42

0030

15 [D]

0515

DSN COVERAGE
HPTXR

32

42 [D]

1540

1830

61 [D]

2010

0130

45 [D]

HPTXR

RTLTL : 12h 55m 16s

1200 RTLTL=12h 55m 28s

0000 RTLTL=12h 55m 40s

VOYAGER 2

↓ 0732 SLEW->HELIO-X17

↓ 1932 SLEW->HELIO-X16

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

VGR

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/20/95 - 13:31

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
SEPTEMBER 23, 1995
266-267

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 54m 56s
 VOYAGER 1
 FDSL : 11AF
 CCSL : A021
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF
 FDS MODE
 XB DATA RATE (MI)

1200 RTLT=16h 55m 8s
 0000 RTLT=16h 55m 20s

U/L 0900 |-----| TLC (SHORT-FORM) |-----| D/L |0323
 ↓ 1728 SLEW->HELIO-16C

CR-5T
 160 (32)

31 -----42 -----|0930
 1100 |-----| 65 [D] -----| 1720
 2130 |--- 12 [D] ---| 2345
 1715 |-----| 63 [D] -----| 2150
 HPTXR

DSN COVERAGE
 32 -----45 [D] -----| 1645
 1805 |--- 65 [D] ---| 2045
 0045 |-----| 12 [D] -----| 0515
 HPTXR

RTLT : 12h 55m 40s
 VOYAGER 2
 FDSL : 11AF
 CCSL : B024
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF
 FDS MODE
 XB DATA RATE (MI)

1200 RTLT=12h 55m 52s
 0000 RTLT=12h 56m 4s

↓ 0732 SLEW->HELIO-X15
 ↓ 1932 SLEW->HELIO-X14

CR-5T
 160 (32)

VOYAGER COVERAGE ----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/20/95 - 13:31

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
SEPTEMBER 24, 1995
267-268

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 55m 20s
 VOYAGER 1
 FDSL : 11AF
 CCSL : A021
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

1200 RTLT=16h 55m 30s
 0000 RTLT=16h 55m 42s

↓ 1728 SLEW->HELIO-15C

FDS MODE CR-5T
 XB DATA RATE (MI) 160 (32)

DSN COVERAGE HPTXR

31 1055 |----- 65 [D] -----| 2155 0330 |----- 45 [D] -----|

2135 |----- 12 [D] -----| 0345

32 1000 |----- 45 [D] -----| 1645 1825 |----- 61 [D] -----| 2005 0030 |----- 24 [D] -----| 0430 |----- 42 [D] -----| 0445

HPTXR

RTLT : 12h 56m 4s
 VOYAGER 2
 FDSL : 11AF
 CCSL : B024
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

1200 RTLT=12h 56m 16s
 0000 RTLT=12h 56m 28s

↓ 0732 SLEW->HELIO-X13
 ↓ 1932 SLEW->HELIO-X12

FDS MODE CR-5T
 XB DATA RATE (MI) 160 (32)

VOYAGER COVERAGE ----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/20/95 - 13:31

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
SEPTEMBER 25, 1995
268-269

MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 55m 42s

1200 RTLTL=16h 55m 54s

0000 RTLTL=16h 56m 4s

VOYAGER 1

↓ 1729 SLEW->HELIO-14C

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

| 0715 45 [D]

1055

65 [D]

2245

0335 |-----42 [D]-----

DSN COVERAGE
HPTXR

32

-----42 [D]----- | 1530

1820 | - 61 [D] - | 2000

0010 |-----24 [D]----- | 0510

HPTXR

RTLTL : 12h 56m 28s

1200 RTLTL=12h 56m 40s

0000 RTLTL=12h 56m 52s

VOYAGER 2

↓ 0732 SLEW->HELIO-X11

↓ 1932 SLEW->HELIO-X10

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/20/95 - 13:31

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
SEPTEMBER 26, 1995
269-270

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 56m 4s
VOYAGER 1
FDSL : 11AF
CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLT=16h 56m 16s
0000 RTLT=16h 56m 28s

↓ 1729 SLEW->HELIO-13C
▼ 1830 DUMMY
0334 | 0335 PWS/RH
2110 | - | 2139 CCS CHKSUM & MRO

0334 GS-4B 0335

FDS MODE	CR-5T	2054 2159	EL-40	CR-5T	CR-5T
XB DATA RATE (MI)	160 (32)	40(30)	160(32)	160(32)	160(32)

DSN COVERAGE

31 --- 42 [D] --- | 0900
1225 | ----- 61 ----- | 2030
2015 | ----- 24 [D] ----- | 0605

HPTXR

32 1000 | ----- 42 [D] ----- | 1525
1735 | ----- 65 [D] ----- | 2035
0030 | ----- 12 [D] ----- | 0345

HPTXR

RTLT : 12h 56m 52s
VOYAGER 2
FDSL : 11AF
CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLT=12h 57m 4s
0000 RTLT=12h 57m 16s

↓ 0732 SLEW->HELIO-X9
↓ 1932 SLEW->HELIO-X8
0300 | 0301 PWS/RH

0301 GS-4B 0301

FDS MODE	CR-5T	CR-5T
XB DATA RATE (MI)	160 (32)	160(32)

VOYAGER COVERAGE | ----- VGR ----- |

NOTES
[1] S/C 32=GS-4B @ 0301 XB=2.8K(41) NOT RECOVERABLE
[2] S/C 31=GS-4B @ 0334 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/20/95 - 13:31

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
SEPTEMBER 27, 1995
270-271

SFOS/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 56m 28s

1200 RTLT=16h 56m 38s

0000 RTLT=16h 56m 50s

VOYAGER 1

↓ 1729 SLEW->HELIO-12C

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

HPTXR

DSN COVERAGE

32

HPTXR

RTLT : 12h 57m 16s

1200 RTLT=12h 57m 28s

0000 RTLT=12h 57m 40s

VOYAGER 2

↓ 0733 SLEW->MIDPOINT1

↓ 1433 SLEW->MIDPOINT2

↓ 1933 SLEW->HELIO-X7

▼ 1947 DUMMY (BRACKETED)

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- VGR -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/20/95 - 13:31

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
SEPTEMBER 28, 1995
271-272

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 56m 50s

1200 RTLTL=16h 57m 0s

0000 RTLTL=16h 57m 12s

VOYAGER 1

↓ 1729 SLEW->HELIO-11C

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 --- 42 [D] --- | 0915
1030 |----- 65 [D] ----- | 1920 2120 |----- 24 [D] ----- | 0545 | 42 [D] |
HPTXR 1905 |--- 63 [D] --- | 2135
0600

DSN COVERAGE

32 ----- 45 [D] ----- | 1625
1810 | - 61 [D] - | 1945
0100 |----- 45 [D] -----

HPTXR

RTLTL : 12h 57m 40s

1200 RTLTL=12h 57m 52s

0000 RTLTL=12h 58m 4s

VOYAGER 2

↓ 0733 SLEW->HELIO-X6

↓ 1933 SLEW->HELIO-X5

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/20/95 - 13:31

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
SEPTEMBER 29, 1995
272-273

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 57m 12s

1200 RTLTL=16h 57m 24s

0000 RTLTL=16h 57m 34s

VOYAGER 1

↓ 1729 SLEW->HELIO-10C

FDSL : 11AF

U/L 0600 | - | -
TLC (SHORT-FORM) | - -

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 --- 42 [D] --- | 0910

1210 |----- 61 [D] -----| 2020

0320 |----- 42 -----

2005 |----- 24 [D] -----| 0335

DSN COVERAGE
HPTXR

32 ----- 45 [D] -----| 1515

1725 |----- 65 [D] -----| 2025

0100 |----- 45 [D] -----

HPTXR

RTLTL : 12h 58m 4s

1200 RTLTL=12h 58m 16s

0000 RTLTL=12h 58m 28s

VOYAGER 2

↓ 0733 SLEW->HLEIO-X4

↓ 1933 SLEW->HELIO-X3

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/20/95 - 13:31

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
SEPTEMBER 30, 1995
273-274

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 57m 34s
 VOYAGER 1
 FDSL : 11AF
 CCSL : A021
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

1200 RTLT=16h 57m 46s
 1730 SLEW->HELIO-9C
 0000 RTLT=16h 57m 56s

TLC (SHORT-FORM) D/L -| 0026

FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

DSN COVERAGE

HPTXR 31 --- 42 --- | 0905
 1210 |----- 61 [D] ----- | 2015
 2000 |----- 24 [D] ----- | 0550

HPTXR 32 ----- 45 [D] ----- | 1620
 1720 |----- 65 [D] ----- | 2020
 0055 |----- 45 [D] -----

RTLT : 12h 58m 28s
 VOYAGER 2
 FDSL : 11AF
 CCSL : B024
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

1200 RTLT=12h 58m 40s
 0733 SLEW->HELIO-X2
 1933 SLEW->HELIO-X1
 0000 RTLT=12h 58m 52s

FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

VOYAGER COVERAGE ----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/20/95 - 13:31

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
OCTOBER 1, 1995
274-275

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 57m 56s

1200 RTLT=16h 58m 8s

0000 RTLT=16h 58m 18s

VOYAGER 1

↓ 1730 SLEW->HELIO-8C

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1205

61 [D]

2010

0355

42 [D]

1955

12 [D]

0410

DSN COVERAGE
HPTXR

32

45 [D]

1615

0335

45 [D]

2345

24 [D]

0350

HPTXR

RTLT : 12h 58m 52s

1200 RTLT=12h 59m 4s

0000 RTLT=12h 59m 16s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/20/95 - 13:31

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
OCTOBER 2, 1995
275-276

MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 58m 18s
VOYAGER 1
FDSL : 11AF
CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

↓ 1730 SLEW->HELIO-7C

2011 | - | 2039 CCSB CHKSUM & MRO

FDS MODE	CR-5T	1956 2100
XB DATA RATE (MI)	160(32)	EL-40 160(32)

DSN COVERAGE

HPTXR 31 --- 42 [D] --- | 0855
1025 | - - - - - 65 [D] - - - - - | 1415
1745 | - - - - - 24 [D] - - - - - | 0325
0455 | - - - - - 42 [D] - - - - - | 0510

HPTXR 32 - - - - - 45 [D] - - - - - | 1240
1225 | - - - - - 43 [D] - - - - - | 1540
0430 | - - - - - 45 [D] - - - - -

RTLTL : 12h 59m 16s
VOYAGER 2
FDSL : 11AF
CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLTL=12h 59m 28s

0000 RTLTL=12h 59m 40s

FDS MODE	CR-5T	
XB DATA RATE (MI)	160(32)	

VOYAGER COVERAGE | - - - - - VGR - - - - - |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/20/95 - 13:31

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY OCTOBER 3, 1995 276-277	
UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7	
RTLTL : 16h 58m 40s VOYAGER 1 FDSL : 11AF CCSL : A021 TWNC : ON SB : OFF XB : LOW PYR : .05/ .10/ .25 GYROS : OFF	1200 RTLTL=16h 58m 52s ↓ 1730 SLEW->HELIO-6C 0312 0313 PWS/RH 0312 GS-4B 0313 FDS MODE CR-5T XB DATA RATE (MI) 160(32) CR-5T 160(32)
31 HPTXR DSN COVERAGE 32 HPTXR	42 [D] -- 0855 1700 ----- 65 [D] ----- 2120 2110 ----- 24 [D] ----- 0320 45 [D] ----- 1605 0040 ----- 45 [D] -----
RTLTL : 12h 59m 40s VOYAGER 2 FDSL : 11AF CCSL : B024 TWNC : ON SB : OFF XB : LOW PYR : .05/ .10/ .25 GYROS : OFF	1200 RTLTL=12h 59m 52s ↓ 1434 SLEW->DARK PLATE 0238 0239 PWS/RH 0238 GS-4B 0239 FDS MODE CR-5T XB DATA RATE (MI) 160(32) CR-5T 160(32)
VOYAGER COVERAGE	----- VGR -----
NOTES	[1] S/C 32=GS-4B @ 0238 XB=2.8K(41) NOT RECOVERABLE [2] S/C 31=GS-4B @ 0312 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/20/95 - 13:31

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
OCTOBER 4, 1995
277-278

SFOS/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 59m 2s

1200 RTLTL=16h 59m 14s

0000 RTLTL=16h 59m 24s

VOYAGER 1

↓ 1730 SLEW->HELIO-5C

▼ 1730 DUMMY

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 -- 42 [D] -- | 0850

1150 |----- 61 -----| 2000

0300 |----- 42 [D] -----

HPTXR

DSN COVERAGE

32

45 [D] -----| 1325

1310 |----- 43 [B] ---- | 1535

0105 |----- 45 [D] -----

HPTXR

1705 |----- 65 [D] ----- | 2005

RTLTL : 13h 0m 4s

1200 RTLTL=13h 0m 16s

0000 RTLTL=13h 0m 30s

VOYAGER 2

▼ 1337 DUMMY (BRACKETED)

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/20/95 - 13:31

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
OCTOBER 5, 1995
278-279

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 59m 24s

1200 RTLTL=16h 59m 34s

0000 RTLTL=16h 59m 46s

VOYAGER 1

↓ 1730 SLEW->HELIO-4C

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 -- 42 [D] -- | 0845

1015 |----- 65 [D] -----| 2110

2100 |----- 24 [D] -----| 0530

DSN COVERAGE
HPTXR

32 ----- 45 [D] ----- | 1215

1305 |--- 43 [D] --- | 1530

1740 | - 61 [D] - | 1920

0155 |----- 42 [D] -----

HPTXR

RTLTL : 13h 0m 30s

1200 RTLTL=13h 0m 42s

0000 RTLTL=13h 0m 54s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/20/95 - 13:31

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
OCTOBER 6, 1995
279-280

[] SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 59m 46s
VOYAGER 1
FDSL : 11AF
CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

↓ 1731 SLEW->HELIO-3C

0340 | 0400 AACS MRO
0400 | 0411 CCS MRO
0411 | 0424 FDS MRO
U/L 0600 |
TLC (SHORT-FORM) |

0326 0424
EH-12 CR-5T
160(32) 160(32)

31 1145 |----- 61 [D] -----| 1955
1940 |----- 24 [D] -----| 0240
0225 |--- 14 [D,1] ---| 0455

DSN COVERAGE HPTXR

32 |----- 42 [D] -----| 1315
1300 |--- 43 [D] ---| 1525
1655 |--- 65 [D] ---| 1955

HPTXR

RTLT : 13h 0m 54s
VOYAGER 2
FDSL : 11AF
CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLT=13h 1m 6s 0000 RTLT=13h 1m 18s

CR-5T
160(32)

VOYAGER COVERAGE |----- VGR -----| |----- VGR -----|

NOTES
[1] S/C 31=EH-12 @ 0326 XB=1.2k(39)

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/20/95 - 13:31

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
OCTOBER 7, 1995
280-281

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 0m 6s

1200 RTLT=17h 0m 18s

0000 RTLT=17h 0m 28s

VOYAGER 1

↓ 1731 SLEW->HELIO-2C

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

TLC (SHORT-FORM)

+ D/L -| 0028

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 --- 42 --- | 0840 1140 |----- 61 [D] -----| 1950 0250 |----- 42 [D] -----

HPTXR

1935 |----- 24 [D] -----| 0305

DSN COVERAGE

32 ----- 45 [D] ----- | 1550 1655 |----- 65 [D] ----- | 1950 0025 |----- 45 [D] -----

HPTXR

RTLT : 13h 1m 18s

1200 RTLT=13h 1m 30s

0000 RTLT=13h 1m 42s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/20/95 - 13:31

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
OCTOBER 8, 1995
281-282

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 0m 28s

1200 RTLT=17h 0m 38s

0000 RTLT=17h 0m 50s

VOYAGER 1

↓ 1731 SLEW->HELIO-1C

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 -- 42 [D] - | 0835

1135 |

61 [D] |

1945 |

0445 | -- 42 [D] --

HPTXR

1930 |

24 [D] |

0500 |

DSN COVERAGE

32

45 [D] |

1550 |

0025 |

45 [D] |

HPTXR

RTLT : 13h 1m 42s

1200 RTLT=13h 1m 54s

0000 RTLT=13h 2m 6s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7