

ISSUE DATE: 10/18/95 - 10:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
OCTOBER 19, 1995
292-293

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 4m 12s
1200 RTLT=17h 4m 22s
0933 SLEW->BD+28 4211
0000 RTLT=17h 4m 32s

VOYAGER 1
FDSL : 11AF
CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

S/C 31 STATUS
FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -6.140 sec
SCAN PLAT POSITION:
AZ = 319.987 deg
EL = 147.006 deg
ROLLREF = RIGIL
KENTAURUS

0333 SLEW->BD+28 BKGND

FDS MODE	CR-5T	UV-5A	CR-5T
XB DATA RATE (MI)	160 (32)	600(36)	160(32)

DSN COVERAGE	31	0745 42 [D]	0920	65 [D]	2015	2000	24 [D]	0120	14 [D]	0335	0350	42 [D]
HPTXR	32	45 [D]	1230	1220	43 [D]	1435	1645	61 [D]	1825	2340	45 [D]	

RTLT : 13h 6m 8s
1200 RTLT=13h 6m 22s
0000 RTLT=13h 6m 34s

VOYAGER 2
FDSL : 11AF
CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

S/C 32 STATUS
FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: 2:50.657 min
SCAN PLAT POSITION:
AZ = -10.156 deg
EL = 110.666 deg
ROLLREF = VEGA

FDS MODE	CR-5T
XB DATA RATE (MI)	160 (32)

VOYAGER COVERAGE
----- VGR -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 10/18/95 - 10:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
OCTOBER 20, 1995
293-294

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 4m 32s

1200 RTLT=17h 4m 40s

0000 RTLT=17h 4m 50s

VOYAGER 1

U/L 0600 | - |
TLC (SHORT-FORM) | - |

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 --- | 0745 42 [D]

1330 | - - - - - 65 [D] - - - - - | 2015

0345 | - - - - - 42 - - - - -

2000 | - - - - - 24 [D] - - - - - | 0400

DSN COVERAGE
HPTXR

32 - - - - - 45 [D] - - - - - | 1230

1215 | - - 43 [D] - - - | 1430

2335 | - - - - - 45 [D] - - - - -

1640 | - 61 [D] - | 1820

HPTXR

RTLT : 13h 6m 34s

1200 RTLT=13h 6m 46s

0000 RTLT=13h 6m 56s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

| - - - - - VGR - - - - - |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 10/18/95 - 10:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
OCTOBER 21, 1995
294-295

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 4m 50s

1200 RTLT=17h 5m 0s 0000 RTLT=17h 5m 10s

VOYAGER 1

FDSL : 11AF

TLC (SHORT-FORM) D/L 0033

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 42 0745 0915 65 [D] 1515 1840 24 [D] 0430

HPTXR

1625 61 [D] 1855

DSN COVERAGE

32 45 [D] 1425 1600 65 [D] 1900 0045 42 [D]

HPTXR

1200 RTLT=13h 7m 8s 0000 RTLT=13h 7m 20s

RTLT : 13h 6m 56s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 10/18/95 - 10:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
OCTOBER 22, 1995
295-296

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 5m 10s

1200 RTLT=17h 5m 18s

0000 RTLT=17h 5m 28s

VOYAGER 1

FDSL : 11AF

CCSL : A022

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

0910

----- 65 [D] -----

2055

0445

----- 42 [D] -----

2045

----- 12 [D] -----

0245

HPTXR

DSN COVERAGE

32

42 [D]

----- 1230

1210

----- 43 [D] -----

1410

2225

----- 24 [D] -----

0320

0430

----- 45 [D] -----

HPTXR

1200 RTLT=13h 7m 32s

0000 RTLT=13h 7m 44s

RTLT : 13h 7m 20s

VOYAGER 2

FDSL : 11AF

CCSL : B024

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 10/18/95 - 10:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
OCTOBER 23, 1995
296-297

MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 17h 5m 28s

1200 RTLTL=17h 5m 38s

0000 RTLTL=17h 5m 46s

VOYAGER 1

↓ 2033 SLEW->BACKGROUND

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ---|0735 42 [D]

1040 |-----| 61 [D]

1850

0230 |-----| 42 [D]

1945 |-----| 15 [D] -----| 0245

DSN COVERAGE
HPTXR

32 -----| 45 [D] -----| 1225

1210 |---| 43 [D] ---| 1420

2325 |-----| 45 [D]

1550 |-----| 65 [D] -----| 1850

HPTXR

RTLTL : 13h 7m 44s

1200 RTLTL=13h 7m 56s

0000 RTLTL=13h 8m 8s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

|-----| VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 10/18/95 - 10:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
OCTOBER 24, 1995
297-298

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 17h 5m 46s
VOYAGER 1
FDSL : 11AF
CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLTL=17h 5m 56s | 0000 RTLTL=17h 6m 4s

1553 DUMMY
1603 EL-40
1618 CCS TLM RESET
1648 CR-5T

0203 | 0204 PWS/RH
WPM CHG 0634 ↓

0203 GS-4B | 0204

FDS MODE	CR-5T	CR-5T
XB DATA RATE (MI)	160(32)	160(32)

DSN COVERAGE

31 HPTXR
0730 42 [D] | 0900 | 65 [D] | 1400 | 1940 | 15 [D] | 0230 | 42 [D] | 0245
1345 | 61 | 1845

32 HPTXR
45 [D] | 1445 | 2320 | 45 [D] | 1845
1545 | 65 [D] | 1845

RTLTL : 13h 8m 8s
VOYAGER 2
FDSL : 11AF
CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLTL=13h 8m 20s | 0000 RTLTL=13h 8m 32s

0130 | 0131 PWS/RH

0130 GS-4B | 0131

FDS MODE	CR-5T	CR-5T
XB DATA RATE (MI)	160 (32)	160(32)

VOYAGER COVERAGE |----- VGR -----|

NOTES
[1] S/C 32=GS-4B @ 0130 XB=2.8K(41) NOT RECOVERABLE
[2] S/C 31=GS-4B @ 0203 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 10/18/95 - 10:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
OCTOBER 25, 1995
298-299

SFOS/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 17h 6m 4s

1200 RTLTL=17h 6m 14s

0000 RTLTL=17h 6m 24s

VOYAGER 1

1556 | --- | 1653 TAPPOS

↓ 1740 BAY 1 HTR OFF

↓ 1744 X/B HI POWER

↓ 1840 YAW=.05

1849 |-----| PLAYBACK -----| 0124

↓ 0139 YAW=.10

FDSL : 11AF

CCSL : A022

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

*
0911
EL-40

*
0955

FDS MODE
XB DATA RATE (MI)

CR-5T		CR-5T	1849	PB-14	0124	CR-5T
160(32)		160(32)		1.4K(39)		160(32)

31 --- | 0730 42 [D] |-----| 0845 |-----| 65 [D] |-----| 1735 |-----| 1720 |-----| 14 [D] |-----| 0155 |-----| 0140 |-----| 42 [D] |-----|

DSN COVERAGE
HPTXR

32 -----| 45 [D] |-----| 1215 |-----| 2315 |-----| 45 [D] |-----|

HPTXR

1200 |---| 43 [D] ---| 1410

RTLTL : 13h 8m 32s

1200 RTLTL=13h 8m 44s

0000 RTLTL=13h 8m 56s

VOYAGER 2

FDSL : 11AF

CCSL : B024

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

|-----| VGR -----|

NOTES

[1] S/C 31=EL-40 @ 0911 XB=40(30)

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 10/18/95 - 10:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
OCTOBER 26, 1995
299-300

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 17h 6m 24s

1200 RTLTL=17h 6m 32s 0000 RTLTL=17h 6m 42s

VOYAGER 1

1712 | - TAPPOS - - | 1928

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 | 0720 42 [D] | 1025 | - - - - - 61 [D] - - - - - | 1835 | 0200 | - - - - - 42 [D] - - - - -

HPTXR

1820 | - - - - - 24 [D] - - - - - | 0215

DSN COVERAGE

32 | - - - - - 45 [D] - - - - - | 1210 | 2315 | - - - - - 45 [D] - - - - -

HPTXR

1155 | - - - 43 [B] - - - | 1405
1540 | - - - - 65 [D] - - - - | 1840

RTLTL : 13h 8m 56s

1200 RTLTL=13h 9m 8s 0000 RTLTL=13h 9m 20s

VOYAGER 2

▼ 1332 DUMMY (BRACKETED)

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

| - - - - - VGR - - - - - |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 10/18/95 - 10:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
OCTOBER 27, 1995
300-301

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 17h 6m 42s

1200 RTLTL=17h 6m 50s

0000 RTLTL=17h 6m 58s

VOYAGER 1

- ↓ 1758 GYROS BC ON
- ↓ 1759 GYRO INIT
- ↓ 1808 GYRO FAULT TEST
- 1901 || 1908 CCSTIM(B)

FDSL : 11AF

U/L 0605 | - |
TLC (SHORT-FORM) | - |

CCSL : A022
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 | 0720 42 [D] | 1025 |----- 61 [D] -----| 1730 | 0200 |----- 42 -----|

HPTXR

1710 |----- 15 [D] -----| 0215

DSN COVERAGE

32 |----- 45 [D] -----| 1210 | 2310 |----- 45 [D] -----|

HPTXR

1155 |--- 43 [D] ---| 1405 | 1535 |--- 65 [D] ---| 1835

RTLTL : 13h 9m 20s

1200 RTLTL=13h 9m 32s

0000 RTLTL=13h 9m 42s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 10/18/95 - 10:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
OCTOBER 28, 1995
301-302

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 6m 58s

1200 RTLT=17h 7m 8s

0000 RTLT=17h 7m 16s

VOYAGER 1

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10 / .25
GYROS : ON

TLC (SHORT-FORM) ----- D/L -| 0040

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 | 0715 42 |-----| 1020 |-----| 61 [D] |-----| 1830 |-----| 0145 |-----| 42 [D] |-----|

HPTXR

1815 |-----| 24 [D] |-----| 0200

DSN COVERAGE

32 |-----| 45 [D] |-----| 1210 |-----| 2305 |-----| 45 [D] |-----|

HPTXR

1155 |-----| 43 [D] |-----| 1430

1530 |-----| 65 [D] |-----| 1830

RTLT : 13h 9m 42s

1200 RTLT=13h 9m 54s

0000 RTLT=13h 10m 6s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 10/18/95 - 10:33

PDT: 0 1 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
OCTOBER 29, 1995
302-303

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 7m 16s
 VOYAGER 1
 FDSL : 11AF
 CCSL : A022
 TWNC : ON
 SB : OFF XB : HI
 PYR : .05/ .10 / .25
 GYROS : ON

1200 RTLT=17h 7m 26s
 0000 RTLT=17h 7m 34s

FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

DSN COVERAGE HPTXR

31 | 0715 42 [D] | 1015 | ----- 61 [D] ----- | 1825 | 0445 - 0710 | --- 42 [D] --- |

HPTXR 1810 | ----- 24 [D] ----- | 0400

32 | ----- 45 [D] ----- | 1425 | 1525 | --- 65 [D] --- | 1825 | 0150 | ----- 45 [D] ----- |

HPTXR 2250 | ----- 15 [D] ----- | 0205

RTLT : 13h 10m 6s
 VOYAGER 2
 FDSL : 11AF
 CCSL : B024
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

1200 RTLT=13h 10m 18s
 0000 RTLT=13h 10m 30s

FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

VOYAGER COVERAGE ----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 10/18/95 - 10:33

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
OCTOBER 30, 1995
303-304

MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 7m 34s

1200 RTLTL=17h 7m 42s

0000 RTLTL=17h 7m 52s

VOYAGER 1

↓ 1634 SLEW->KAP CAS

↓ 2235 SLEW->KAP BKGND

↓ 0304 SLEW->AV MIDPOINT

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10 / .25
GYROS : ON

FDS MODE	CR-5T	1605	UV-5A	0325	CR-5T
XB DATA RATE (MI)	160(32)		600(36)		160(32)

DSN COVERAGE	31	1600	15 [D]	0325	0305	42 [D]	0705
HPTXR	32	45 [D]	1200	0430	45 [D]		
HPTXR		1145	43 [D]	1345	2230	24 [D]	0250

RTLTL : 13h 10m 30s

1200 RTLTL=13h 10m 40s

0000 RTLTL=13h 10m 52s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE	CR-5T
XB DATA RATE (MI)	160(32)


VOYAGER COVERAGE |----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 10/18/95 - 10:33

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0



ISSUE DATE: 10/18/95 - 10:33

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
NOVEMBER 1, 1995
305-306

SFOS/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 8m 8s

1200 RTLT=17h 8m 16s

0000 RTLT=17h 8m 24s

VOYAGER 1

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : HI
PYR : .05 / .10 / .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 65 [D] -----
----- 1915 ----- 24 [D] ----- 0315
----- 0255 ----- 42 [D] ----- 0700

DSN COVERAGE
HPTXR

32

----- 45 [D] ----- 1155
----- 1140 ----- 43 [B] ----- 1345
----- 1555 ----- 61 [D] ----- 1735
----- 2250 ----- 45 [D] -----

HPTXR

RTLT : 13h 11m 16s

1200 RTLT=13h 11m 28s

0000 RTLT=13h 11m 38s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05 / .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

2334 ----- COMMAND MORATORIUM -----

VOYAGER COVERAGE

| VGR | ----- VGR -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 10/18/95 - 10:33

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
NOVEMBER 2, 1995
306-307

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 8m 24s

1200 RTLTL=17h 8m 34s

0000 RTLTL=17h 8m 42s

VOYAGER 1

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : HI
PYR : .05 / .10 / .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 |-----65 [D]-----| 0815 - 1425
1545 |-----24 [D]-----| 0310
0255 |-----42 [D]-----| 0650

DSN COVERAGE
HPTXR

32 |-----45 [D]-----| 1150
1135 |---43 [D]---| 1340
1510 |---65 [D]---| 1810
2245 |-----45 [D]-----|

HPTXR

RTLTL : 13h 11m 38s

1200 RTLTL=13h 11m 50s

0000 RTLTL=13h 12m 2s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05 / .10 / .25
GYROS : OFF

↓ 1216 GYRO INIT
↓ 1216 GYROS AB ON
↓ 1226 GYRO FAULT TEST
1232 |---| 1256 PWR SINGLE ID RO

COMMAND MORATORIUM

FDS MODE
XB DATA RATE (MI)

1205
EH-12 1256
CR-5T
160(32)

CR-5T
160(32)

VOYAGER COVERAGE

|---VGR---| |-----VGR-----|

NOTES

[1] S/C 32= EH-12 @ 1205 XB=1.2K(39)

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 10/18/95 - 10:33

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
NOVEMBER 3, 1995
307-308

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 8m 42s

1200 RTLTL=17h 8m 50s

0000 RTLTL=17h 8m 58s

VOYAGER 1

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : HI
PYR : .05 / .10 / .25
GYROS : ON

↓ 1909 AAI
1912 |----- MAGROL -----| 0108

↓ 0101 RAI
↓ 0108 CRU
↓ 0108 GYROS OFF

U/L 0600 |-----|
TLC (SHORT-FORM) |-----|

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 1000 |----- 61 [D] -----| 1645
1630 |----- 15 [D] -----| 0305
0250 |----- 42 -----| 0650

DSN COVERAGE
HPTXR

32 45 [D] -----| 1145
1130 |--- 43 [D] ---| 1335
1505 |--- 65 [D] ---| 1805
2240 |----- 45 [D] -----|

HPTXR

RTLTL : 13h 12m 2s

1200 RTLTL=13h 12m 12s

0000 RTLTL=13h 12m 24s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05 / .10 / .25
GYROS : ON

----- COMMAND MORATORIUM -----| 2304

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

[1] S/C 31 - D/L AGC VARIATIONS EXPECTED DURING MAGROL (1912-0108)

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 10/18/95 - 10:33

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
NOVEMBER 4, 1995
308-309

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 8m 58s

1200 RTLT=17h 9m 6s

0000 RTLT=17h 9m 14s

VOYAGER 1

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : HI
PYR : .05 / .10 / .25
GYROS : OFF

----- TLC (SHORT-FORM) ----- + D/L -| 0037

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31

1000 |

----- 61 [D] -----

| 1800

1745 |

----- 24 [D] -----

| 0305

0250 |

----- 42 [D] ----- | 0645

DSN COVERAGE
HPTXR

32

45 [D] -----

| 1400

----- 65 [D] -----

| 1805

2240 |

----- 45 [D] -----

HPTXR

RTLT : 13h 12m 24s

1200 RTLT=13h 12m 36s

0000 RTLT=13h 12m 46s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05 / .10 / .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 10/18/95 - 10:33

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
NOVEMBER 5, 1995
309-310

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 9m 14s

1200 RTLT=17h 9m 22s

0000 RTLT=17h 9m 30s

VOYAGER 1

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : HI
PYR : .05 / .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

0955 |-----| 61 [D]

1745

1730 |-----|

24 [D]

0330

0445 |---| 42 [D] --| 0640

HPTXR

DSN COVERAGE

32

45 [D] -----| 1140

1125 |---| 43 [D] --| 1325

1500 |-----| 65 [D] -----| 1800

2220 |-----| 15 [D]

0120 |-----| 0135

0120 |-----| 45 [D]

HPTXR

RTLT : 13h 12m 46s

1200 RTLT=13h 12m 58s

0000 RTLT=13h 13m 8s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05 / .10 / .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8