

ISSUE DATE: 10/26/95 - 13:48

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY  
OCTOBER 26, 1995  
299-300

VGR STAFF/A148  
VCB/MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 6m 24s

1200 RTLT=17h 6m 32s

0000 RTLT=17h 6m 42s

VOYAGER 1

FDSL : 11AF

CCSL : A022  
TWNC : ON  
SB : OFF XB : HI  
PYR : .05/ .10 / .25  
GYROS : OFF


S/C 31 STATUS

FDS CLOCK DRIFT:  
ADD TO S/C EVENT  
ERT : -6.158 sec  
SCAN PLAT POSITION:  
AZ = 175.328 deg  
EL = 70.787 deg  
ROLLREF = RIGIL  
KENTAURUS

1712 | - TAPPOS - - | 1928

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160 (32)



RTLT : 13h 8m 56s

1200 RTLT=13h 9m 8s

0000 RTLT=13h 9m 20s

VOYAGER 2

FDSL : 11AF

CCSL : B024  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

S/C 32 STATUS

FDS CLOCK DRIFT:  
ADD TO S/C EVENT  
ERT : 1:49.909 min  
SCAN PLAT POSITION:  
AZ = -10.156 deg  
EL = 110.666 deg  
ROLLREF = VEGA

▼ 1332 DUMMY (BRACKETED)

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160 (32)

VOYAGER COVERAGE

| - - - - - VGR - - - - - |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 10/26/95 - 13:48

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY  
OCTOBER 27, 1995  
300-301

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 17h 6m 42s

1200 RTLTL=17h 6m 50s

0000 RTLTL=17h 6m 58s

VOYAGER 1

- ↓ 1758 GYROS BC ON
- ↓ 1759 GYRO INIT
- ↓ 1808 GYRO FAULT TEST
- 1901 || 1908 CCSTIM(B)

FDSL : 11AF

U/L 0605 | - |  
TLC (SHORT-FORM) | - |

CCSL : A022  
TWNC : ON  
SB : OFF XB : HI  
PYR : .05/ .10 / .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160 (32)

31 | 0720 42 [D] | 1025 |----- 61 [D] -----| 1730 | 0200 |----- 42 -----|

HPTXR

1710 |----- 15 [D] -----| 0215

DSN COVERAGE

32 |----- 45 [D] -----| 1210 | 2310 |----- 45 [D] -----|

HPTXR

1155 |--- 43 [D] ---| 1405 | 1535 |--- 65 [D] ---| 1835

RTLTL : 13h 9m 20s

1200 RTLTL=13h 9m 32s

0000 RTLTL=13h 9m 42s

VOYAGER 2

FDSL : 11AF

CCSL : B024  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160 (32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 10/26/95 - 13:48

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY  
OCTOBER 28, 1995  
301-302

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 6m 58s

1200 RTLT=17h 7m 8s

0000 RTLT=17h 7m 16s

VOYAGER 1

FDSL : 11AF

CCSL : A022  
TWNC : ON  
SB : OFF XB : HI  
PYR : .05/ .10 / .25  
GYROS : ON

TLC (SHORT-FORM) -----| D/L -| 0040

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

31 | 0715 42

1020 |

-----

61 [D] -----

-----

| 1830

1815 |

-----

24 [D] -----

-----

0145 |

-----

42 [D] -----

| 0200

-----

DSN COVERAGE  
HPTXR

32

-----

45 [D] -----

-----

| 1210

1155 |

-----

43 [D] -----

-----

| 1430

1530 |

-----

65 [D] -----

-----

| 1830

2305 |

-----

45 [D] -----

HPTXR

RTLT : 13h 9m 42s

1200 RTLT=13h 9m 54s

0000 RTLT=13h 10m 6s

VOYAGER 2

FDSL : 11AF

CCSL : B024  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

-----| ON CALL -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 10/26/95 - 13:48

PDT: 0 1 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY  
OCTOBER 29, 1995  
302-303

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 7m 16s

1200<sup>1</sup> RTLTL=17h 7m<sup>1</sup>26s

0000<sup>1</sup> RTLTL=17h 7m<sup>1</sup>34s

VOYAGER 1

FDSL : 11AF

CCSL : A022  
TWNC : ON  
SB : OFF XB : HI  
PYR : .05/ .10 / .25  
GYROS : ON

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

31 | 0715 42 [D] | 1015 |----- 61 [D] -----| 1825 | 0445- 0710 |--- 42 [D] ---|

HPTXR

1810 |----- 24 [D] -----| 0400

DSN COVERAGE

32 |----- 45 [D] -----| 1425 | 1525 |--- 65 [D] ---| 1825 | 0150 |----- 45 [D] -----|

HPTXR

2250 |----- 15 [D] -----| 0205

RTLTL : 13h 10m 6s

1200 RTLTL=13h 10m 18s

0000 RTLTL=13h 10m 30s

VOYAGER 2

FDSL : 11AF

CCSL : B024  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 10/26/95 - 13:48

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY  
OCTOBER 30, 1995  
303-304

MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 7m 34s

1200 RTLTL=17h 7m 42s

0000 RTLTL=17h 7m 52s

VOYAGER 1

↓ 1634 SLEW->KAP CAS

↓ 2235 SLEW->KAP BKGND

↓ 0304 SLEW->AV MIDPOINT

FDSL : 11AF

CCSL : A022  
TWNC : ON  
SB : OFF XB : HI  
PYR : .05/ .10 / .25  
GYROS : ON

FDS MODE	CR-5T	1605	UV-5A	0325	CR-5T
XB DATA RATE (MI)	160 (32)		600(36)		160(32)

DSN COVERAGE	31	1600	15 [D]	0325	0305	42 [D]	0705
HPTXR	32	45 [D]	1200	0430	45 [D]		
HPTXR		1145	43 [B]	1345	2230	24 [D]	0250

RTLTL : 13h 10m 30s

1200 RTLTL=13h 10m 40s

0000 RTLTL=13h 10m 52s

VOYAGER 2

▼ 1232 DUMMY (BRACKETED)

FDSL : 11AF

CCSL : B024  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE	CR-5T
XB DATA RATE (MI)	160 (32)


VOYAGER COVERAGE	VGR	VGR
------------------	-----	-----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 10/26/95 - 13:48

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0



ISSUE DATE: 10/26/95 - 13:48

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY  
NOVEMBER 1, 1995  
305-306

SFOS/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 8m 8s

1200 RTLTL=17h 8m 16s

0000 RTLTL=17h 8m 24s

VOYAGER 1

FDSL : 11AF

CCSL : A022  
TWNC : ON  
SB : OFF XB : HI  
PYR : .05 / .10 / .25  
GYROS : ON

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 65 [D] -----

| 0830 - 1930

1915 |----- 24 [D] -----

| 0315

0255 |----- 42 [D] -----| 0700

DSN COVERAGE  
HPTXR

32

----- 45 [D] ----- | 1155

1140 | - DELETED - | 1345

2250 |----- 45 [D] -----

HPTXR

1555 | - 61 [D] - | 1735

RTLTL : 13h 11m 16s

1200 RTLTL=13h 11m 28s

0000 RTLTL=13h 11m 38s

2334 |----- COMMAND MORATORIUM -----

VOYAGER 2

FDSL : 11AF

CCSL : B024  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05 / .10 / .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 10/26/95 - 13:48

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY  
NOVEMBER 2, 1995  
306-307

VGR STAFF/A148  
VCB/MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 8m 24s

1200 RTLTL=17h 8m 34s

0000 RTLTL=17h 8m 42s

VOYAGER 1

FDSL : 11AF

CCSL : A022  
TWNC : ON  
SB : OFF XB : HI  
PYR : .05 / .10 / .25  
GYROS : ON

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

31 |-----65 [D]-----| 0815 - 1425  
1545 |-----24 [D]-----| 0310  
0255 |-----42 [D]-----| 0650

DSN COVERAGE  
HPTXR

32 |-----45 [D]-----| 1150  
1135 |---43 [D]---| 1340  
1510 |---65 [D]---| 1810  
2245 |-----45 [D]-----|

HPTXR

RTLTL : 13h 11m 38s

1200 RTLTL=13h 11m 50s

0000 RTLTL=13h 12m 2s

VOYAGER 2

FDSL : 11AF

CCSL : B024  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05 / .10 / .25  
GYROS : OFF

-----COMMAND MORATORIUM-----  
↓ 1216 GYRO INIT  
↓ 1216 GYROS AB ON  
↓ 1226 GYRO FAULT TEST  
1232 |---| 1256 PWR SINGLE ID RO

FDS MODE  
XB DATA RATE (MI)

1205  
EH-12 1256

CR-5T  
160(32)

CR-5T  
160(32)

VOYAGER COVERAGE

|---VGR---| |-----VGR-----|

NOTES

[1] S/C 32= EH-12 @ 1205 XB=1.2K(39)

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8



ISSUE DATE: 10/26/95 - 13:48

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY  
NOVEMBER 3, 1995  
307-308

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 8m 42s

1200 RTLTL=17h 8m 50s

0000 RTLTL=17h 8m 58s

VOYAGER 1

FDSL : 11AF

CCSL : A022  
TWNC : ON  
SB : OFF XB : HI  
PYR : .05 / .10 / .25  
GYROS : ON

↓ 1909 AAI

1912 |----- MAGROL -----| 0108

↓ 0101 RAI

↓ 0108 CRU

↓ 0108 GYROS OFF

U/L 0600 |-----|  
TLC (SHORT-FORM) |-----|

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31

1000 |----- 61 [D] -----| 1645

1630 |----- 15 [D] -----| 0305

0250 |----- 42 -----| 0650

DSN COVERAGE  
HPTXR

32

45 [D] -----| 1145

1130 |--- 43 [D] ---| 1335

2240 |----- 45 [D] -----|

HPTXR

1505 |--- 65 [D] ---| 1805

RTLTL : 13h 12m 2s

1200 RTLTL=13h 12m 12s

0000 RTLTL=13h 12m 24s

VOYAGER 2

FDSL : 11AF

CCSL : B024  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05 / .10 / .25  
GYROS : ON

----- COMMAND MORATORIUM -----| 2304

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

[1] S/C 31 - D/L AGC VARIATIONS EXPECTED DURING MAGROL (1912-0108)

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 10/26/95 - 13:48

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY  
NOVEMBER 4, 1995  
308-309

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 8m 58s

1200 RTLTL=17h 9m 6s

0000 RTLTL=17h 9m 14s

VOYAGER 1

FDSL : 11AF

CCSL : A022  
TWNC : ON  
SB : OFF XB : HI  
PYR : .05 / .10 / .25  
GYROS : OFF

----- TLC (SHORT-FORM) -----+ D/L -|0037

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

31

1000 |----- 61 [D] -----| 1800

1745 |----- 24 [D] -----| 0305  
0250 |----- 42 [D] -----| 0645

DSN COVERAGE  
HPTXR

32

45 [D] -----| 1400  
1505 |----- 65 [D] -----| 1805

2240 |----- 45 [D] -----

HPTXR

RTLTL : 13h 12m 24s

1200 RTLTL=13h 12m 36s

0000 RTLTL=13h 12m 46s

VOYAGER 2

FDSL : 11AF

CCSL : B024  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05 / .10 / .25  
GYROS : ON

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 10/26/95 - 13:48

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY  
NOVEMBER 5, 1995  
309-310

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 9m 14s

1200 RTLT=17h 9m 22s

0000 RTLT=17h 9m 30s

VOYAGER 1

FDSL : 11AF

CCSL : A022  
TWNC : ON  
SB : OFF XB : HI  
PYR : .05 / .10 / .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31

0955 |-----| 61 [D]

1745

0445 |---| 42 [D] -- | 0640

1730 |-----| 24 [D]

0330

HPTXR

DSN COVERAGE

32

45 [D] -----| 1140

0120 |-----| 45 [D]

1125 |---| 43 [D] -- | 1325

2220 |-----| 15 [D] -----| 0135

1500 |-----| 65 [D] -----| 1800

HPTXR

RTLT : 13h 12m 46s

1200 RTLT=13h 12m 58s

0000 RTLT=13h 13m 8s

VOYAGER 2

FDSL : 11AF

CCSL : B024  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05 / .10 / .25  
GYROS : ON

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 10/26/95 - 13:48

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY  
NOVEMBER 6, 1995  
310-311

MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 9m 30s

1200 RTLTL=17h 9m 38s

0000 RTLTL=17h 9m 46s

VOYAGER 1

↓ 1635 SLEW->ALPHA VIR

↓ 1935 SLEW->DARK PLATE

FDSL : 11AF

CCSL : A022  
TWNC : ON  
SB : OFF XB : HI  
PYR : .05 / .10 / .25  
GYROS : OFF

FDS MODE	CR-5T	1536	UV-5A	0126	CR-5T
XB DATA RATE (MI)	160(32)		600(36)		160(32)

DSN COVERAGE	31	65 [D]	0810 - 1410	1530	15 [D]	0130	0430	45 [D]	
HPTXR						0115	42 [D]	0330	
DSN COVERAGE	32	45 [D]	1135	1120	43 [D]	1325	1455	65 [D]	1755
HPTXR									

RTLTL : 13h 13m 8s

1200 RTLTL=13h 13m 20s

0000 RTLTL=13h 13m 32s

VOYAGER 2

FDSL : 11AF  
CCSL : B024  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05 / .10 / .25  
GYROS : ON

FDS MODE	CR-5T
XB DATA RATE (MI)	160(32)

VOYAGER COVERAGE |----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 10/26/95 - 13:48

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY  
NOVEMBER 7, 1995  
311-312

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 9m 46s

1200 RTLTL=17h 9m 54s

0000 RTLTL=17h 10m 0s

0117 | 0118 PWS/RH

VOYAGER 1

FDSL : 11AF

CCSL : A022  
TWNC : ON  
SB : OFF XB : HI  
PYR : .05 / .10 / .25  
GYROS : OFF

0117  
GS-4B 0118

FDS MODE  
XB DATA RATE (MI)

CR-5T

CR-5T

160(32)

160(32)

31

0805 45 [D]

1555 | 14 [D] | 1755

| 65 [D] | 0825 - 1400

1740 | 24 [D] | 0130

HPTXR

1345 | 61 [D] | 1610

0115 | 42 [D] | 0635

DSN COVERAGE

32

42 [D] | 1235

2230 | 45 [D] |

HPTXR

1450 | 65 [D] | 1750

RTLTL : 13h 13m 32s

1200 RTLTL=13h 13m 42s

0000 RTLTL=13h 13m 54s

VOYAGER 2

↓ 1641 GYRO INIT

0045 | 0046 PWS/RH

FDSL : 11AF

CCSL : B024  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05 / .10 / .25  
GYROS : ON

0045  
GS-4B 0046

FDS MODE  
XB DATA RATE (MI)

CR-5T

CR-5T

160(32)

160(32)

VOYAGER COVERAGE

| VGR |

NOTES

[1] S/C 32=GS-4B @ 0045 XB=2.8K(41) NOT RECOVERABLE  
[2] S/C 31=GS-4B @ 0117 XB=2.8K(41) NOT RECOVERABLE

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 10/26/95 - 13:48

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY  
NOVEMBER 8, 1995  
312-313

SFOS/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 10m 0s

1200 RTLTL=17h 10m 8s

0000 RTLTL=17h 10m 16s

VOYAGER 1

1709 | PLSCAL - | 1851

1709 | --- MAGCAL --- | 2011

1709 | --- PESCAL --- | 2029

FDSL : 11AF

↓ 0142 X/B LOW POWER

↓ 0146 BAY 1 HTR ON

CCSL : A022  
TWNC : ON  
SB : OFF XB : HI  
PYR : .05 / .10 / .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31

0935 |----- 61 [D] -----| 1745

1730 |----- 24 [D] -----| 0100

0045 |----- 42 [D] -----| 0630

HPTXR

DSN COVERAGE

32

----- 45 [D] -----| 1130

2220 |----- 45 [D] -----

1115 |--- 43 [B] ---| 1315

1445 |----- 65 [D] -----| 1750

HPTXR

RTLTL : 13h 13m 54s

1200 RTLTL=13h 14m 4s

0000 RTLTL=13h 14m 16s

VOYAGER 2

▼ 1232 DUMMY (BRACKETED)

FDSL : 11AF

CCSL : B024  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05 / .10 / .25  
GYROS : ON

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

| VGR |

|----- VGR -----|


| VGR |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 10/26/95 - 13:48

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0



ISSUE DATE: 10/26/95 - 13:48

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY  
NOVEMBER 10, 1995  
314-315

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 10m 32s

1200 RTLT=17h 10m 38s

0000 RTLT=17h 10m 46s

VOYAGER 1

FDSL : 11AF

CCSL : A022  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05 / .10 / .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31

0930 |----- 61 [D] -----| 1600

1545 |--- 14 [D] ---| 1745

0100 |----- 42 [D] -----| 0625

HPTXR

1730 |----- 24 [D] -----| 0115

DSN COVERAGE

32

----- 45 [D] -----| 1125

2215 |----- 45 [D] -----

1110 |--- 43 [D] ---| 1310

HPTXR

RTLT : 13h 14m 38s

1200 RTLT=13h 14m 48s

0000 RTLT=13h 14m 58s

VOYAGER 2

----- COMMAND MORATORIUM -----

FDSL : 11AF

- ↓ 1135 RAI
- ↓ 1142 CRU
- ↓ 1142 GYROS OFF

----- MAGROL -----| 1142

↓ 2311 SLEW->BD+28 4211

CCSL : B024  
TWNC : ON  
SB : OFF XB : HI  
PYR : .05 / .10 / .25  
GYROS : ON

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

CR-5T

160(32)

2242

UV-5A

600(36)

VOYAGER COVERAGE

----- VGR -----| ----- VGR -----

NOTES

- [1] S/C 32 - D/L AGC VARIATIONS EXPECTED DURING MAGROL (0546-1142)
- [2] S/C 32=EH-12 @ 1108 XB=1.2K(39)

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8





ISSUE DATE: 10/26/95 - 13:48

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY  
NOVEMBER 12, 1995  
316-317

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 11m 0s

1200 RTLT=17h 11m 8s

0000 RTLT=17h 11m 14s

VOYAGER 1

FDSL : 11AF

CCSL : A022  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05 / .10 / .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31 0920 |----- 61 [D] -----| 1700 65 [D] 0745 |

1645 |----- 24 [D] -----| 0300

DSN COVERAGE  
HPTXR

32 ----- 45 [D] -----| 1120 2205 |----- 45 [D] -----

1105 |-- 43 [D] --| 1300

1430 |----- 65 [D] -----| 1735

HPTXR

RTLT : 13h 15m 20s

1200 RTLT=13h 15m 30s

0000 RTLT=13h 15m 42s

VOYAGER 2

↓ 2311 SLEW->BD+28 BKGD

FDSL : 11AF

CCSL : B024  
TWNC : ON  
SB : OFF XB : HI  
PYR : .05 / .10 / .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

UV-5A

600(36)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8