

ISSUE DATE: 01/03/96 - 13:11

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
JANUARY 4, 1996
004-005

VCB/MD MTG/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 18m 6s

1200 RTLTL=17h 18m 8s

0000 RTLTL=17h 18m 8s

VOYAGER 1

FDSL : 11AF

CCSL : A022

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

S/C 31 STATUS

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -7.346 sec

ROLLREF = RIGIL
KENTAURUS

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

0840 63 [D]

65 [D] 0825 - 1045

1145

15 [D]

2310

0435 - 63 [D] - 0620

DSN COVERAGE

HPTXR

32

0815 45 [D]

43 [B] 0800 - 1010

1130 65 [D] 1410

1855

45 [D]

HPTXR

RTLTL : 13h 29m 10s

1200 RTLTL=13h 29m 14s

0000 RTLTL=13h 29m 20s

VOYAGER 2

FDSL : 11AF

CCSL : B024

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

▼ 0822 DUMMY (BRACKETED)

↓ 1348 SLEW->HELIO-7

↓ 0149 SLEW->HELIO-6

S/C 32 STATUS

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: 2:40.306 min

ROLLREF = VEGA

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

VGR

VGR

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/03/96 - 13:11

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
JANUARY 5, 1996
005-006

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 18m 8s

1200 RTLTL=17h 18m 8s

0000 RTLTL=17h 18m 10s

VOYAGER 1

U/L 0030 | - | - - - - - TLC (SHORT-FORM) - - - - -

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31 1145 | - - - - - 15 [D] - - - - - | 1545 0425 | - - - - - 65 [D] - - - - -

1530 | - - - - - 12 [D] - - - - - | 2200

2335 | - - - - - 42 - - - - - | 0245

DSN COVERAGE HPTXR

32 | - | 0820 45 [D]
| - - 43 [o] - - - | 0805 - 1005

1850 | - - - - - 45 [D] - - - - -

HPTXR

RTLTL : 13h 29m 20s

1200 RTLTL=13h 29m 24s

0000 RTLTL=13h 29m 28s

VOYAGER 2

↓ 1349 SLEW->HELIO-5

↓ 0149 SLEW->HELIO-4

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

| - - - - - VGR - - - - - |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/03/96 - 13:11

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
JANUARY 6, 1996
006-007

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 18m 10s

1200 RTLTL=17h 18m 10s

0000 RTLTL=17h 18m 10s

VOYAGER 1

FDSL : 11AF

TLC (SHORT-FORM) -----| D/L -| 1916

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31 --- 65 [D] --- | 1035
1145 |----- 15 [D] -----| 2315
2345 |----- 42 [D] -----| 0245
0420 |----- 65 [D] -----

HPTXR

DSN COVERAGE

32 --- 45 [D] --- | 0950
1120 |----- 65 [D] -----| 1350
1845 |----- 45 [D] -----

HPTXR

RTLTL : 13h 29m 28s

1200 RTLTL=13h 29m 32s

0000 RTLTL=13h 29m 36s

VOYAGER 2

↓ 1349 SLEW->HELIO-3

↓ 0149 SLEW->HELIO-2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/03/96 - 13:11

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
JANUARY 7, 1996
007-008

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 18m 10s

1200 RTLT=17h 18m 12s

0000 RTLT=17h 18m 12s

VOYAGER 1

FDSL : 11AF

CCSL : A022

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 --- 65 [D] --- | 1030 1145 |----- 15 [D] -----| 2310 0415 |----- 65 [D] -----|

DSN COVERAGE
HPTXR

32 45 [D] - | 0925 1115 |--- 65 [D] ---| 1350 1900 |----- 45 [D] -----| 2245 43 [o] 0755 |

HPTXR

RTLT : 13h 29m 36s

1200 RTLT=13h 29m 40s

0000 RTLT=13h 29m 44s

VOYAGER 2

↓ 1349 SLEW->HELIO-1

FDSL : 11AF

CCSL : B024

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/03/96 - 13:11

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
JANUARY 8, 1996
008-009

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 18m 12s

1200 RTLT=17h 18m 12s

0000 RTLT=17h 18m 14s

VOYAGER 1

FDSL : 11AF

CCSL : A022

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 --- 65 [D] --- | 1030

1135 | --- 15 [D] --- | 1345

1330 |

2045 |

42 [D] ----- | 0235

0415 | --- 65 [D] ---

HPTXR

DSN COVERAGE

32 --- 43 [o] - | 0930

1115 | --- 65 [D] --- | 1345

1840 |

45 [D] -----

HPTXR

RTLT : 13h 29m 44s

1200 RTLT=13h 29m 48s

0000 RTLT=13h 29m 52s

VOYAGER 2

FDSL : 11AF

CCSL : B024

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

| ----- VGR ----- |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/03/96 - 13:11

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
JANUARY 9, 1996
009-010

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 18m 14s

1200 RTLTL=17h 18m 14s

0000 RTLTL=17h 18m 14s

VOYAGER 1

2145 | 2146 PWS/RH

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

2145
GS-4B 2146

FDS MODE
XB DATA RATE (MI)

CR-5T

CR-5T

160 (32)

160(32)

31 --- 65 [D] --- | 1025 1130 | --- 15 [D] --- | 1545 2045 | --- 42 [D] --- | 0230 0600 | --- 65 [D] --- |

HPTXR

DSN COVERAGE

32 --- 45 [D] - | 0940 1110 | --- 65 [D] --- | 1340 1835- 0755 | --- 45 [D] --- | 43 0740 | -

HPTXR

RTLTL : 13h 29m 52s

1200 RTLTL=13h 29m 54s

0000 RTLTL=13h 29m 58s

VOYAGER 2

2117 | 2118 PWS/RH

FDSL : 11AF

2230 | PLSCAL - | 0013

2230 | --- MAGCAL --- | 0133

2230 | --- PESCAL --- | 0150

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

2117
GS-4B 2118

FDS MODE
XB DATA RATE (MI)

CR-5T

CR-5T

160 (32)

160(32)

VOYAGER COVERAGE

| - - - - - VGR - - - - - |

NOTES

- [1] S/C 32=GS-4B @ 2117 XB=2.8K(41) NOT RECOVERABLE
- [2] S/C 31=GS-4B @ 2145 XB=2.8K(41) NOT RECOVERABLE

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/03/96 - 13:11

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
JANUARY 10, 1996
010-011

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 18m 14s

1200 RTLT=17h 18m 14s

0000 RTLT=17h 18m 14s

VOYAGER 1

▼ 2200 DUMMY (15:18:14)

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 --- 65 [D] --- | 1020
1130 |----- 15 [D] ----- | 1545
2040 |----- 42 ----- | 0225
0345 |----- 63 [D] ----- | 0640 | 65 [D] |

HPTXR

1530 |----- 12 [D] ----- | 2055

DSN COVERAGE

32 --- 43 --- | 0945
1105 |--- 65 [D] --- | 1335
1830 - 0800 |----- 45 [D] -----
43 [o] 0745 |

HPTXR

1200 RTLT=13h 30m 2s

0000 RTLT=13h 30m 6s

RTLT : 13h 29m 58s

VOYAGER 2

▼ 0818 EL-40 (21:48:18)

▼ 0832 CCSL B025 (22:02:35)

▼ 0927 DUMMY (22:57:02)

▼ 0932 CR-5T (23:02:42)

*
2221 || 2225 CCS CHKSUM

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

*
2149

EL-40

40(30)

*
2304

CR-5T

160(32)

VOYAGER COVERAGE

--- VGR --- |----- VGR ----- |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/03/96 - 13:11

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
JANUARY 11, 1996
011-012

VCB/MD MTG/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 18m 14s

1200 RTLTL=17h 18m 14s

0000 RTLTL=17h 18m 14s

VOYAGER 1

FDSL : 11AF

CCSL : A022

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 --- 65 [D] --- | 1015
1125 |----- 15 [D] ----- | 1545
1530 |----- 12 [D] ----- | 2050
2035 |----- 42 [D] ----- | 0225
0340 |--- 63 [D] --- | 0610

DSN COVERAGE

HPTXR

32 0800 45 [D] 1815 |--- 43 [D] --- | 2115 43 [D] 0740 |
43 [o] | 0915 2100- 0755 |----- 45 [D] ----- |
1100 |--- 65 [D] --- | 1335

HPTXR

RTLTL : 13h 30m 6s

1200 RTLTL=13h 30m 8s

0000 RTLTL=13h 30m 12s

VOYAGER 2

FDSL : 11AF

CCSL : B024

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/03/96 - 13:11

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
JANUARY 12, 1996
012-013

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 18m 14s

1200 RTLTL=17h 18m 14s

0000 RTLTL=17h 18m 14s

VOYAGER 1

U/L 0030 | - | ----- TLC (SHORT-FORM) -----

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1125 |----- 15 [D] -----| 1545

1530 |----- 12 [D] -----| 1950

2255 |----- 42 -----| 0220

0355 |----- 65 [D] -----

1935 |----- 14 [D] -----| 2310

DSN COVERAGE
HPTXR

32

43 [D] - | 0940

1825 |----- 45 [D] -----

HPTXR

RTLTL : 13h 30m 12s

1200 RTLTL=13h 30m 16s

0000 RTLTL=13h 30m 18s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/03/96 - 13:11

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
JANUARY 13, 1996
013-014

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 18m 14s

1200 RTLT=17h 18m 16s

0000 RTLT=17h 18m 14s

VOYAGER 1

----- TLC (SHORT-FORM) -----| D/L -| 1916

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 --- 65 [D] --- | 1010
1120 |----- 15 [D] -----| 2250
2330 |--- 42 [D] ----| 0215
0355 |----- 65 [D] -----

HPTXR

DSN COVERAGE

32 45 [D] -| 0925
1055 |--- 65 [D] ---| 1325
1820 |----- 45 [D] -----

HPTXR

RTLT : 13h 30m 18s

1200 RTLT=13h 30m 22s

0000 RTLT=13h 30m 24s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/03/96 - 13:11

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
JANUARY 14, 1996
014-015

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 18m 14s

1200 RTLT=17h 18m 14s

0000 RTLT=17h 18m 14s

VOYAGER 1

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 --- 65 [D] --- | 1005
1115 |----- 15 [D] ----- | 2245

DSN COVERAGE HPTXR

32 45 [D] -| 0920 2030 |----- 42 [D] -----
1050 |--- 65 [D] --- | 1320
1815 |--- 45 [D] --- | 2045

HPTXR

RTLT : 13h 30m 24s

1200 RTLT=13h 30m 28s

0000 RTLT=13h 30m 30s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/03/96 - 13:11

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
JANUARY 15, 1996
015-016

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 18m 14s

1200 RTLT=17h 18m 14s

0000 RTLT=17h 18m 14s

VOYAGER 1

FDSL : 11AF

CCSL : A022

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1110

24 [D]

2240

65 [D] 0730

DSN COVERAGE
HPTXR

32

0810 42 [D]

43 [o] 0815 - 0925

1915 - 0745

42 [D]

43 [o] 0750

HPTXR

RTLT : 13h 30m 30s

1200 RTLT=13h 30m 34s

0000 RTLT=13h 30m 36s

VOYAGER 2

↓ 1630 BEGIN SEQUENCE B025

FDSL : 11AF

CCSL : B024

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE


VGR

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/03/96 - 13:11

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0



ISSUE DATE: 01/03/96 - 13:11

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
JANUARY 17, 1996
017-018

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 18m 14s

1200 RTLT=17h 18m 14s

0000 RTLT=17h 18m 14s

VOYAGER 1

FDSL : 11AF

▼ 2100 DUMMY (14:18:14)

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 --- 65 [D] --- | 0955 1130 |----- 24 [D] -----| 2005 0340 |----- 65 [D] -----|

HPTXR

2030 |----- 42 -----| 0045

DSN COVERAGE

32 45 [D] | 0910 1040 |--- 65 [D] ---| 1310 1805 |----- 45 [D] -----|

HPTXR

RTLT : 13h 30m 42s

1200 RTLT=13h 30m 44s

0000 RTLT=13h 30m 46s

VOYAGER 2

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/03/96 - 13:11

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
JANUARY 18, 1996
018-019

VCB/MD MTG/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 18m 14s

1200 RTLT=17h 18m 12s

0000 RTLT=17h 18m 12s

VOYAGER 1

FDSL : 11AF

CCSL : A022

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 -- 65 [D] -- | 0950 1055 |----- 15 [D] ----- | 2100 0310 |--- 63 [D] --- | 0535 0520 |--- 65 [D] ---

HPTXR

DSN COVERAGE

32 45 [D] | 0905 1035 |--- 65 [D] --- | 1305 1800 - 0755 |----- 45 [D] ----- | 43 0740 |---

HPTXR

RTLT : 13h 30m 46s

1200 RTLT=13h 30m 48s

0000 RTLT=13h 30m 50s

VOYAGER 2

FDSL : 11AF

CCSL : B025

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

VGR

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/03/96 - 13:11

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
JANUARY 19, 1996
019-020

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 18m 12s

1200 RTLTL=17h 18m 12s

0000 RTLTL=17h 18m 12s

VOYAGER 1

U/L 0030 | - | ----- TLC (SHORT-FORM) -----

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

65 [D] - | 0925

1055 | ----- 24 [D] -----

2225

0330 | ----- 65 [D] -----

HPTXR

2225 | ----- 42 ----- | 0150

DSN COVERAGE

32

43 - | 0910

1755 - 0735 | ----- 45 [D] ----- | 43 [D] 0740 |

HPTXR

RTLTL : 13h 30m 50s

1200 RTLTL=13h 30m 54s

0000 RTLTL=13h 30m 56s

VOYAGER 2

▼ 0810 DUMMY (21:40:54)

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

VGR - | ----- VGR ----- |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/03/96 - 13:11

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
JANUARY 20, 1996
020-021

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 18m 12s

1200 RTLTL=17h 18m 10s

0000 RTLTL=17h 18m 10s

VOYAGER 1

----- TLC (SHORT-FORM) ----- D/L -| 1916

FDSL : 11AF

CCSL : A022

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

65 [D] --| 0945

1045 |

15 [D] -----|

2000 |-----| 2015

0325 |

65 [D] -----|

HPTXR

DSN COVERAGE

32

43 [D] | 0905

1030 |

65 [D] ----| 1300

1750 - 0735 |

45 [D] -----|

43 [D] 0740 |

HPTXR

RTLTL : 13h 30m 56s

1200 RTLTL=13h 30m 58s

0000 RTLTL=13h 31m 0s

VOYAGER 2

FDSL : 11AF

CCSL : B025

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/03/96 - 13:11

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
JANUARY 21, 1996
021-022

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 18m 10s

1200 RTLT=17h 18m 10s

0000 RTLT=17h 18m 8s

VOYAGER 1

FDSL : 11AF

CCSL : A022

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 -- 65 [D] -- | 0940 1050 |----- 24 [D] -----| 2215 0325 |----- 65 [D] -----|

DSN COVERAGE
HPTXR

32 43 [D] | 0905 1025 |--- 65 [D] ---| 1255 1725 |----- 15 [D] -----| 2125 43 [D] 0735 |---

HPTXR

RTLT : 13h 31m 0s

1200 RTLT=13h 31m 2s

0000 RTLT=13h 31m 4s

VOYAGER 2

FDSL : 11AF

CCSL : B025

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8