

ISSUE DATE: 02/07/96 - 10:33

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
FEBRUARY 8, 1996
039-040

VCB/MD MTG/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 17m 26s

1200 RTLT=17h 17m 24s

0000 RTLT=17h 17m 22s

VOYAGER 1

FDSSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

S/C 31 STATUS

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -7.432 sec

ROLLREF = RIGIL
KENTAURUS

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 -- 61 [D] -- 0950

0935 |-----

15 [D] -----

1850 |-----

1905

0220 |-----

63 [D] --

0410 |-----

0425

65 [D] -----

DSN COVERAGE
HPTXR

32

1640 - 0740 |-----

45 [D,1] -----

43 [o,1] 0710 - 0750 |-----

HPTXR

RTLT : 13h 31m 30s

1200 RTLT=13h 31m 30s

0000 RTLT=13h 31m 28s

VOYAGER 2

FDSSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

S/C 32 STATUS

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: 2:35.977 min

ROLLREF = VEGA

↓ 0149 SLEW->HELIO-13

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

[1] DSS 43/45 TEST ARRAY (0710-0750)

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/07/96 - 10:33

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
FEBRUARY 9, 1996
040-041

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 17m 22s

1200 RTLTL=17h 17m 20s

0000 RTLTL=17h 17m 18s

VOYAGER 1

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31 0830 65 [D] 0930 15 [D] 1545 0630 65 [D]

DSN COVERAGE

HPTXR
32

0915 65 [D] 1140 1740 42 [o] 0325 0310 45 [D] 0650 0640 - 0745 43 [o]

HPTXR

RTLTL : 13h 31m 28s

1200 RTLTL=13h 31m 28s

0000 RTLTL=13h 31m 28s

VOYAGER 2

0149 SLEW->HELIO-14

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

VGR

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/07/96 - 10:33

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
FEBRUARY 10, 1996
041-042

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 17m 18s

1200 RTLTL=17h 17m 16s

0000 RTLTL=17h 17m 14s

VOYAGER 1

U/L 1945 | - | - - - - - TLC (SHORT-FORM) - - - - -

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31 65 [D] - | 0930
0925 | - - - - -

0205 | - - - - - 65 [D] - - - - -

HPTXR

15 [D] - - - - - | 1855
1840 | - - - - - 42 - - - - - | 0025

DSN COVERAGE

32

1630 | - - - - - 45 [D] - - - - -

| 0600
0545 - 0715 | - 43 [o] - |

HPTXR

RTLTL : 13h 31m 28s

1200 RTLTL=13h 31m 28s

0000 RTLTL=13h 31m 26s

VOYAGER 2

↓ 0149 SLEW->HELIO-15

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

- - - - - ON CALL - - - - -

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/07/96 - 10:33

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
FEBRUARY 11, 1996
042-043

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 17m 14s

1200 RTLT=17h 17m 12s

0000 RTLT=17h 17m 10s

VOYAGER 1

----- TLC (SHORT-FORM) ----- † D/L -| 1430

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31 | 0820 65 [D] | 0200 | 65 [D] |
0920 |----- 15 [D] -----| 1855
1835 |----- 42 [D] -----| 0020

DSN COVERAGE
HPTXR

32 | 0905 | 65 [D] | 1130 | 0630 - 0740 | 43 [o] |
1630 |----- 45 [D] -----| 2245

HPTXR

RTLT : 13h 31m 26s

1200 RTLT=13h 31m 26s

0000 RTLT=13h 31m 26s

VOYAGER 2

↓ 0149 SLEW->HELIO-16

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/07/96 - 10:33

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
FEBRUARY 12, 1996
043-044

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 17m 10s

1200 RTLT=17h 17m 10s

0000 RTLT=17h 17m 8s

VOYAGER 1

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 | 0815 65 [D] | 0155 |----- 65 [D] -----|

0920 |----- 15 [D] -----| 1845

1830 |----- 42 [D] -----| 0020

HPTXR

DSN COVERAGE

32 | 0900 |--- 65 [D] ---| 1130

1625 - 0725 |----- 45 [D] -----|

HPTXR

RTLT : 13h 31m 26s

1200 RTLT=13h 31m 24s

0000 RTLT=13h 31m 24s

VOYAGER 2

↓ 0149 SLEW->HELIO-17

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/07/96 - 10:33

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
FEBRUARY 13, 1996
044-045

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 17m 8s

1200 RTLTL=17h 17m 6s

0000 RTLTL=17h 17m 4s

VOYAGER 1

▼ 1900 DUMMY (12:17:04)

1945 | 1946 PWS/RH

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1945
GS-4B 1946

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

CR-5T
160(32)

31 | 0815 65 [D] | 0150 | 65 [D]

0915 | 15 [D] | 1845 | 1830 | 42 | 0015

DSN COVERAGE
HPTXR

32 | 0900 | 65 [D] | 1125 | 1620 - 0720 | 45 [D,3] | 43 [o,3] 0630 - 0730

HPTXR

RTLTL : 13h 31m 24s

1200 RTLTL=13h 31m 22s

0000 RTLTL=13h 31m 22s

VOYAGER 2

1917 | 1918 PWS/RH

↓ 0149 SLEW->HELIO-18

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1917
GS-4B 1918

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

CR-5T
160(32)

VOYAGER COVERAGE

| VGR |

NOTES

- [1] S/C 32=GS-4B @ 1917 XB=2.8K(41) NOT RECOVERABLE
- [2] S/C 31=GS-4B @ 1945 XB=2.8K(41) NOT RECOVERABLE
- [3] DSS 43/45 TEST ARRAY (0630-0730)

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/07/96 - 10:33

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
FEBRUARY 15, 1996
046-047

VCB/MD MTG/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 17m 0s

1200 RTLT=17h 16m 58s

0000 RTLT=17h 16m 56s

VOYAGER 1

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 0805 65 [D] 0905 |----- 15 [D] -----| 1945 0400 - 0800 |----- 65 [D] -----

0125 |----- 63 [D] -----| 0415

DSN COVERAGE HPTXR

32 0850 |----- 65 [D] -----| 1115

1715 |----- 42 [o] -----| 0610 0615 - 0725 | - 43 - |

HPTXR

RTLT : 13h 31m 20s

1200 RTLT=13h 31m 18s

0000 RTLT=13h 31m 18s

VOYAGER 2

↓ 0149 SLEW->HELIO-20

FDSL : 11AF

DUMMY (20:16:18) 0645 ▼

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

| VGR |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/07/96 - 10:33

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
FEBRUARY 16, 1996
047-048

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 16m 56s

1200 RTLTL=17h 16m 54s

0000 RTLTL=17h 16m 52s

VOYAGER 1

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 0800 65 [D] 0905 |----- 15 [D] -----| 1945 0305 |----- 61 -----|

DSN COVERAGE
HPTXR

32 |-- 65 [D] --| 0845 - 1045 1610 |-- 45 [D] --| 1745 0550 - 0720 |-- 43 [o] --|

HPTXR

1730 |----- 42 [o] -----| 0605

RTLTL : 13h 31m 18s

1200 RTLTL=13h 31m 16s

0000 RTLTL=13h 31m 14s

VOYAGER 2

↓ 2249 SLEW->HELIO-X17

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/07/96 - 10:33

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
FEBRUARY 17, 1996
048-049

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 16m 52s

1200 RTLTL=17h 16m 48s

0000 RTLTL=17h 16m 46s

VOYAGER 1

U/L 1030 | - | - - - - - TLC (SHORT-FORM) - - - - - | D/L - | 0515

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

61 - - - - - | 1115

1530 | - - - - - 15 [D] - - - - - | 2040

0300 | - - - - - 61 [D] - - - - -

DSN COVERAGE
HPTXR

32

1710 | - - - - - 42 [o] - - - - - | 0600

HPTXR

RTLTL : 13h 31m 14s

1200 RTLTL=13h 31m 14s

0000 RTLTL=13h 31m 12s

VOYAGER 2

↓ 2249 SLEW->HELIO-X16

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

- - - - - ON CALL - - - - -

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/07/96 - 10:33

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
FEBRUARY 18, 1996
049-050

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 16m 46s

1200 RTLT=17h 16m 44s

0000 RTLT=17h 16m 42s

VOYAGER 1

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 61 [D] ----- | 1110

1600 |----- 15 [D] -----| 2035

0515 |----- 61 [D] -----

DSN COVERAGE
HPTXR

32

1705 |----- 42 [o] -----| 2345

0605 - 0715 | 43 [o] |

HPTXR

RTLT : 13h 31m 12s

1200 RTLT=13h 31m 10s

0000 RTLT=13h 31m 10s

VOYAGER 2

↓ 2249 SLEW->HELIO-X15

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/07/96 - 10:33

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
FEBRUARY 19, 1996
050-051

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 16m 42s

1200 RTLT=17h 16m 40s

0000 RTLT=17h 16m 38s

VOYAGER 1

↓ 1739 SLEW->HELIO-20A

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 61 [D] ----- | 1105

1555 |----- 12 [D] -----| 1905

0700 | 61 [D]

DSN COVERAGE
HPTXR

32

1700 |----- 42 [o] -----|

0340

0325 |----- 45 [D] -----| 0655

HPTXR

RTLT : 13h 31m 10s

1200 RTLT=13h 31m 8s

0000 RTLT=13h 31m 6s

VOYAGER 2

↓ 2249 SLEW->HELIO-X14

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE


|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/07/96 - 10:33

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0



ISSUE DATE: 02/07/96 - 10:33

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
FEBRUARY 21, 1996
052-053

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 16m 34s

1200 RTLTL=17h 16m 32s

0000 RTLTL=17h 16m 30s

VOYAGER 1

↓ 1739 SLEW->HELIO-18A

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31

61 [D] -----| 1100

1045 |----- 12 [D] -----| 1545

0100 |----- 63 [D] -----| 0350

DSN COVERAGE
HPTXR

32

1655 |----- 42 [o] -----| 0345

0555 | - 43 - | 0700

HPTXR

RTLTL : 13h 31m 2s

1200 RTLTL=13h 31m 2s

0000 RTLTL=13h 31m 0s

VOYAGER 2

↓ 2249 SLEW->HELIO-X12

FDSL : 11AF

DUMMY (19:56:00) 0625 ▼

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

|----- VGR -----|

| VGR |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/07/96 - 10:33

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
FEBRUARY 22, 1996
053-054

VCB/MD MTG/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 16m 30s

1200 RTLTL=17h 16m 28s

0000 RTLTL=17h 16m 26s

VOYAGER 1

↓ 1739 SLEW->HELIO-17A

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1000 |----- 12 [D] -----| 1855

0635 | 61 [D] |

0055 |----- 63 [D] -----| 0350

DSN COVERAGE
HPTXR

32

1650 |----- 42 [o] -----| 0545

0530 | 43 [o] | 0700

HPTXR

RTLTL : 13h 31m 0s

1200 RTLTL=13h 30m 58s

0000 RTLTL=13h 30m 56s

VOYAGER 2

↓ 2249 SLEW->HELIO-X11

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/07/96 - 10:33

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
FEBRUARY 23, 1996
054-055

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 16m 26s

1200 RTLTL=17h 16m 24s

0000 RTLTL=17h 16m 22s

VOYAGER 1

↓ 1739 SLEW->HELIO-16A

U/L 0800

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 ----- 61 [D] ----- | 1045 0630 | - 61 - -

1030 |----- 12 [D] ----- | 1850

0055 |----- 63 [D] ----- | 0350

DSN COVERAGE HPTXR

32

1645 |----- 42 [O] ----- | 0320

0310 |----- 45 [D] ----- | 0640

HPTXR

RTLTL : 13h 30m 56s

1200 RTLTL=13h 30m 54s

0000 RTLTL=13h 30m 52s

VOYAGER 2

↓ 2249 SLEW->HELIO-X10

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/07/96 - 10:33

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
FEBRUARY 24, 1996
055-056

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 16m 22s

1200 RTLTL=17h 16m 18s

0000 RTLTL=17h 16m 16s

VOYAGER 1 U/L | 0800 |-----| TLC (SHORT-FORM) |-----| D/L | 0244

↓ 1739 SLEW->HELIO-15A

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE CR-5T
XB DATA RATE (MI) 160(32)

31 ----- 61 ----- | 1045

1030 |-----| 12 [D] |-----| 1845

0055 |----- 63 [D] -----| 0345

DSN COVERAGE HPTXR

32

1640 |-----| 42 [o] |-----| 0535

0540 | 43 [o] | 0650

HPTXR

RTLTL : 13h 30m 52s

1200 RTLTL=13h 30m 50s

0000 RTLTL=13h 30m 48s

VOYAGER 2

↓ 2249 SLEW->HELIO-X9

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE CR-5T
XB DATA RATE (MI) 160(32)

VOYAGER COVERAGE |-----| ON CALL |-----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/07/96 - 10:33

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
FEBRUARY 25, 1996
056-057

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 16m 16s

1200 RTLTL=17h 16m 14s

0000 RTLTL=17h 16m 12s

VOYAGER 1

↓ 1739 SLEW->HELIO-14A

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1015 |----- 12 [D] -----| 1840

0610 |-- 61 [D] --

DSN COVERAGE
HPTXR

32

1640 |----- 42 [o] -----| 2345

0540 | 43 [o] | 0645

HPTXR

RTLTL : 13h 30m 48s

1200 RTLTL=13h 30m 46s

0000 RTLTL=13h 30m 44s

VOYAGER 2

↓ 2249 SLEW->HELIO-X8

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8