

ISSUE DATE: 05/01/96 - 09:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
MAY 2, 1996
123-124

VCB/MD MTG/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 17h 14m 8s

1200 RTLTL=17h 14m 10s

0000 RTLTL=17h 14m 12s

VOYAGER 1

FDSL : 11AF

CCSL : A023
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : ON

S/C 31 STATUS
FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -7.530 sec
ROLLREF = RIGIL
KENTAURUS

↓ 2123 SLEW-> SUN +1 EL
↓ 2207 SLEW->-2 DELTA EL ACROSS SUN
2207 | 2224 SUNMON
↓ 2216 SLEW->+2 DELTA EL ACROSS SUN
↓ 2226 SLEW->SAFE

AAI 0624 ↓
MAGROL 0627 | - -

FDS MODE
XB DATA RATE (MI)

CR-05
160 (32)

2109 2228
UV-5A
600(36)

CR-5T
160(32)

31

1320 |----- 42 [D] -----| 1900

0100 |----- 61 [D] -----| 0430 |--- 15 [D] ---| 0445

2045 |----- 63 [D] -----| 2355

DSN COVERAGE
HPTXR

32

1110 |----- 45 [D] -----| 0220

0400 |--- 65 [D] ---| 0600

HPTXR

RTLTL : 13h 22m 56s

1200 RTLTL=13h 22m 52s

0000 RTLTL=13h 22m 50s

VOYAGER 2

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

S/C 32 STATUS
FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: 2:25.970 min
ROLLREF = VEGA

COMMAND MORATORIUM
↓ 1706 GYRO INIT
↓ 1706 GYROS AB ON
↓ 1716 GYRO FAULT TEST

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

|----- VGR -----|

| VGR |

NOTES

[1] S/C 31 - D/L AGC VARIATIONS EXPECTED DURING MAGROL (0627-1222)

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/01/96 - 09:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
MAY 3, 1996
124-125

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 14m 12s

1200 RTLT=17h 14m 14s

0000 RTLT=17h 14m 16s

VOYAGER 1

- ↓ 1215 RAI
- ↓ 1222 CRU
- ↓ 1222 GYROS OFF

FDSL : 11AF

CCSL : A023
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : ON

MAGROL -----| 1222

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 -----15 [D] -----| 1335 -----0355 |-----24 [D] -----

1315 |-----45 [D] -----| 1755

0005 |-----61 [D] -----| 0405

DSN COVERAGE
HPTXR

32 -----1210 |-----42 [o] -----| 1855 -----45 [D] -----| 0215 -----0400 |-----65 [D] -----| 0555

HPTXR

RTLT : 13h 22m 50s

1200 RTLT=13h 22m 46s

0000 RTLT=13h 22m 44s

VOYAGER 2

-----COMMAND MORATORIUM -----| 0343

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

-----VGR -----| -----VGR -----|

NOTES

[1] S/C 31 - D/L AGC VARIATIONS EXPECTED DURING MAGROL (0627-1222)

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/01/96 - 09:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
MAY 4, 1996
125-126

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 14m 16s

1200 RTLT=17h 14m 18s

0000 RTLT=17h 14m 20s

VOYAGER 1

U/L 0305 | - | TLC (SHORT-FORM) -

FDSL : 11AF

CCSL : A023
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 24 [D] ----- | 1330

2325 | ----- 61 ----- | 0355 | ----- 24 [D] -----
0400

DSN COVERAGE
HPTXR

32

1205 | ----- 42 [o] ----- | 0105

0055 | 43 [o] - | 0220

HPTXR

RTLT : 13h 22m 44s

1200 RTLT=13h 22m 40s

0000 RTLT=13h 22m 38s

VOYAGER 2

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/01/96 - 09:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
MAY 5, 1996
126-127

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7


RTLT : 17h 14m 20s
1200 RTLT=17h 14m 22s
0000 RTLT=17h 14m 24s

VOYAGER 1
----- TLC (SHORT-FORM) ----- + D/L -| 2147

FDSL : 11AF

CCSL : A023
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI) CR-5T
160(32)



RTLT : 13h 22m 38s
1200 RTLT=13h 22m 34s
0000 RTLT=13h 22m 32s

VOYAGER 2

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI) CR-5T
160 (32)

VOYAGER COVERAGE ----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/01/96 - 09:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
MAY 6, 1996
127-128

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 14m 24s

1200 RTLT=17h 14m 26s

0000 RTLT=17h 14m 28s

VOYAGER 1

↓ 0838 SLEW->BD+28 4211

↓ 2353 SLEW->BKGND

FDSL : 11AF

CCSL : A023
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

0828

CR-5T
160(32)

UV-5A
600(36)

2343

CR-5T
160(32)

31 ----- 15 [D] ----- | 1320

1305 |----- 45 [D] ----- | 1745

2000 |----- 63 [D] ----- | 2345

2330 |----- 61 [D] ----- | 0400

0345 |----- 24 [D] -----

DSN COVERAGE
HPTXR

32

1200 |----- 42 [o] ----- | 1845

1830 |----- 45 [D] ----- | 0100

0045 |-- 43 -- | 0215

HPTXR

RTLT : 13h 22m 32s

1200 RTLT=13h 22m 28s

0000 RTLT=13h 22m 26s

VOYAGER 2

↓ 1705 GYRO INIT

▼ 0130 DUMMY (14:52:26)

0222 |-- COMMAND MORATORIUM --

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

|----- VGR -----|

| VGR |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/01/96 - 09:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
MAY 7, 1996
128-129

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

VOYAGER 1

RTLTL : 17h 14m 28s
1200 RTLTL=17h 14m 30s | 0000 RTLTL=17h 14m 32s

FDSL : 11AF
CCSL : A023
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

1455 | 1456 PWS/RH
↓ 2023 SLEW->ALPHA VIR
↓ 2343 SLEW->HELIO-16A

FDS MODE	CR-5T	CR-5T	2008	UV-5A	2339	CR-5T
XB DATA RATE (MI)	160(32)	160(32)		600(36)		160(32)

DSN COVERAGE

HPTXR
31
24 [D] | 1315 | 1300 | 42 [D] | 1840 | 2325 | 61 [D] | 0535 | 15 [D]

HPTXR
32
1050 | 45 [D] | 0200 | 0345 | 65 [D] | 0535

VOYAGER 2

RTLTL : 13h 22m 26s
1200 RTLTL=13h 22m 22s | 0000 RTLTL=13h 22m 20s

FDSL : 11AF
CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

1425 | 1425 PWS/RH
↓ 1514 BAY 1 HTR OFF
↓ 1518 X/B HI POWER
↓ 1601 SLEW-> SUN +1 EL
↓ 1645 SLEW->2 DELTA EL ACROSS SUN
1645 | 1701 SUNMON
↓ 1653 SLEW->+2 DELTA EL ACROSS SUN
↓ 1703 SLEW->SAFE

FDS MODE	CR-5T	CR-5T	UV-5A	1546	1705	CR-5T
XB DATA RATE (MI)	160 (32)	160(32)	600(36)			160(32)

VOYAGER COVERAGE
|----- VGR -----|

NOTES
[1] S/C 32=GS-4B @ 1425 XB=2.8K(41) NOT RECOVERABLE
[2] S/C 31=GS-4B @ 1455 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/01/96 - 09:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
MAY 8, 1996
129-130

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 14m 32s

1200 RTLT=17h 14m 34s

0000 RTLT=17h 14m 36s

VOYAGER 1

▼ 1600 DUMMY (09:14:36)

FDSL : 11AF

CCSL : A023
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

HPTXR

DSN COVERAGE

32

HPTXR

RTLT : 13h 22m 20s

1200 RTLT=13h 22m 16s

0000 RTLT=13h 22m 14s

VOYAGER 2

COMMAND MORATORIUM

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

VGR

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/01/96 - 09:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
MAY 9, 1996
130-131

VCB/MD MTG/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 17h 14m 36s

1200 RTLTL=17h 14m 40s

0000 RTLTL=17h 14m 42s

VOYAGER 1

↓ 1320 X/B LOW POWER
↓ 1324 BAY 1 HTR ON

↓ 1738 SLEW->HELIO-20A


SLEW->HELIO-19A 0538 ↓

FDSL : 11AF

CCSL : A023
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)



RTLTL : 13h 22m 14s

1200 RTLTL=13h 22m 12s

0000 RTLTL=13h 22m 8s

VOYAGER 2

↓ 1543 AAI
1546

COMMAND MORATORIUM

MAGROL --- 2142
↓ 2135 RAI
↓ 2142 CRU
↓ 2142 GYROS OFF

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

----- VGR -----

NOTES

[1] S/C 32 - D/L AGC VARIATIONS EXPECTED DURING MAGROL (1546-2142)

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/01/96 - 09:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
MAY 10, 1996
131-132

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 17h 14m 42s

1200 RTLTL=17h 14m 44s

0000 RTLTL=17h 14m 46s

VOYAGER 1

↓ 1738 SLEW->HELIO-18A

SLEW->HELIO-17A 0538 ↓

FDSL : 11AF

CCSL : A023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

24 [D]

1300

0330

24 [D]

1245

42 [D]

1830

2130

61 [D]

0335

HPTXR

DSN COVERAGE

32

1035

15 [D]

1405

45 [D]

0145

0330

65 [D]

0525

HPTXR

RTLTL : 13h 22m 8s

1200 RTLTL=13h 22m 6s

0000 RTLTL=13h 22m 4s

COMMAND MORATORIUM

VOYAGER 2

TAPPOS 0429 | 0457

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

VGR

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/01/96 - 09:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
MAY 11, 1996
132-133

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 14m 46s

1200 RTLT=17h 14m 50s 0000 RTLT=17h 14m 52s

VOYAGER 1

U/L 1335 | - | ----- TLC (SHORT-FORM) -----

FDSL : 11AF

↓ 1738 SLEW->HELIO-16A

SLEW->HELIO-15A 0538 ↓

CCSL : A023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

24 [D]

1300

0325

15 [D]

1245

42

1825

2000

65 [D]

2325

HPTXR

DSN COVERAGE

32

1145

43 [o,A]

1645

1145

45 [D,A]

0010

0025

43 [o]

0155

HPTXR

RTLT : 13h 22m 4s

1200 RTLT=13h 22m 0s

0000 RTLT=13h 21m 58s

VOYAGER 2

-----| 0820 COMMAND MORATORIUM

↓ 1156 YAW=.05

FDSL : 11AF

1207 | ----- PLAYBACK ----- | 1635

↓ 1644 YAW=.10

0344 | - - | 0425 TAPPOS

CCSL : B025
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

PB-05

7.2K(41)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

+ ----- VGR -----

+ ----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/01/96 - 09:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
MAY 12, 1996
133-134

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 14m 52s

1200 RTLT=17h 14m 54s

0000 RTLT=17h 14m 58s

VOYAGER 1

TLC (SHORT-FORM)
D/L -|0818

↓ 1738 SLEW->HELIO-14A

SLEW->HELIO-13A 0538 ↓

FDSL : 11AF

CCSL : A023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 15 [D] ----- | 1505 ----- 0320 |----- 15 [D] -----

1450 |----- 42 [D] ----- | 1820

2125 |----- 61 [D] ----- | 0325

DSN COVERAGE
HPTXR

32 ----- 1030 |----- 45 [D] ----- | 1925 ----- 0325 |----- 65 [D] ----- | 0515

1920 |----- 42 [o] ----- | 2345

HPTXR

RTLT : 13h 21m 58s

1200 RTLT=13h 21m 56s

0000 RTLT=13h 21m 52s

VOYAGER 2

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/01/96 - 09:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
MAY 13, 1996
134-135

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 14m 58s

1200 RTLT=17h 15m 0s

0000 RTLT=17h 15m 4s

VOYAGER 1

↓ 1738 SLEW->HELIO-12A

SLEW->HELIO-11A 0538 ↓

FDSL : 11AF

CCSL : A023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 15 [D] ----- | 1500 ----- 2300 |----- 61 [D] ----- | 0525

1445 |----- 42 [D] ----- | 1815

1930 |----- 63 [D] ----- | 2315

DSN COVERAGE HPTXR

32 ----- 1025 |----- 45 [D] ----- | 1930

1915 |----- 42 [o] ----- | 0030

HPTXR

RTLT : 13h 21m 52s

1200 RTLT=13h 21m 50s

0000 RTLT=13h 21m 48s

VOYAGER 2

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE


|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/01/96 - 09:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0



ISSUE DATE: 05/01/96 - 09:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
MAY 15, 1996
136-137

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 15m 10s

1200 RTLT=17h 15m 12s

0000 RTLT=17h 15m 16s

VOYAGER 1

FDSL : 11AF

▼ 1600 DUMMY (09:15:16)

↓ 1738 SLEW->HELIO-9A

SLEW->HELIO-8A 0538 ↓

CCSL : A023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 15 [D] ----- | 1450

1435 |----- 42 -----| 1810

2110 |----- 61 [D] -----| 0520

DSN COVERAGE
HPTXR

32

1015 |----- 45 [D] -----| 0130

HPTXR

RTLT : 13h 21m 44s

1200 RTLT=13h 21m 42s

0000 RTLT=13h 21m 38s

VOYAGER 2

FDSL : 11AF

↓ 2344 SLEW->CHI LUP

CCSL : B025
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A

600(36)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/01/96 - 09:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
MAY 16, 1996
137-138

VCB/MD MTG/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 17h 15m 16s

1200 RTLTL=17h 15m 20s

0000 RTLTL=17h 15m 22s

VOYAGER 1

↓ 1738 SLEW->HELIO-7A

SLEW->HELIO-6A 0538 ↓

FDSL : 11AF

CCSL : A023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 0750 |----- 24 [D] -----| 1240

1225 |----- 42 [D] -----| 1805

2250 |----- 65 [D] -----| 0305

0225 |----- 15 [D] -----|

HPTXR

DSN COVERAGE

32

1015 |----- 45 [D] -----| 0120

0310 |----- 65 [D] -----| 0500

HPTXR

RTLTL : 13h 21m 38s

1200 RTLTL=13h 21m 36s

0000 RTLTL=13h 21m 34s

VOYAGER 2

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A

600(36)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/01/96 - 09:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
MAY 17, 1996
138-139

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 17h 15m 22s

1200 RTLTL=17h 15m 26s

0000 RTLTL=17h 15m 30s

VOYAGER 1

↓ 1738 SLEW->HELIO-5A

FDSL : 11AF

U/L 0335 | - |
TLC (SHORT-FORM) | - |
SLEW->HELIO-4A 0538 ↓

CCSL : A023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 15 [D] ----- | 1445 ----- 0455 | --- 15 [D] ---

1430 | ----- 42 [D] ----- | 1800

2305 | ----- 61 ----- | 0510

DSN COVERAGE
HPTXR

32 ----- 1010 | ----- 45 [D] ----- | 0015 ----- 0000 | - 43 [o] - | 0130

0345 | 65 [D] | 0455

HPTXR

RTLTL : 13h 21m 34s

1200 RTLTL=13h 21m 32s

0000 RTLTL=13h 21m 30s

VOYAGER 2

COMMAND MORATORIUM

↓ 2044 X/B LOW POWER

↓ 2048 BAY 1 HTR ON

↓ 2344 SLEW->NGP

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A

600(36)

2315

CR-5T

160(32)

VOYAGER COVERAGE

| ----- VGR ----- |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/01/96 - 09:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
MAY 18, 1996
139-140

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 17h 15m 30s

1200 RTLTL=17h 15m 32s

0000 RTLTL=17h 15m 36s

VOYAGER 1

↓ 1738 SLEW->HELIO-3A

FDSL : 11AF

TLC (SHORT-FORM)

D/L -| 2219

SLEW->HELIO-2A 0538 ↓

CCSL : A023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

15 [D]

1415 |-----| 1430

42 [D]

1755

2100 |-----|

61 [D]

0450 |--- 15 [D] ---

0505

DSN COVERAGE

HPTXR

32

1010 |-----|

45 [D]

1910

1855 |-----|

42 [o]

0010

0300 |--- 65 [D] ---

0450

HPTXR

RTLTL : 13h 21m 30s

1200 RTLTL=13h 21m 28s

0000 RTLTL=13h 21m 26s

VOYAGER 2

COMMAND MORATORIUM

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/01/96 - 09:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
MAY 19, 1996
140-141

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 17h 15m 36s

1200 RTLTL=17h 15m 40s

0000 RTLTL=17h 15m 44s

VOYAGER 1

↓ 1738 SLEW->HELIO-1A

FDSL : 11AF

CCSL : A023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

15 [D]

1215 | 1230

42 [D] | 1755

2055 |

61 [D]

0505

DSN COVERAGE
HPTXR

32

1000 |

45 [D]

1915 | 1930

42 [o] | 2245

0300 | 65 [D] | 0445

HPTXR

RTLTL : 13h 21m 26s

0727 COMMAND MORATORIUM

1200 RTLTL=13h 21m 24s

0000 RTLTL=13h 21m 22s

VOYAGER 2

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7