

ISSUE DATE: 09/11/96 - 08:23

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
SEPTEMBER 12, 1996
256-257

VCB/MD MTG/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 17h 50m 58s

1200 RTLTL=17h 51m 10s

0000 RTLTL=17h 51m 22s

↓ 2256 SLEW->HELIO-2A

VOYAGER 1

S/C 31 STATUS

FDSL : 11AF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -8.243 sec

CCSL : A023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

ROLLREF = RIGIL
KENTAURUS

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31

1130 | --- 63 [D] --- | 1420

1405 | ----- 65 [D] ----- | 2310

2330 - 0650 | ----- 15 [D] ----- |

HPTXR
DSN COVERAGE

32

----- 45 [D] ----- | 1650

1645 | --- | 1740 43 [o]

0210 | ----- 45 [D] ----- |

HPTXR

RTLTL : 13h 41m 4s

1200 RTLTL=13h 41m 14s

0000 RTLTL=13h 41m 26s

2324 | ----- COMMAND MORATORIUM -----

VOYAGER 2

S/C 32 STATUS

FDSL : 11AF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: 2:09.961 min

CCSL : B026
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : ON

ROLLREF = VEGA

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

AAI 0637 ↓
MAGROL 0640 |

VOYAGER COVERAGE

| ----- VGR ----- |

VGR |

NOTES

[1] S/C 32 - D/L AGC VARIATIONS EXPECTED DURING MAGROL (0640-1235)

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/11/96 - 08:23

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
SEPTEMBER 13, 1996
257-258

□ SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 51m 22s

1200 RTLT=17h 51m 34s

0000 RTLT=17h 51m 46s

VOYAGER 1

↓ 1558 GYRO INIT

U/L 1805 | - | - - - - - TLC (SHORT-FORM) - - - - -

↓ 2256 SLEW->HELIO-1A

FDSL : 11AF

CCSL : A023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

1500 | - - - - - 61 - - - - - | 1935

42 [D] 0630 | - - - - -

1920 - 0640 | - - - - - 15 [D] - - - - - |

DSN COVERAGE
HPTXR

32

45 [D] - - - - - | 1725

0205 | - - - - - 45 [D] - - - - -

HPTXR

RTLT : 13h 41m 26s

1200 RTLT=13h 41m 38s

0000 RTLT=13h 41m 48s

- - - - - COMMAND MORATORIUM - - - - -

VOYAGER 2

↓ 1228 RAI

MAGROL - - - - - | 1235

FDSL : 11AF

↓ 1235 CRU

↓ 1235 GYROS OFF

CCSL : B026
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

- - - - - VGR - - - - - | - - - - - VGR - - - - - |

NOTES

[1] S/C 32 - D/L AGC VARIATIONS EXPECTED DURING MAGROL (0640-1235)

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/11/96 - 08:23

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
SEPTEMBER 14, 1996
258-259

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 51m 46s
 VOYAGER 1
 FDSL : 11AF
 CC SL : A023
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : ON

----- TLC (SHORT-FORM) ----- | D/L - | 1325
 ↓ 2257 SLEW->VW HYI

1200 RTLT=17h 51m 58s
 0000 RTLT=17h 52m 10s

FDS MODE CR-5T
 XB DATA RATE (MI) 160 (32)

DSN COVERAGE

HPTXR
 31 ----- 42 [D] ----- | 1045
 1145 |----- 65 [D] ----- | 2300
 2255 - 0645 |----- 15 [D] ----- |

HPTXR
 32 ----- 45 [D] ----- | 1640
 1630 | 43 [o] | 1730
 0200 |----- 45 [D] ----- |

RTLT : 13h 41m 48s
 VOYAGER 2
 FDSL : 11AF
 CC SL : B026
 TWNC : ON
 SB : OFF XB : HI
 PYR : .05/ .10/ .25
 GYROS : OFF

----- COMMAND MORATORIUM ----- | 2253

1200 RTLT=13h 42m 0s
 0000 RTLT=13h 42m 12s

FDS MODE CR-5T
 XB DATA RATE (MI) 160 (32)

VOYAGER COVERAGE ----- ON CALL -----

0656
UV-5A

NOTES [1] S/C 32=UV-5A @ 0656 XB=600(36)

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/11/96 - 08:23

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
SEPTEMBER 15, 1996
259-260

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 52m 10s
 VOYAGER 1
 FDSL : 11AF
 CCSL : A023
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : ON

1200 RTLT=17h 52m 22s
 0000 RTLT=17h 52m 32s

FDS MODE CR-5T
 XB DATA RATE (MI) 160 (32)

DSN COVERAGE HPTXR

31 1140 |----- 65 [D] -----| 0000 - 0640 |----- 15 [D] -----| 2300

32 |----- 45 [D] -----| 1720 0155 |----- 45 [D] -----|

HPTXR

RTLT : 13h 42m 12s
 VOYAGER 2
 FDSL : 11AF
 CCSL : B026
 TWNC : ON
 SB : OFF XB : HI
 PYR : .05/ .10/ .25
 GYROS : OFF

1200 RTLT=13h 42m 24s
 0000 RTLT=13h 42m 34s

↓ 0710 SLEW-> SUN +1 EL
 ↓ 0754 SLEW->-2 DELTA EL ACROSS SUN
 0754 | 0811 SUNMON
 ↓ 0803 SLEW->+2 DELTA EL ACROSS SUN
 ↓ 0813 SLEW->SAFE

0815

FDS MODE UV-5A CR-5T
 XB DATA RATE (MI) 600(36) 160(32)

VOYAGER COVERAGE |----- ON CALL -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/11/96 - 08:23

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
SEPTEMBER 16, 1996
260-261

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 52m 32s
 VOYAGER 1
 FDSL : 11AF
 CCSL : A023
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : ON

1200 RTLT=17h 52m 44s
 0000 RTLT=17h 52m 56s

↓ 1527 BAY 1 HTR OFF
 ↓ 1531 X/B HI POWER

↓ 2209 AAI
 2212 |----- MAGROL -----| 0407

▼ 1800 DUMMY (11:52:56)

↓ 0400 RAI
 ↓ 0407 CRU
 ↓ 0407 GYROS OFF

FDS MODE	CR-5T
XB DATA RATE (MI)	160 (32)

31	1445 ----- 61 ----- 1925	2050 - 0630 ----- 15 [D] -----
DSN COVERAGE HPTXR		
32	----- 45 [D] ----- 1615	0150 ----- 45 [D] -----
HPTXR		

RTLT : 13h 42m 34s
 VOYAGER 2
 FDSL : 11AF
 CCSL : B026
 TWNC : ON
 SB : OFF XB : HI
 PYR : .05/ .10/ .25
 GYROS : OFF

1200 RTLT=13h 42m 46s
 0000 RTLT=13h 42m 58s

SLEW->Alpha Vir 0524 ↓

FDS MODE	CR-5T	0455
XB DATA RATE (MI)	160(32)	UV-5A 600(36)

VOYAGER COVERAGE |----- VGR -----|

NOTES [1] S/C 31 - D/L AGC VARIATIONS EXPECTED DURING MAGROL (2212-0407)

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/11/96 - 08:23

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
 SEPTEMBER 17, 1996
 261-262

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 17h 52m 56s
 VOYAGER 1
 FDSL : 11AF
 CCSL : A023
 TWNC : ON
 SB : OFF XB : HI
 PYR : .05/ .10/ .25
 GYROS : OFF

1200 RTLTL=17h 53m 8s
 0000 RTLTL=17h 53m 20s

↓ 1559 X/B LOW POWER
 ↓ 1603 BAY 1 HTR ON

PWS/RH 0515 | 0516

0515 GS-4B 0516

FDS MODE	CR-5T
XB DATA RATE (MI)	160 (32)

31	1135 ----- 65 [D] ----- 2250	2240 - 0625 ----- 15 [D] -----
DSN COVERAGE HPTXR		
32	45 [D] ----- 1635	0430 --- 45 [D] ---
HPTXR	1620 43 [o] 1720	0115 ----- 24 [o] ----- 0445

RTLTL : 13h 42m 58s
 VOYAGER 2
 FDSL : 11AF
 CCSL : B026
 TWNC : ON
 SB : OFF XB : HI
 PYR : .05/ .10/ .25
 GYROS : OFF

1200 RTLTL=13h 43m 10s
 0000 RTLTL=13h 43m 22s

2357 |----- COMMAND MORATORIUM -----|

0435 | 0436 PWS/RH
 SLEW->NGP 0555 ↓

0435 GS-4B 0436

FDS MODE	UV-5A	CR-5T
XB DATA RATE (MI)	600(36)	160(32)

VOYAGER COVERAGE |----- VGR -----|

NOTES
 [1] S/C 32=GS-4B @ 0435 XB=2.8K(41) NOT RECOVERABLE
 [2] S/C 31=GS-4B @ 0515 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/11/96 - 08:23

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
SEPTEMBER 18, 1996
262-263

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 53m 20s

1200 RTLT=17h 53m 32s

0000 RTLT=17h 53m 44s

VOYAGER 1

FDSL : 11AF

CCSL : A023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1130

65 [D]

2245

0200 - 0620

24 [D]

HPTXR

DSN COVERAGE

32

45 [D]

1705

HPTXR

RTLT : 13h 43m 22s

1200 RTLT=13h 43m 34s

0000 RTLT=13h 43m 44s

VOYAGER 2

FDSL : 11AF

CCSL : B026
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

COMMAND MORATORIUM

↓ 1310 X/B LOW POWER

↓ 1314 BAY 1 HTR ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

VGR

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/11/96 - 08:23

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
SEPTEMBER 19, 1996
263-264

VCB/MD MTG/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 53m 44s

1200 RTLT=17h 53m 54s

0000 RTLT=17h 54m 6s

VOYAGER 1

FDSL : 11AF

CCSL : A023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1145 | --- 63 [D] --- | 1400

1345 | ----- 65 [D] ----- | 2245

2230 - 0630 | ----- 15 [D] ----- |

DSN COVERAGE
HPTXR

32

0815 | ----- 45 [D] ----- | 1705

0140 | ----- 45 [D] ----- |

HPTXR

RTLT : 13h 43m 44s

1200 RTLT=13h 43m 56s

0000 RTLT=13h 44m 8s

COMMAND MORATORIUM

2330

VOYAGER 2

FDSL : 11AF

CCSL : B026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

| ----- VGR ----- |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/11/96 - 08:23

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
SEPTEMBER 20, 1996
264-265

☐ SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 54m 6s

1200 RTLT=17h 54m 18s

0000 RTLT=17h 54m 30s

VOYAGER 1

U/L 1735 | - | - - - - - TLC (SHORT-FORM) - - - - -

FDSL : 11AF

CCSL : A023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1605 | - - - - - 61 - - - - - | 1910

0045 | - - - - - 15 [D] - - - - - | 0455

DSN COVERAGE
HPTXR

32

- - - - - 45 [D] - - - - - | 1625
1610 | 43 [B] | 1710

0445 | - - 45 [D] - - -

0215 | - - - 24 [o] - - - - | 0500

HPTXR

RTLT : 13h 44m 8s

1200 RTLT=13h 44m 20s

0000 RTLT=13h 44m 32s

VOYAGER 2

▼ 1628 DUMMY BRACKETED (6:12:30)

FDSL : 11AF

CCSL : B026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

| - - - - - VGR - - - - - |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/11/96 - 08:23

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
SEPTEMBER 21, 1996
265-266

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 54m 30s
 VOYAGER 1
 FDSL : 11AF
 CCSL : A023
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

----- TLC (SHORT-FORM) ----- | D/L -| 1258

FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

1200 RTLT=17h 54m 40s 0000 RTLT=17h 54m 52s

DSN COVERAGE HPTXR

31 1055 |----- 63 [D] ----- | 1355 0600 | 42 [D]
 1340 |----- 65 [D] ----- | 2200
 2145- 0615 |----- 15 [D] ----- |

32 ----- 45 [D] ----- | 1620 0130 |----- 45 [D] -----
 1605 | 43 [o] | 1705

HPTXR

RTLT : 13h 44m 32s
 VOYAGER 2
 FDSL : 11AF
 CCSL : B026
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

VOYAGER COVERAGE ----- ON CALL -----

1200 RTLT=13h 44m 44s 0000 RTLT=13h 44m 56s

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/11/96 - 08:23

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
SEPTEMBER 22, 1996
266-267

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 54m 52s
 VOYAGER 1
 FDSL : 11AF
 CCSL : A023
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

1200 RTLT=17h 55m 4s
 0000 RTLT=17h 55m 16s

FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

31 ----- 42 [D] ----- | 1015
 1115 |----- 65 [D] ----- | 2230
 HPTXR 2215 - 0610 |----- 15 [D] ----- |

DSN COVERAGE
 32 ----- 45 [D] ----- | 1650
 0130 |----- 45 [D] ----- |
 HPTXR 42 [D] 0700

RTLT : 13h 44m 56s
 VOYAGER 2
 FDSL : 11AF
 CCSL : B026
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

1200 RTLT=13h 45m 8s
 0000 RTLT=13h 45m 20s

FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

VOYAGER COVERAGE ----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/11/96 - 08:23

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
SEPTEMBER 23, 1996
267-268

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 55m 16s
 VOYAGER 1
 FDSL : 11AF
 CC SL : A023
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

1200 RTLT=17h 55m 26s
 0000 RTLT=17h 55m 38s

▼ 1750 DUMMY (11:45:38)

FDS MODE
 XB DATA RATE (MI)

CR-5T
 160(32)

31
 1535 |-----61-----| 1900
 1900- 0610 |-----15 [D]-----|

HPTXR
 DSN COVERAGE

32
 | 0715 45 [D]
 -----42 [D]-----| 0700 - 1540
 1555 | 43 [o] | 1655

HPTXR

RTLT : 13h 45m 20s
 VOYAGER 2
 FDSL : 11AF
 CC SL : B026
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

1200 RTLT=13h 45m 32s
 0000 RTLT=13h 45m 44s

FDS MODE
 XB DATA RATE (MI)

CR-5T
 160(32)

VOYAGER COVERAGE

|-----VGR-----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/11/96 - 08:23

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY SEPTEMBER 24, 1996 268-269	
UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7	
RTLT : 17h 55m 38s VOYAGER 1 FDSL : 11AF CCSL : A023 TWNC : ON SB : OFF XB : LOW PYR : .05/ .10/ .25 GYROS : OFF	1200 RTLT=17h 55m 50s 0000 RTLT=17h 56m 2s 0452 0453 PWS/RH
FDS MODE XB DATA RATE (MI)	CR-5T 160(32) CR-5T 160(32)
31 DSN COVERAGE HPTXR	1105 ----- 65 [D] ----- 2225 0000 ----- 15 [D] ----- 0600 0545 42 [D]
32 HPTXR	1000 ----- 45 [D] ----- 1645 0150 ----- 24 [o] ----- 0445 0440 --- 45 [D] ---
RTLT : 13h 45m 44s VOYAGER 2 FDSL : 11AF CCSL : B026 TWNC : ON SB : OFF XB : LOW PYR : .05/ .10/ .25 GYROS : OFF	1200 RTLT=13h 45m 56s 0000 RTLT=13h 46m 8s 0412 0413 PWS/RH PLSCAL 0550 ----- MAGCAL 0550 ----- PESCAL 0550 -----
FDS MODE XB DATA RATE (MI)	CR-5T 160(32) CR-5T 160(32)
VOYAGER COVERAGE	----- VGR -----
NOTES	[1] S/C 32=GS-4B @ 0412 XB=2.8K(41) NOT RECOVERABLE [2] S/C 31=GS-4B @ 0452 XB=2.8K(41) NOT RECOVERABLE
UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7	

ISSUE DATE: 09/11/96 - 08:23

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
SEPTEMBER 25, 1996
269-270

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 56m 2s
 VOYAGER 1
 FDSL : 11AF
 CCSL : A023
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

1200 RTLT=17h 56m 12s 0000 RTLT=17h 56m 24s

DSN COVERAGE HPTXR

31 ----- 42 [D] ----- | 1000
 1330 |----- 65 [D] ----- | 2220
 0015 |----- 24 [D] ----- | 0555

32 ----- 45 [D] ----- | 1640
 0115 |----- 45 [D] ----- |

HPTXR

RTLT : 13h 46m 8s
 VOYAGER 2
 FDSL : 11AF
 CCSL : B026
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

0732 PLSCAL
 MAGCAL -| 0852
 PESCAL - -| 0910

1200 RTLT=13h 46m 20s 0000 RTLT=13h 46m 32s

VOYAGER COVERAGE |----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/11/96 - 08:23

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
SEPTEMBER 26, 1996
270-271

VCB/MD MTG/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 56m 24s

1200 RTLT=17h 56m 36s

0000 RTLT=17h 56m 46s

VOYAGER 1

FDSL : 11AF

CCSL : A023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1100

65 [D]

2215

0535

42 [D]

2230

15 [D]

0550

HPTXR

DSN COVERAGE

32

45 [D] 1015

1545 43 [B] 1645

0100

24 [o]

45 [D] 0700

0435

HPTXR

RTLT : 13h 46m 32s

1200 RTLT=13h 46m 44s

0000 RTLT=13h 46m 56s

VOYAGER 2

FDSL : 11AF

CCSL : B026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

▼ 1603 DUMMY BRACKETED (NO D/L)

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

VGR

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/11/96 - 08:23

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
SEPTEMBER 27, 1996
271-272

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 17h 56m 46s

1200 RTLTL=17h 56m 58s

0000 RTLTL=17h 57m 8s

VOYAGER 1

U/L 1735 | - |

TLC (SHORT-FORM) -----

FDSL : 11AF

↓ 1859 SLEW->VW HYI

CCSL : A023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 42 [D] ----- | 0955

1040 | ----- 63 [D] ----- | 1330

1840 | ----- 15 [D] ----- | 0535 | 42 [D] -

1405 | ----- 61 ----- | 1840

HPTXR

DSN COVERAGE

32

----- 45 [D] ----- | 0700 - 1630

0110 | ----- 45 [D] -----

HPTXR

RTLTL : 13h 46m 56s

1200 RTLTL=13h 47m 8s

0000 RTLTL=13h 47m 20s

VOYAGER 2

FDSL : 11AF

CCSL : B026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

| ----- VGR ----- |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/11/96 - 08:23

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
SEPTEMBER 28, 1996
272-273

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 17h 57m 8s
 VOYAGER 1
 FDSL : 11AF
 CCSL : A023
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

1200 RTLTL=17h 57m 20s
 0000 RTLTL=17h 57m 32s

D/L -| 1300
 TLC (SHORT-FORM)

FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

DSN COVERAGE HPTXR

31 42 [D] 0950 1050 65 [D] 2200 2145 15 [D] 0550

32 45 [D] 1625 0105 45 [D]

HPTXR

RTLTL : 13h 47m 20s
 VOYAGER 2
 FDSL : 11AF
 CCSL : B026
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

1200 RTLTL=13h 47m 32s
 0000 RTLTL=13h 47m 44s

FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

VOYAGER COVERAGE ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/11/96 - 08:23

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
SEPTEMBER 29, 1996
273-274

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 57m 32s
 VOYAGER 1
 FDSL : 11AF
 CCSL : A023
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

1200 RTLT=17h 57m 42s
 0000 RTLT=17h 57m 54s

FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

31 1045 |----- 65 [D] -----| 2200
 2145 |----- 15 [D] -----| 0545

HPTXR
 DSN COVERAGE

32 |----- 45 [D] -----| 1625
 0100 |----- 45 [D] -----|

HPTXR

RTLT : 13h 47m 44s
 VOYAGER 2
 FDSL : 11AF
 CCSL : B026
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

1200 RTLT=13h 47m 56s
 0000 RTLT=13h 48m 8s

FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

VOYAGER COVERAGE |----- ON CALL -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7